



# Mission Statement

Equipping Racers Since Since 1985

At Good Vibrations Motorsports we strive to provide high quality performance products at discount prices without sacraficing customer service.

Fuel Injection Pages 3-9	Injection Components	Linkage Kits Page 10
Cables/ Brackets Page 11	Blowers Page 12	Pulleys & Belts Page 14
Blower Parts Pages 15-21	Starters Page 22	Valve Covers Page 23
Rings & BearingsPage 26	Page 29	Driver Safety Pages 30-31
Specialty Tools Pages 32-33	Tabs & BracketsImage To the second seco	AN Hose & Fittings Pages 36-41
Copper GasketsImage Image 44Page 44Image 	Gear Drives Page 45	Racing Oil & Lubricants Pages 46-47
Instant \$10 off First Web Order! Coupon Code: 8999	Magneto & Pump Front Drives Page 48-49	Cool Stuff Page 50





# **Fuel Injection**<sup>3</sup>

Same Day Shipping!

# 800/576-7661

## Blower Injectors





All blower injectors are complete with: Barrel Valve, Fuel Lines, Nozzles & Bodies, Check Valve, Distribution Block & Bypass Pills.

### All Injector Assemblies are set up FREE per customer application !

Blown	<b>E-1002</b> Bugcatcher	<i>\$ 1098</i>
Alky	E-1004 Birdcatcher	<i>\$ 1279</i>
Blown	E-1001 Bugcatcher	<i>\$ 1199</i>

## **Injector Hat -** *Partial*

### Includes:

Polished Hat, Shaft, Stops, Double Arms and Butterflies.



E-4005 Bug \$ 529 E-4006 Bird \$ 689

### **3-Rib Nostalgia Bugcatcher**



# **Big & Ugly Injector**

### 4 Butterfly Sizes: 3 9/16, 4 3/8, 5 & 5 9/16"

This tall aluminum injector hat is Enderle's replica of the carbon fiber hats. It has a highly luster polished finish and billet front.



### **Complete** Assembly

E-BAU-3-36 3 9/16 Flies **\$ 1799** E-BAU-3 4 3/8 B-Flies E-BAU-1-5 5 B-Flies E-BAU-1 5 9/16 B-Flies **\$ 1999**  **Specs** Weight ... **16lbs** Tall ... **10.5**" *Optional* Short ... **8.3**"

## Partial Hats

<b>E-BAU-3-SB-36</b> 3 9/16 <sup>3</sup>	" <b>\$ 1099</b>	Includes:
<b>E-BAU-3-SB</b> 4 3/8"	<i>\$ 1099</i>	Polished Hat,
<b>E-BAU-1-SB-5</b> 5"	<i>\$ 1399</i>	Shaft, Butterflies,
<b>E-BAU-1-SB</b> 5 9/16"	<i>\$1339</i>	Stops & Arms.

### **Progressive Linkages**

Allows better partial throttle by opening just one butterfly first; The other butterflies are then opened progressively.

E-BAUPLA Installed on new hat

\$ 215

E-BAUPL1 Retrofit existing hat \$319

# **3-Hole Upright Injectors**



Ideal for: Tractor Pullers Mud Boggers

E-1013A with Filters E-1014A w/o Filters

\$1449 \$1249





# **Fuel Injection**<sup>4</sup>

Same Day Shipping!

# 800/576-7661

Why Enderle Mechanical Fuel Injection ???

# \* Consistent & Responsive \* Dependable & Affordable \* FREE Tech Support \* Look Cool!

E-2100A Bugcatcher\$	<i>1199</i>
E-2101A Birdcatcher\$	1379
E-7070 Edelbrock SBC TR Base \$	<i>379</i>
E-7075 Edelbrock BBC TR Base \$	<i>437</i>
<b>E-6209</b> Dart BBC Tall Deck w/ Adap\$	<i>829</i>
<b>E-460BT</b> Blue Thunder BBF Base \$	<i>629</i>
E-TRA7075 BBC Top Adap Plate \$	<i>148</i>
<b>E-SBTRA</b> SBC Top Adap Plate \$	<i>148</i>


Injectors are set up per customer application FREE at NO additional charge.



Intake sold separately


### *All Tunnel Ram Injectors are complete with:* Barrel Valve, Fuel Lines, Nozzles & Bodies, Main and Secondary Check Valves, Dist Block & Bypass Pills.

# **Convert Your 4 Barrel Manifold into Fuel Injection!**



**Single/Dual Butterfly Injector** 

Intake not included



# Very Consistent & Responsive


*Injectors complete with:* Barrel Valve, Lines, Nozzles, Pills and Air Filter Bracket. Has standard Holley four barrel bolt pattern. **Gas or Alky.** 





Single Body - Assy E-2020.39 4" \$ 989 E-2020.50 5" \$ 999 Dual Body - Assy E-2030.39 4" \$1249 E-2030.50 5" \$1349 Single Body - Partial E-4080.39 4" \$ 349 E-4080.50 5" \$ 389 Air Filter Assembly E-2020.39F 4" \$ 189 E-2020.50F 5" \$ 207 Progressive Linkage E-67260SB \$ 55





*Open 24/7 at:* **GoodVibrationsRacing.com** 



# 800/576-7661

### **Stainless Steel Pump Loop Lines**

Pre-bent stainless steel loop lines are designed to return fuel to inlet of pump. **E-110HS6** 110 High Speed **Most \$23** E-110SO6 110 Shutoff **Line Only E-110SOT6** 110 Shutoff using a tee (shown) E-80AHS6 80A High Speed E-80ASO6 80A Shutoff E-80ASOT6 80A Shutoff using a tee E-LOOP-AN6 AN6 K-style B/V (shown)

Complete Loop Kits: \$69 to \$79

**Pump** Inlet Fitting with **Returns** 

Return fuel lines to the inlet of pump. Available for most fuel pumps. **\$39** 



Routes three AN6 returns into one outlet. Mounts to the side of Shutoff Valve. Accepts "Screw-In" style bypass pills.



E-5011 SBC

E-5010 BBC

E-5012 SBF

## **Pump Belt Drive**


Belt drive kits allow one to drive the fuel pump off the crankshaft. Required if your water pump blocks access to the cam.

### Flowed Fuel Pumps Pumps are *Coated* Inside **Cam or Belt Driven**



- E-5014 BB Mopar E-5014A Blown E-5015 BBF from \$259 E-3002 80A-0 (4.5 gpm) \$ 479 E-3003 80A-1 (7.1 gpm) \$ 479 E-3003.DSR 80A-1 (7.5)\$ 539 E-3004A 600 (9.2 gpm) *\$ 529* E-3004 110 (13.4 gpm) \$ 529 E-3005 990 (15.7 gpm) \$ 629 E-3006 1100 (17.2 gpm) \$ 649
  - E-3008 1270 (20.2 gpm) \$ 719 E-2000C 3-Hole Collar \$ 39
  - E-3000C 4-Hole Collar \$ 54 **E-88011** 11mm Bearing *\$ 13* E-6002.ZZ 15mm Brng *\$ 13*
- **E-114HC-11** .433 Seal \$ 23 E-114HC-15 .590 Seal \$ 23





ENDERLE

*Lengths:* 2 - 6 inches (1/2" inc.) Standard Ext From \$ 120 Quick Release From \$ 148 QR SS Clamp ...... \$ 45

## **3-Way Fuel Shutoff Valve**

Adjustable 360 Degrees **Includes Arm & Fittings** 

Mandatory on Enderle pumps Shutoff Valve **E-85110** AN6 ...... \$ - 84 E-85210 AN8 ..... \$ 109 E-85310.12 AN12 ... \$ 154 **O-Ring**/ Seal Kit E-85103 AN6 \$13 E-85203 AN8 S/O Bracket Kit

E-80ABR 80A Pumps \$33 E-110BR 110 Series

### **Over-Center Spring Bracket Assy**

This bracket setup will hold the Enderle shutoff valve positively in the ON position until it is turned off manually.

Includes: Billet Alum Bracket, SS Spring, Bolt & Nut. FI-5140 AN6 S/O Francious FI-5142 AN8 S/O





### 6 **Fuel Injection**

Same Day Shipping! 800/576-7661

## Bypass Pills, Nozzle Jets, Holders



Outerware: (Red, Orange, Blue, Black, Purple) \$26



E-4028 Port Dist Block w/ 8 fittings .....

\$ 34 \$ 58

0000





# **Fuel Injection**

Same Day Shipping!

# 800/576-7661

## **Barrel Valves**

Enderle Barrel Valves can be used on Gas, Alky or Nitro. Available for Blowers & Tunnel Rams.





E-MVORM O-Ring Kit (Specify Style) ..... \$ 10 E-4018 Gas Metering Piston ...... \$ *69* E-4018-32 Tunnel Ram Metering Piston ... \$ 69 E-4019 Alcohol Metering Piston ...... \$ 69 **E-4020** Nitro Metering Piston K-Style ...... \$ 83 E-4020A Alky Metering Piston K-Style ...... \$ 83 E-4023 Barrel Valve Assy Square-Style Alky \$ 269 E-4024A Barrel Valve Assy K-Style Alky ..... \$ 289



**Injector Hose** *§***19** T-2006 AN6 T-2008 AN8



As a high-speed lean out, this valve can be activated with an RPM activated switch, timer or momentary switch. Fuel will be taken away at the top end for best horsepower. What's a "Converter helper"? When a fuel injected motor is on a rev limiter, the motor cools down severely since a large quantity of fuel is not being burned. This valve can be wired to the transbrake circuit so that when the transbrake is set, the valve opens and keeps the motor hot, lean and mean while on the rev limiter.



#### Hi-Speed Assembly \$69 Bleeds off fuel at higher rpm. Frees up top-end horsepower. Install anywhere between pump and distribution block. Variety of Pressures Available. Accepts Enderle Bypass Pill. E-7019 Unblown AN6 T E-7018 Blown AN8 T





**Open 24/7 at:** GoodVibrationsRacing.com

# **Fuel Injection**

# 800/576-7661



Matthew Power -Lightning Ridge, Australia







# Linkage Kits<sup>10</sup>

# 800/576-7661

# **Injected?** *Get Connected!*

## Blower Mounted Throttle Cable Bracket

## Throttle Cable Bracket

6061 Billet Aluminum Swingover hookclamp. Provision for Springs. Fits most Blower & Tunnel Ram Injectors. TF/TA Approved.

FI-5113 Most Hats FI-5114 PSI Hat

## Throttle Stop

**98** 

Quick Release in < 1 Second Billet Aluminum w/ SS Pin Top Fuel & Alcohol Legal



FI-5120 \$ 59

# **Return Springs**

Special bend prevents spring from detaching from Injector. Includes Grade 8 10-24 bolt & locking nut.

FI-5115 Primary (Strong) FI-5116 Secondary (Medium)



Injector Hat Linkage Kit \$ 89



Designed to work with mechanical fuel injection (Bug or Birdcatcher) on blown applications only. Adjustable heime end design and needle bearings for smooth throttle operation. **E-76-GVIHL**  Works with Bug or Bird. Anodized Aluminum. Mounts to front of Blower. Swingover Hook clamp. Provision for Springs. **FI-5110** 

## Tunnel Ram Linkage Kits

Everything needed for mounting **Dual Carbs** on a Tunnel Ram *Side-Saddle* 



E-72-2000 SBC E-71-1000 BBC E-75-107 Ford 351C E-75-220 Ford 460

Progressive .. \$ 58 Dual Carbs Inline on a TR E-67-260FSB SB Chevy E-67-260FBB BB Chevy



For dual Holley double-pumpers, Dominators, Predators & Carters mounted **Side-Saddle.** Includes adjustable heime-end design and needle bearings for smooth throttle operation. **E-76-107** 

For dual Holley vacuum secondary, Dominators, Predators & Carters mounted **Inline** on a 8 9/16 center-to-center distance. Includes adjustable heime-end design and needle bearings for smooth throttle operation. **E-55-501** 

Geod Geod Geod Geod Geod Geod		les & Ends <sup>11</sup> )/576-7661
Determine Correct Cable 1. Select The Housing Style 2. Measure the Length (Tip to Tip) Bulkhead (Threaded) Groove Custom Length Cables? No Problem! 24'' Throttle Cable Stainless Steel Adjustable Cc-UV-100-24 Nylon Housing \$29 Cc-UV-200-24 Stainless Steel \$39 * Cables can be shortened * 18' Chute Cable Stainless Steel CC-PCTG-216\$31 With Lever \$40	The Choice of the Pros in 7         * Threaded Male 10-32 Both Ender         * Grooved or Bulkhead Housing         * Stainless Steel Inner         * Heavy Duty Quality         Control         Grooved       Grooved Housing or         * Throttle         Bulkhead       Double-Nut Bulkhee         on One or Both Ends         * Shifter         T-Handle       Grooved Housing or         * Shifter         Grooved Housing or         * Shifter         Double-Nut Bulkhee         on One or Both Ends         * Shifter         Grooved Housing or         * Fire System, Fue         Length       Groove         Length       Groove         2 Foot (24")       \$39.99         3 Foot (36")       \$39.99         4 Foot (48")       \$42.99         5 Foot (60")       \$44.99         6 Foot (72")       \$47.99         7 Foot (84")       <	<ul> <li>Micro-adjust</li> <li>Micro-adjust</li> <li>Micro-adjust</li> <li>Micro-adjust</li> <li>Micro-adjust</li> <li>Call for sizes or check online.</li> <li>Micro-adjust cables are perfect for any application where a locking cable must be used, such as marine or where high vibration conditions are experienced.</li> <li>Allows the cable to be locked at partial travel and incorporates a</li> </ul>
Cable BracketsBillet Aluminum & LightweightImage: A constraint of the strength of the stre	Cable Ends \$8ea A B C C D A. CC-175-403-0030 Q.D. Ball Joint B. CC-165-172-307A Round Knob C. CC-CREF-3-3 Female Heime D. CC-PCH-100 Alum Lever \$9	800.576.7661 We pay CASH for your used Fuel Injection Hats and Blowers Parts! sales@dragparts.com





# **Supercharging**<sup>12</sup>

## Same Day Shipping!

# 800/576-7661

# **Billet Case Blowers!**



The Blower Shop superchargers are some of the finest on the market. Their BILLET case is superior to cast casings and has a show polished finish.

Proven successful in professional motorsports including: Drags, Marine and Tractor Pulling.

**HA** = Anodized Rotors/ Case **Race** = HA & 18 strips of teflon and case drilled for rear nozzles..

Billet Case/ Ca	ist Rotors
6.71 HA	<i>\$ 2795</i>
6.71 Race	<i>\$ 2995</i>
8.71 HA	<i>\$ 2795</i>
8.71 Race	<i>\$ 2995</i>

Billet Case/ Bille	t Rotors
6.71 Race	\$ 3895
8.71 Race	\$ <b>3995</b>
10.71 Race	<i>\$ 3995</i>
14.71 Race	\$ 4195
14.71 Race Hi-Heli	x <b>\$ 5495</b>

# Show Quality 6.71 to 16.71 Blowers



BDS blowers are hand assembled with competition components. Special features include: Double lipped teflon seals, heavy-duty bearings, double pinned rotors, sight gauge and Billet bearing plates. Options: Hard anodizing, teflon strips and front discharge cases.

Many blower companies use reconditioned GM diesel rotors in their blowers. Air-Loc are BDS brand NEW cast rotors. Makes more boost at cooler temperature. *Bottom line:* More Horsepower. BDS Pro-Loc are Billet rotors; available in standard or hi-helix.

BDS Blower Kits are some of the finest on the market. Show-Quality & Precision Machined. *Kits Include:* Air-Loc Blower, 1 Vee Drive Kit, Dual Carb Adap, Bolts, Gaskets & Warranty!

Kits are
Custom
Assembled
per your
Application

SB Chevy 6.71 Kit	\$ 2990
BB Chevy 8.71 Kit	\$ 3690
426 Hemi 8.71 Kit	<b>\$ 3990</b>
460 Ford 8.71 Kit	<i>\$ 4190</i>
	Call for Others

#### **Popular Kit Options:**

Polish Blower \$205 Polish Manifold \$110

Upgrade to 8mm \$65 Upgrade Stage II Blower \$239


#### Air-Loc Cast Rotors

6.71 Street-GM	<i>\$ 1595</i>
6.71 Street	<i>\$ 2595</i>
6.71 Race	<i>\$ 3395</i>
8.71 Street	<i>\$ 2595</i>
8.71 Race	<i>\$ 3395</i>

### **Pro-Loc** Billet Rotors

8.71 Pro-Loc	\$ 4345
14.71 Pro-Loc	\$ <b>4479</b>
14.71 Hi-Helix	\$ 4950

Race style has 18 strips of teflon. Rotors and inside of case are hard anodized.







*Open 24/7 at:* GoodVibrationsRacing.com

Supercharging <sup>13</sup>

800/576-7661

	8mm							Τ	OP	PU	LLE	ŻY					
				43	44	45	46	47	48	49	50	51	52	53	54	55	56
			47	9.3	6.8	4.4	2.2	1.0	-2.1	-4.1	-6.0	-7.2	-9.6	-11.3	-13.0	-14.5	-16.1
6 .	-		48	11.6	9.1	6.7	4.3	2.1	1.0	2.0	-4.0	-5.9	-7.7	-9.4	-11.1	-12.7	-14.3
Min.			49	14.0	11.4	8.9	6.5	4.3	2.1	1.0	-2.0	-3.9	-5.8	-7.5	-9.3	-10.9	-12.5
091111	I DEPErman	B	50	16.3	13.6	11.1	8.7	6.4	4.2	2.0	1.0	-2.0	-3.8	-5.7	-7.4	-9.4	-10.7
			51	18.6	15.9	13.3	10.9	8.5	6.3	4.1	2.0	1.0	-1.9	-3.8	-5.6	-7.3	-8.9
4111		0	52	20.9	18.2	15.6	13.0	10.6	8.3	6.1	4.0	2.0	1.0	-1.9	-3.7	-5.5	-7.1
and a		Τ	53	23.2	20.5	17.8	15.2	12.8	10.4	8.2	6.0	3.9	1.9	1.0	-1.9	-3.6	-5.4
	And a second	Т	54	25.5	22.7	20.0	17.4	14.9	12.5	10.2	8.0	5.9	3.8	1.9	1.0	-1.8	-3.6
	•	Ō	55	27.9	25.0	22.2	19.6	17.0	14.6	12.2	10.0	7.8	5.8	3.8	1.9	1.0	-1.8
l Dr	ive		56	30.2	27.3	24.4	21.7	19.1	16.7	14.3	12.0	9.8	7.7	5.7	3.7	1.8	1.0
		Μ	57	32.5	29.5	26.7	23.9	21.3	18.8	16.3	14.0	11.8	9.6	7.5	5.6	3.6	1.8
			58	34.8	31.9	28.9	26.1	23.4	20.8	18.4	16.0	13.7	11.5	9.4	7.4	5.5	3.6
D.	atio	Р	59 60	37.2	34.1	31.3 33.3	28.3	25.5	22.9	20.4	18.0	15.7 17.6	13.5	11.3	9.3 11.1	7.3	5.4 7.1
			60 61	39.5 41.8	36.4 38.6	35.6	30.4 32.6	27.7 29.8	25.0 27.1	22.4 24.5	20.0 22.0	17.6	15.4 17.3	13.2 15.1	13.0	9.1 10.9	7.1 8.9
		U	62	41.0	40.9	37.8	34.8	29.0	29.2	24.5	24.0	21.6	19.2	17.0	14.8	12.7	0.9 10.7
		L	63	46.5	43.2	40.0	37.0	34.0	31.1	28.6	26.0	23.5	21.2	18.9	14.0	14.5	12.5
	art	L	64	48.8	45.5	42.2	39.1	36.2	33.3	30.6	28.0	25.5	23.1	20.8	18.5	16.4	14.3
		E	65	51.2	47.7	44.4	41.3	38.3	35.4	32.7	30.0	27.5	25.0	22.6	20.4	18.2	16.1
ſ			66	53.5	50.0	46.7	43.5	40.4	37.5	34.7	32.0	29.4	26.9	24.5	22.2	20.0	17.9
Ť.	A TANK	Y	67	55.8	52.3	48.9	45.6	42.6	39.6	36.7	34.0	31.4	28.8	26.4	24.1	21.8	19.6
			68	58.1	54.5	51.1	47.8	44.7	41.7	38.8	36.0	33.3	30.8	28.3	25.9	23.6	21.4
6	<u> </u>		69	60.5	56.8	53.3	50.0	46.8	43.8	40.8	38.0	35.3	32.7	30.2	27.8	25.5	23.2
			70	62.8	59.1	55.6	52.2	48.9	45.8	42.9	40.0	37.3	34.6	32.1	29.6	27.3	25.0

## 13.9mm/14mm 1/2" Pitch 30-41T

## **TOP PULLEY**

	<b>JU-T</b>														
		_	25	26	27	28	29	30	31	32	33	34	35	36	37
to in		25	1.0	-3.8	-7.4	-10.7	-13.8	-16.7	-19.4	-21.9	-24.2	-26.5	-28.6	-30.6	-32.4
Ille	D	26	4.0	1.0	-3.7	-7.1	-10.3	-13.3	-16.1	-18.7	-21.2	-23.5	-25.7	-27.8	-29.7
III I DIMINIPART	B	27	8.0	3.8	1.0	-3.6	-6.9	-10.0	-12.9	-15.6	-18.2	-20.6	-22.9	-25.0	-27.0
	Ο	28	12.0	7.7	3.7	1.0	-3.4	-6.7	-9.7	-12.5	-15.2	-17.6	-20.0	-22.2	-24.3
41111111111111	Т	29	16.0	11.5	7.4	3.6	1.0	-3.3	-6.5	-9.4	-12.1	-14.7	-17.1	-19.4	-21.6
		30	20.0	15.4	11.1	7.1	3.4	1.0	-3.2	-6.2	-9.1	-11.8	-14.3	-16.7	-18.9
	Т	31	24.0	19.2	14.8	10.7	6.9	3.3	1.0	-3.1	-6.1	-8.8	-11.4	-13.9	-16.2
	Ο	32	28.0	23.1	18.5	14.3	10.3	6.7	3.2	1.0	-3.0	-5.9	-8.6	-11.1	-13.5
How to select	Μ	33	32.0	26.9	22.2	17.9	13.8	10.0	6.5	3.1	1.0	-2.9	-5.7	-8.3	-10.8
	IVI	34	36.0	30.8	25.9	21.4	17.2	13.3	9.7	6.3	3.0	1.0	-2.9	-5.6	-8.1
your Belt &		35	40.0	34.6	29.6	25.0	20.7	16.7	12.9	9.4	6.7	2.9	1.0	-2.8	-5.4
Pulleys Sizes	Р	36	44.0	38.5	33.3	28.6	24.1	20.0	16.1	12.5	9.1	5.9	2.9	1.0	-2.7
	Ū	37	48.0	42.3	37.0	32.1	27.6	23.3	19.4	15.6	12.1	8.8	5.7	2.8	1.0
■試羅調■		38	52.0	46.2	40.7	35.7	31.0	26.7	22.6	18.8	15.2	11.8	8.6	5.6	2.7
	L	39	56.0	50.0	44.4	39.3	34.5	30.0	25.8	21.9	18.2	14.7	11.4	8.3	5.4
	L	40	60.0	53.8	48.1	42.9	37.9	33.3	29.0	25.0	21.2	17.6	14.3	11.1	8.1
		41	64.0	57.7	51.9	46.4	41.4	36.7	32.3	28.1	24.2	20.6	17.1	13.9	10.8
国王法法的	E	42	68.0	61.5	55.6	50.0	44.8	40.0	35.5	31.3	27.3	23.5	20.0	16.7	13.5
	Y	43	72.0	65.4	59.3	53.6	48.3	43.3	38.7	34.4	30.3	26.5	22.9	19.4	16.2
		44	76.0	69.2	63.0	57.1	51.7	46.7	41.9	37.5	33.3	29.4	25.7	22.2	18.9
		45	80.0	73.1	66.7	60.7	55.2	50.0	45.2	40.6	36.4	32.4	28.6	25.0	21.6

The Last - Course	Ma	nsterCard VISA		perchar	ging <sup>14</sup>	
ABRATI	ONS SO	ame Day Shi	ipping! 8	00/576	-7661	
Blower B	elts	1/2 Pitch	8m	m 13	.9 & 14mm	
Street/ Race < 35% OD 8mm, 1/2" PitchRace > 35% OD 8mmGT, 13.9 & 14mMarce > 35% OD 8mmGT, 13.9 & 14mAvailable in Rubber or PolyChain/ Carbon (GT)Belts listed are 3" Wide.		540H300 \$ 69 1360 550H300 \$ 69 1440 560H300 \$ 69 1440 570H300 \$ 69 1512 585H300 \$ 79 1520 600H300 \$ 79 1600 630H300 \$ 89 1696		\$ 109       154         GTC       \$ 109       154         GTC       \$ 169       154         GTC       \$ 129       140          \$ 129       140          \$ 129       161         GTC       \$ 189       161         GTC       \$ 189       161         GTCPS       \$ 239       169         he largest       175	<b>3.9mm</b> 3M65 \$ 159         3M75 \$ 189 <b>14mm</b> 0M75 \$ 299         8M75GTC \$ 289         0M75 \$ 299         0M75GTC \$ 289         0M75GTC \$ 289         0M75GTC \$ 329	
Billet Alum Blower Pulleys 3.5" Wide	<b>1/2 Pitch</b> <b>Ratios &lt; 15%</b> <i>Sizes:</i> <b>30-41</b> <b>From \$ 79</b>	Sizes: <b>43-70</b> From <b>\$ 83</b>	8mmGT           8atios > 35%           Sizes: 43-75           From \$ 96           e 3.5" wide with a	13.9mm         Ratios > 35%         Sizes: 25-45         From \$ 89         2" register.	Image: Weight of the system           14mm & GT           14mm & GT           Ratios > 35%           Sizes: 25-46           From \$ 89	
2.0" Register	Mac	chined from Bille	llet 6061 aluminum and T-6 heat treated.			

V-Groove Pulleys

**V-Groove Pulleys** are machined from billet 6061-T6 alum. Has a 2" register and bolt directly to crank hub with 6 bolts. Can be stacked together for PS, AC, etc...



- **B-2205** Single V-Groove Pulley .... \$ 65
- B-2211 Single V-Groove Adap SBC \$ 85
- B-2212 Dual V-Groove Adap SBC \$109
- B-2221 Single V-Groove Adap BBC \$ 85
- B-2222 Dual V-Groove Adap BBC \$109



**Pulley Spacers** 



Accessory Pulleys



Billet Aluminum *Uppers* are Polished

#### Fits Short Water Pumps

B-2230 Water Pump SBC	\$ <b>39.95</b>
B-2233 Water Pump BBC	\$ <b>39.95</b>
B-2236 Lower Pulley BBC	\$ <b>29.95</b>
<b>B-2240</b> Alternator SB Chevy	\$ <b>29.95</b>
F-312-1000SS SS WP Bolt	\$.75



Hard anodizing is standard on: 8mmGT, 13.9 and 14mm/ GT pulleys.







Mr.

Open 24/7 at: GoodVibrationsRacing.com



# 800/576-7661

# **Blower Manifolds**



Chevy Street



**SBC Race** 



Raised tented floor for improved airflow. Solid sides for added strength and rigidity. Competition models have port nozzle provisions. Most will accept 6.71 through 14.71 blowers. Street includes thermo housing and backfire valve.

> Most Manifolds are in Stock!



BDS-8006-1206 SB Chevy Street \$ 498
B-7100 SB Chevy Race Mooneyham \$ 448
TBS-2533 SB Chevy Street LG port \$ 549
<b>TBS-2536</b> SB Chevy Race LG port \$ 779
BDS-8026S BB Chevy Street Std \$ 548
BDS-8026T BB Chevy Street Tall \$ 578
BDS-8027S BB Chevy Race Std \$ 448
<b>BDS-8027T</b> BB Chevy Race Tall <i>\$</i> 498
BDS-8607 Pontiac 326-455 \$ 548
BDS-8386-H Mopar 392 Hemi \$ 478
BDS-8376 Mopar 426 Hemi \$ 528
<b>BDS-8366</b> Mopar 440 \$ 448
BDS-8406 Ford 289-302 \$ 998
BDS-8456 Ford 429-460 \$ 698
BDS-8456BT 429-460 Blue Thunder \$949
Show Polishing (most \$110)

zm		
New New	BDS-8006-1206 SB Chevy Street	\$
- MAR	B-7100 SB Chevy Race Mooneyham	\$
	TBS-2533 SB Chevy Street LG port	\$
1. 10.	TBS-2536 SB Chevy Race LG port	\$
3-17	BDS-8026S BB Chevy Street Std	\$
	BDS-8026T BB Chevy Street Tall	\$
BL WER	BDS-8027S BB Chevy Race Std	\$
rt Nozzles	BDS-8027T BB Chevy Race Tall	\$
Burst Panel	BDS-8607 Pontiac 326-455	\$
	BDS-8386-H Mopar 392 Hemi	\$
Ford 429-460	BDS-8376 Mopar 426 Hemi	\$
	BDS-8366 Mopar 440	\$
A COLORING COLORING	BDS-8406 Ford 289-302	\$
	BDS-8456 Ford 429-460	\$
	BDS-8456BT 429-460 Blue Thunder	\$
	Show Polishing (most \$110)	

	BDS-1401 Thermostat Housing Kit	\$ 49
S	<b>B-7200</b> Swivel Thermostat Housing	\$ 29
	BDS-1400-2 Billet Remote Housing	\$ 75
	BDS-8366AK Large Backfire Valve Kit	
	B-5025.K Alum Blower Stud Kit 2.5"	\$ 35
1	B-5101 Machine for Burst Panel	\$175
	Need Quality Gaskets? See Pages 17 &	42

25	Burst Panel Adapter
<b>65</b>	No welding or
65 75	machining on
75 75	older intakes.

2pc Alum F ck check of inner panel. Also includes 24 Stainless-B-5106 ... \$195 Steel bolts and 2 sfi burst panels.

**B-5100** Burst Panel, SFI Approved .....







<b>Burst</b>	Panels



Panels are **SFI** Approved. Very popular on Top Fuel & Alcohol Engines.

B-5100-3 Burst Panel, 3 pack special! \$ 65	Nov
<b>B-5102</b> 2pc Alum Frame Kit w/ 24 bolts \$ 65	mac
B-5109 Burst Panel Alum Adapter \$ 75	olde
<b>B-5110</b> Burst Panel Alum Adapter Weld-On <i>\$</i> 75	olu
PSI Blower Tandem Kit	
2pc Alum Frame Kit. Has side brass fitting for	quic

\$





### 16 Supercharging

Same Day Shipping!

# 800/576-7661

# **Blower Components**

















A <b>B-5019</b> Injector Hat Stud Kit (4)	\$11
B <b>B-5025.K</b> Blower Stud Kit Alum 2.5" (8)	. \$35
Longer Blower Studs 3.00" & 3.50" (each)	. \$ 5
C B-5038 Alum Blower Turning Plate	\$ <i>35</i>
D F-375-13-100-6 12pt Blower Pulley Bolts (6)	\$12
E BDS-333K Billet Tri-Plate Kit	<i>\$19</i>
F B-5135 Pressure Relief Valve 1/8 Stainless Steel	<b>\$16</b>
F <b>B-5136</b> Pressure Relief Valve 7/16 Alum Black	\$17
G B-5138 Oil Level Sight Gauge Lexan 1/4 NPT	\$18
G BDS-556 Oil Level Sight Gauge Lexan 1/2-20	<i>\$ 18</i>
H BDS-1150 Trans Pressure Diversion Valve	. \$69

Street Snouts are Polished !

Shaft Size

Street 1.125

Includes Grade 8

**Bolts & Washers** 

Race

1.250

## **Blower Snouts**

Drive Snouts are machined from billet aluminum. Has double ball bearings and HD oil seal. 48-Tooth spline shaft is made from heat-treated 4100 steel.

<b>B-5300</b> Street Snout 3.90"	<i>\$ 298</i>
<b>B-5310</b> Street Snout 5.75"	<i>\$ 338</i>
<b>B-5302</b> Coupler for above	<b>\$ 86</b>
<b>B-5340</b> Race Snout 3.90"	<i>\$ 289</i>
<b>B-5342</b> Coupler for 3.90"	\$ 74
<b>B-5350</b> Race Snout 5.25"	<i>\$ 299</i>
<b>B-5352</b> Coupler for 5.25"	<b>\$ 79</b>
<b>B-5360</b> Race Snout 6.00"	<i>\$ 339</i>
<b>B-5362</b> Coupler for 6.00"	<b>\$ 84</b>
<b>B-5370</b> Race Snout 7.00"	\$ 359
<b>B-5372</b> Coupler for 7.00"	<b>\$ 89</b>

# **Blower Front Covers**



Complete Kit includes: Cover, Pressure Relief Valve, Sight Gauge, Gaskets, Bolts & Washers.

BDS-671-1C Cover Only -Satin	\$ 115
BDS-671-1CP Cover Only -Polished	<i>\$139</i>
B-5220 Cover Only -BILLET !	<i>\$ 189</i>
BDS-671-1CK Cover Kit -Satin	\$ 149
BDS-671-1CKP Cover Kit -Polished	<i>\$169</i>

*Specify:* Half or Full Round Bearing Plates and Covers are available in Polished or Satin Finish. Works on most brands of blowers.

# **Blower Bearing Plates**

Front Plates includes: Heat-Treated dowels & Bearing Retainers (pr).

> *Specify:* All Square (Detroit style), Half Round or All Round

### **Rear Plates includes:** Heat-Treated dowels &

Bearing Caps (pr).

BDS-671-2C Front Plate Satin **BDS-671-2CP** Front Plate *Polished* **BDS-671-4** Rear Plate Satin **BDS-671-4P** Rear Plate - Polished TBS-1100 Rear Plate Billet Polished BDS-671-5 Rear Bearings Caps Pr. BDS-671-22 Bearing Retainer Pr. G-3320 Bearing/Seal Kit Street (4) G-3322 Bearing/Seal Kit Comp (4) **Bearings & Seals also Sold Separate** See Page 17



FRONT





. La
and Good
ABRATION-S
MOTORSPORTS



**Open 24/7 at:** GoodVibrationsRacing.com

# Supercharging

# 800/576-7661

#### **Belt Guards & Components** Bolts Right on! No Add't Hardware Required **Billet** Aluminum Stainless Steel Fasteners Polished or Black Finish Lengths available: 6, 7.5, 8.5, 10, 12" **Roots & Screws** B-5006 Polished \$139 \$139 B-5006.B Black 3-Hole SSI & PSI \$159 B-5015 Polished \$159 B-5015.B Black Top Guard F Blower Middle Guard Front В Cover \$5ea Middle Suppor C Bottom Guard Seals *159* RCD-103507-0010 Top Belt Guard, SSI 3-Hole RCD-103507-0018 Top Belt Guard, Snout Mntd \$ *165* \$ **Blower Seals ea.** 139 RCD-157019-15 Snout Mounted Guard Clamp G-3300 Std (Specify with or w/o Starter Bracket for Belt Guards) G-3302 O/S \$ 159 A. RCD-103507-0004 Top Belt Guard, Roots \$ **49** B. **RCD-103512-10** Middle Belt Guard ..... \$ C. RCD-103522-0003 Lower Belt Guard ..... *134* \$ D. RCD-103507-51 Starter Face Plate & Clamp ... 253 \$ E. **B-5040** Steel 6 Hole Starter Dog ..... 66 **Blower Snouts** \$ **68** F. RCD-103507-03 Blower Starter Face Plate ..... \$ 59 G. Belt Guard Mounting Kit For RCD Guards .... Mounting Kits Available from 1.75" - 3.00" standoffs

## **Blower Gaskets**

These premium gaskets are race tested and proven in Top Fuel/ Alcohol & Blown Gas. **Re-usable!** 

Blower <b>B</b>	ase
G-2022	6.71 <b>\$</b> 9
G-2022.3	3-Pack \$24
G-2028	8-10.71 <i>\$</i> 9
G-2028.3	<i>3-Pack</i> <b>\$ 24</b>
G-2032	14.71 <b>\$ 12</b>
G-2032.3	3-Pack <b>\$ 32</b>

#### **Blower Inlet**

Small w/o Screen	\$ 7
3-Pack Special	<i>\$15</i>
Small w/ Screen	<b>\$ 9</b>
3-Pack Special	<i>\$22</i>
Large w/o Screen	<b>\$</b> 7
3-Pack Special	\$15
	Small w/o Screen 3-Pack Special Small w/ Screen 3-Pack Special Large w/o Screen 3-Pack Special





G-2056 Round

G-2058 Blower Snout \$3 G-2059 w/ Bolts \$5

# **Bearings &**

Blower seals are heavy duty, double*lipped teflon and designed for extreme* temperature and pressure. Bearings are long-lasting, premium quality.

Half

**Blower Bearings ea.** G-3312 Rear \$ 14 G-3314 Front **\$** 17 \$ 8 \$ 8 G-3304 Shaft Saver \$5 **Bearing/Seal Kits (4)** G-3320 Street \$ 89 G-3322 Race \$ 119 G-2060 Seal 1.125 \$ 8 G-2062 Seal 1.250 \$15 G-2061 Bearing 1.125 \$ 19 G-2063 Bearing 1.250 \$ 19





BUNA O-Rin	g Material
<b>G-3020</b> 3/32	Manifolds,
G-3022 1/8	Heads, etc
<b>G-3024</b> 3/16	\$ .95 ft





## **Chromoly Crank Hubs**



Hubs are designed to replace your harmonic balancer. Machined from 4100 steel and broached for 2 keyways.







**External Balance** 



Hub with optional **Degree Ring Installed** 



Internal Bearing Support 426 Hemi

354-417 Hemi

426 Hemi PSI Spline

From.. \$39

**Chrome-Moly Steel** Black Oxide Finish Gun Drilled Heat-Treated

BDS-125 Ford 390-460 ..... \$ 129

800/576-7661

B-2054 BBC Int Bal Dual 1/4 Keys \$ 125 B-2055 BBC Ext Bal 3/16-1/4 Keys \$ 229 B-2056 BBC Ext Bal Dual 1/4 Keys \$ 229 B-2060 Hemi 426 PSI Spline ...... \$ 169 **B-2064** Hemi 426 Dual 1/4 Keys ..... \$ 139 B-2066 Hemi 426 Internal Brng Sppt \$ 269 RCD-202803-04 Hemi 354-417...... \$ 184 BDS-139 Hemi 354-417 3/16-1/4 Keys \$ 139

**B-2040** SBC Int Bal 3/16-1/4 Keys

**B-2042** SBC Ext Bal 3/16-1/4 Keys

**B-2053** BBC Int Bal 3/16-1/4 Keys

BDS-120C Ford 302-351W-351C

Crank Bolts

Chevy Hemi Ford

7/16 - 1/2 - 3/4"

Race Tested & Proven in Top Fuel and Alky!

### **12pt Blower Pulley Bolts**

**F-375-13-100-6**...\$11.95 (6 Pack)

Aerospace Quality **Includes Washers** 



**Billet Crank Hub Degree Rings** 

3/8-24 x 1.00"



Standard



**Billet** Aluminum 6.375 or 7" Diameter **1 Degree Increment** 

#### w/o Magnets

0		
<b>B-2032</b> 6.375"		<b>\$ 69</b>
<b>B-2034</b> 7.000"		<b>\$ 69</b>
with Magnets		
<b>B-2033</b> 6.375"		<i>\$119</i>
<b>B-2037</b> 7.000"		<i>\$119</i>
<b>B-2038</b> 7.000"	Offset	<i>\$179</i>

## Dampner/ Crank Hub **Installation Kit**

**Premium Quality** Remove & Install Heavy Duty Case T-1110 **\$99** 

**Front Bearing Supports** 



Chrome-moly crank hub Billet aluminum plate & standoffs Minimize crank flex & bearing damage

#### **Bearing Supports**

RCD-202200-0002 Bearing Support SBC	<b>\$ 486</b>
RCD-202400-0002 Bearing Support BBC	<b>\$ 499</b>
RCD-202600-0004 Bearing Support HEMI	<i>\$ 692</i>

### Long Crank Hubs for Bearing Support

<b>B-2046</b> Crank Hub SBC 3/16 & 1/4 Keyways	<i>\$ 329</i>
<b>B-2057</b> Crank Hub BBC 3/16 & 1/4 Keyways	<i>\$ 329</i>
B-2058 Crank Hub BBC Dual 1/4 Keyways	<i>\$ 329</i>
RCD-202603-0020 Crank Hub HEMI	<i>\$ 384</i>
B-2066 Hemi Dual 1/4 Key (Rear Support)	<i>\$ 269</i>



\$ 125

\$ 199

\$ 125

\$ 219





GoodVibrationsRacing.com

Crank Trigger

# 800/576-7661

# Crank Triggers

The pick-ups use a 100% coverage foil shield, twisted pair cable for maximum noise rejection and covered with firesleeve. The coil is precision wound on a nylon bobbin for long life. Pickups employ a separate 16" ground wire for shielding and maximum radio frequency and electromagnetic noise rejection. This can be trimmed to fit and grounded to the chassis or motor. The highest quality gold plated terminals in the plug make sure that the connection stays corrosion free. These pickup sensors are a smooth 3/8" diameter and fit perfectly in most 3/8" size pickup holders.

This easy to use adapter allows you to adapt 3/4"-16 style pickup brackets to use the smooth 3/8" pickups (usually used with straight pickups).

# **Trigger Brackets**



Crank Trigger Brackets are machined from billet aluminum. Designed to mount to the right side (passenger) or left side (driver). Utilizes the Pickup Holders shown to the right.

## **Billet Pointers**

Crank Trigger Pointer Assembly is machined from billet aluminum and is adjustable by 14°. Designed for a 7" degree ring and allows precise reading of the engine timing. NHRA Legal. Fits HEMIs including TFX, BAE, etc..

Pointer Assembly is machined from billet aluminum and is adjustable. Will work on 63/8 or 7 in degree ring. Allows for precise reading of engine timing. Includes mounting hardware. One of the nicest pointers on the market. Chevy only.



I-3310 SBC Right

I-3314 BBC Right

I-3318 Hemi Right


\$79

I-3320 Hemi Left


I-3316 BBC Left

I-3312 SBC Left









**I-3201** Pickup Adap 3/4-16 to 3/8 \$ 39

# **Pickup Holders**

Crank Trigger Pickup Holders are machined from billet aluminum and are designed to hold the 3/8 threaded or smooth pick-ups.




Slides into: SBC, BBC, Hemi Trigger Brackets

I-3303 3/8 Smooth I-3305 3/8 Threaded

## Need some **FREE** Tuning Advice?

Call upon the Good Vibrations team. They have won an unprecedented 5 CIFCA Championships. And they are eager to share their knowledge and experience with you.



Our Ultimate Goal is Your Success.











Supercharging<sup>20</sup>

800/576-7661

Same Day Shipping!

BLÖWER SHOPÆ

## **Billet Idler Pulleys and Brackets** Machined from Billet 6061-T6 and Show Polished





No idler pulley or

outboard support

 B-6065
 Hemi Kit ......
 \$449

 B-6067
 Magneto Mount
 \$98

B-6062 Hemi ..... \$214





*Open 24/7 at:* GoodVibrationsRacing.com

# Supercharging<sup>21</sup>

# 800/576-7661

# **Dual Carb Scoops**



Scoops are replicas of the famous Bugcatcher Injector. Designed to fit single or dual carbs. Highly polished with anodized butterflies.

Complete with Mounting Hardware and Filters!

ACC-2522 .. Smooth ACC-2520 .. Ribbed

Hilborn-Style

Hilborn-style scoops are designed for single or dual carbs on Tunnel Rams & Blowers. Polished aluminum with finned or smooth top. *Includes:* Adjustable mounting hardware, front screen & filter(s).



**Dual Carbs:** 

7.75 - 9.25 с-с

 ACC-2527 Single Carb ......
 \$ 129

 ACC-2525 Dual Carb ......
 \$ 149

 ACC-2523 Shotgun-Style ..
 \$ 249

# **Blower Only Carb Scoops**



Polished aluminum *Dual Carb* scoop for **Standard** four-barrel style carbs *mounted inline* or *side-saddle* on 8 5/8" centers. (Won't fit most Tunnel Rams)

BDS-9000 Dual Carb Blower Scoop *\$ 229* BDS-9000C Above w/ Filters ....... *\$ 299* 

Polished *Dual Carb* scoop for **Dominator** style carbs mounted *side-saddle* on 8.75" centers.

BDS-9000D-2 Dual Dom Scoop ..... \$ 389 BDS-9000DC-2 Above w/ Filters..... \$ 519



K&N Air Filter Element, Polished Stainless-Steel Top, Stud & Nut. **BDS-9100K** STD Holley **\$39 BDS-9100KD** Dominator **\$79** 

**∃**BDS

Heavy-Duty Vinyl Scoop Covers embroidered with BDS logo. *Colors:* Black, Blue, Purple, Red, Yellow & Pink.
BDS-9001 Vinyl Cover \$25 BDS-9000D1 Dom Cover \$29

Carb Adapter Plate

*Carb Plate Includes:* Billet Plate, Screen Gasket, Carb Base Gaskets, Cadium Plated Bolts & Washers.



**Dual** four barrel carb adapter plate for a 6.71 or 8.71 blower. Accepts two **Standard** Holley carbs sidesaddle or Carter carbs inline on an 8-5/8" center to center. Holley carbs without secondary metering plates may be run inline.


B-9050 Dual Standard \$139

**Dual** Holley **Dominator** carb plate. Accepts two Holley Dominator carbs mounted sidesaddle at 8-3/4" center to center. **B-9053 Dom** *§* **139** 

Single four barrel carb adapter plate for 6.71 or 8.71 blower. Accepts Standard Holley and Carter four barrel carbs.



BDS-14B6-2 Single Carb *§* 129



3/8" seamless *polished Stainless Steel* tubing with anodized fittings (or SS) for two double pump carbs mounted sidesaddle. Includes carb fuel inlet to AN6 fittings and provides a AN6 Tee fuel connection per carb to supply fuel to both carb bowls.

4150 Dual Lines		4500 Dual Lines		
B-9201 Blue	<i>\$149</i>	<b>B-9207</b> Blue	<i>\$149</i>	
<b>B-9202</b> Black	<i>\$149</i>	<b>B-9208</b> Black	<i>\$149</i>	
B-9200 SS	\$209	<b>B-9206</b> SS	\$209	
4150 Bridal		4500 Bridal		
B-9221 Blue	<b>\$49</b>	<b>B-9227</b> Blue	<b>\$49</b>	
<b>B-9222</b> Black	<b>\$49</b>	<b>B-9228</b> Black	<b>\$49</b>	
B-9220 SS	\$55	<b>B-9226</b> SS	\$55	

Works on blowers and tunnel ram systems.





# Starters

22

\$1839

\$1839

\$ 129

\$ 251

45 19

6

8

1.3hp **\$179** 

1.9hp **\$219** 

2.0kw **\$249** 

\$ 179

\$ 219

\$ 249

\$ 179

\$ 219

\$ 229

\$ 179

\$ 179

\$ 259

\$ 179

800/576-7661

RCD-100500-0011 Blower Starter .....

**RCD-100500-0020** Crank Mount Starter ....

**RCD-102505-0065** Battery Cables 15ft ....

**RCD-102505-0005** 200 Amp HD Relay .... \$ **B-5045** Anti-Tipover Foot Alum ......

MMC-7043K82 Q.D. Battery End ...... \$

RCD-101518-06 Starter Brush. Original ...... \$

RCD-101520-17 Starter Brush. New style .... \$

Performance

**IMI-102** Chevy 1.3hp

IMI-902 Chevy 2.0kw

**IMI-102N** Chevy 1.9hp

IMI-108 Pont/Olds 1.3hp

IMI-108N Pont/Olds 1.9hp

IMI-141R KB Olds 1.4kw

IMI-106 Ford 1.3hp Auto

IMI-906 Ford 2.0kw Auto

IMI-109 Mopar 1.3hp

**IMI-107** Ford 1.3hp Manual

**IMI-935** Chevy 2.0kw Offset \$ 259

**IMI-101** VW-Porsche 1.3hp **§ 179** 

**IMI-101N** VW-Prsche 1.9hp **\$ 219** 

## **Blower Starter**

US



## Designed for High Comp and Supercharged Engines

4.40 to 1 Gear Reduction 534 ft./lbs. Torque! Lightweight (8.8lbs) Compact and Adjustable Heat Resistant Solenoid

Guaranteed with a Warranty !







Chevy Pontiac Olds Ford Marine Mopar VW Porsche Harley



Scott Whipple - Norco, California



# FC/Altered Fuel Cell

Specially designed with one AN12 pickup (optional AN16). Has one AN6 on top for venting. Multiple fuel injection lines can be easily installed near the top of this cell.

JAZ-290-112-01 **\$ 169** 





GoodVibrationsRacing.com

Valve Covers 23

# 800/576-7661

# **Fabricated Valve Covers**


Valve covers are fabricated from 6061 alum and welded with billet rails. Designed for the racers who demand a higher quality valve cover with extra room for valve train.

**SBF** 

SB Ford

**BB** Chevy







Show

Polished !

# 426 Hemi

Show Polished Aluminum. Use Stock Tubes. Original Design. Machined for Breathers.





ACC-2350

# **Aluminum Valve Covers**

### Tall for Clearance

- **Quality** Casting
- \* Recessed & Baffled
- \* Hole for Breather

See Page 42

ACC-2320 SB Chevy 283-350	\$	<b>79</b>
ACC-2330 BB Chevy 396-502	\$1	109
ACC-2360 289-351W 5.0L Ford	\$	85
ACC-2300 Wing Nut 1/4 -20 x 4in	\$	3



Consist of chrome steel valve covers (baffled), breather cap and rubber grommets. Several kits contain chrome timing chain cover, dipstick with tube, wing nuts and timing tab.

ACC-2420 SBC Kit - Short \$ 44.95 ACC-2422 SBC Kit - Tall \$ 44.95 ACC-2460 Ford 289-351W \$ 49.95 ACC-2430 BBC Kit - Short \$ 54.95 ACC-2432 BBC Kit - Tall \$ 54.95 ACC-2440 SB Mopar Kit \$ 49.95 ACC-2438 Pontiac Kit 331-455 \$ 49.95



**SB** Mopar

SB Ford

**Pontiac** 





# 800/576-7661

Storage Kases

### **Sealed Battery Box**

Fits Standard Group 24 battery. NHRA & IHRA Approved. Measures 10.5 x 13 x 9.5" tall Completely sealed lid. Vent tube to carry battery gases outside of vehicle. Rotational molded plastic case is resistant to battery acid.

Mounting brackets and all hardware included!









Torke-Totes are designed to house an 8 to 11" torque converter in a dry and clean environment. Torke-Totes can also be used as shipping containers.

#### JAZ-700-100-07



\$ 52

JAZ storage cases are designed to house a complete cylinder head with studs and springs in a clean and safe environment. Great for shipping.

JAZ-700-200-07 SBC .. *\$* 74.95ea JAZ-700-201-11 BBC .. *\$* 81.95ea

# Proclucts.

### dling. Great for shipping and storage. JAZ-700-009-01 Horizontal ... \$ 51.95 JAZ-700-010-01 Vertical ...... \$ 54.95

Keeps third member free of dirt. Fits all Ford 9" and

are stackable. Built-in handles makes for easy han-

**Third Member Storage Case** 

### Krank Kase

Prevents journal damage. Great for transporting/storing those expensive crankshafts. Strong enough for shipping.



JAZ-700-300-07 SBC JAZ-700-301-11 BBC \$67

### **Roll Bar Padding**



Rollbar padding is made of high-density foam. Fits 1-1/2" to 1-3/4" diameter tubing. 3/4" thickness. **3 ft length Also Available for Helmet Bars (1 - 1.25")** 



Black, Silver, Red, Orange, Yellow, Blue





GoodVibrationsRacing.com

# **Breathers/ Cells**<sup>25</sup>

# 800/576-7661

# **Breather Tanks**

This remote 1qt breather/ oil separator easily mounts to a rollbar or firewall. Comes standard with molded-in inserts and a swivel petcock for easy draining.

JAZ-605-025 AN6	\$ <b>45.95</b>
JAZ-605-825 AN8	<i>\$ 47.95</i>
JAZ-605-125 AN10	\$ <b>52.95</b>
<b>JAZ-605-225</b> AN12	<i>\$ 61.95</i>
JAZ-605-000 Blank	<i>\$ 34.95</i>

## **Mini Breathers**

## Jr Dragsters, Go Carts & small CID Engines



**JAZ-605-375** 

Similar to above breathers but is 1 pint and has two 3/8 or 1/4 hose barbs.

## Radiator Overflow Catch-Cans

....


Radiator Overflow

#### One-piece molded construction with unique swivel elbow input. Lever handle petcock for easy draining. Meets NHRA requirements for 1qt. capacity. Easy mounting with molded-in threaded inserts.

JAZ-600-025

Ψ 21

Colors: Black, Red, Blue, Purple, Orange, Clear





Cells are designed for applications utilizing gas & alcohol fuel. The 1 gallon features an aircraft style cap, 1/4" petcock fitting for fuel pickup and vent.

	JAZ-230-025-	<b>01</b> 1 Quart	\$ 40	5.97	
Products.	JAZ-230-051-	<b>01</b> 2 Quart	\$ 59	9.97	
	JAZ-230-001-	<b>01</b> 1 Gallon	\$ 120	) <b>.9</b> 7	
lips & t	Z funnels feature S. Can be cut to de flow rate. 11 & 14 micron Stainless	e anti-splash esired length 4" accepts 60			,
JA	<b>Z-555-008-06</b> 8	"Round	\$1	15.95	
JA	<b>Z-555-011-06</b> 1	1" Round	\$2	23.95	
JA	<b>Z-550-014-06</b> 1	4" Triangular .	\$1	15.95	
JA	<b>Z-500-000-01</b> F	filter 60 micron	n <b>\$</b> 2	21.95	
				·	

#### Testimonial

On my recent purchase at first I was apprehensive as I have had a lot of dealings with US companies. I have found them to be after the quick buck charging large freight prices and jacking up prices. Seems strange because if they had of looked after us we would spend more money with them! Your Staff And Company is very easy to deal with and we the Customer was always informed on progress and shipping. Thanks Very Much and we will buy from you again.

Regards, Andrew Hurst--Hurstune Automotive Smeaton Grange Australia







**Rings/ Bearings**<sup>26</sup>

# 800/576-7661



Good
/ MBRATIONS
MOTORSPORTS



GoodVibrationsRacing.com



# 800/576-7661

# Blower Restraints

Billet 7075-T6 Aluminum Silver Aluminized Straps Quick Disconnect Pins



DJ-141000 Restraint w/ Hardware SFI 14.1 \$ 319 Restraint Only, No Hardware SFI 14.1 .... \$ 249 DJ-141999 Re-Certification SFI 14.1 ..... \$ 79 DJ-141002 Adjustable Silver Straps (4ea) .. \$ 119 DJ-141000 Mounting Hardware w/ pins .... \$ 125 DJ-142007 Top Alcohol Restraint with Kevlar Ballistic Bag and Steel Hardware. SFI 14.2 \$1049 DJ-143103 Top Fuel Restraint with Kevlar Ballistic Bag and Steel Hardware SFI 14.3 \$1598 Need Premium Gaskets? See Page 17

## Window & Wheelie Bar Nets

DJ-221721 Angular 17x21 DJ-221824 Square 18x24 JAZ-906-03 Installation kit DJ-220001 Wheelie Bar

le D	al meis	
\$44		
<i>\$33</i>		<b>a</b>
\$ 57	49	
\$ 59	/	SFI 27.1

## **Trans Blankets**



Multiple layers of Ballistic material to capture exploding shrapnel.



 DJ-801012 Powerglide
 \$ 149

 DJ-801014 Turbo 350/400
 \$ 189

 DJ-801126 Lenco Reverser (only)
 \$ 129

 DJ-801124 Lenco 2spd w/Rev
 \$ 159

 DJ-801152 Lenco 3spd w/Rev
 \$ 198

 DJ-801181 B&J 3spd w/Rev
 \$ 198

 Most other Makes in STOCK!

## Heavy-Duty Race Car Tiedowns

Webbing is 1.75" wide. Burst Strength: 5,000lbs Snap-in J-Hooks Ends. American Made!


- A. DJ-236201.12 Inline Ratchet Tiedown ... \$ 27.95

   B. DJ-236205.8 w/ Sewn-In Axle Loop
   \$ 29.95

   C. DJ-238044 Flush Mounted D-Ring .....
   \$ 9.99

   D. DJ-237224 Heavy-Duty Axle Strap 24"
   \$ 10.95

   E. D-36605 Cycle Tiedown w/ S-Hook .....
   \$ 8.50
- DJ-241202 Heavy Duty Tow Strap 14'.... \$ 26.99



Don't trust your race car to inferior brands !

### Sportsman Engine Diapers

SFI 7.2

\$195

SFI

Snap-in Absorbant Pads. Q.D. Adjustable Straps. Tailored Fit. Ballistic Nylon.

DJ-730281 SB Ford DJ-730350 SB Chevy DJ-730454 BB Chevy DJ-730426 426 Hemi Most Other Makes in Stock!

## **Pro Engine Diapers**

Adjustable quick-release buckles attaches to the header flanges. Reusable Snap-in Absorbant Pads. Can be recertified.

TF/TA Legal 
 DJ-711001.bal
 Soft Ballistic Nylon
 \$ 548

 DJ-711002
 Soft Kevlar (shown) ....
 \$ 779

 DJ-710002
 Carbon Fiber Bucket ....
 \$ 949

DJ-710401 Replacement Pads (pr) \$ 59

### **Plug Wire Shield**

Protect spark plug wires in the event of a burst panel or blower back-fire.







## **Seat Belts and Harnesses**

DJ Safety offers over 100 combinations of 5pt Seat Harnesses. *Options include:* Latch/Link design or Quick-Release (CamLock) 2" or 3" wide. 3 Styles of Attachment: Wrap-around, Bolt-in or Snap-in.

#### 5pt Cam Lock style ..... w/ Fire Protective Covering \$ 198 Latch Rewebb & Recert ..... most SFI 16.1 \$ 69 89 w/ Fire Protective Covering \$ 109 **Buckle Styles** Cam Lock Latch/Link Cam **Belt Mounting Options** \$159 Colors: Also Available Black, Red & Blue A. Snap-In in 6 & 7pt. Fresh Dates! **B.** Bolt-In С A 📥 B

## **Premium Mechanix Gloves**

Designed to help the professional mechanic with increased grip. Protects from heat & cold. Features CLARINO palm, 3-ply mesh top and elastic Velcro wrist.

Sizes: XS-XL

Features 100% heat-resistant woven Kevlar fabric, extra long sleeve protects arm above the elbow, oil and fuel resistant, snug fit allows comfortable fit.


# **Heat Sleeves MG-05-902** \$25

## **Shoulder Pads**

D-70200 2" Slip-On Pads ..... \$ 19 \$ 36 **DJ-603050** 3" Fire Retardant Pads

Sold in **Pairs** 





A. DJ-600105 Snap-In Kit w/ Hardware .... \$ 6.95 B. **DJ-600305** Floor Mount Kit w/Hrdwr (pr) *§* 6.95 C. **DJ-600402** 3-Bar Adjuster 2" (pr) ...... \$ 3.95 C. **DJ-600403** 3-Bar Adjuster 3" (pr) ...... \$ 5.95



## **Arm Restraints**

Arm Restraints have velcro closure and are adjustable in length.

SFI 3.3

### DJ-605000 Arm Restraints \$ 29/pr

\$ 89

\$ 149

\$ 159

# 800/576-7661

Seat Belts Out-of-Date?

5pt Latch/Link style ... most

w/ Fire Protective Covering

**Seat Harness** 







# **Chutes-Fire System<sup>29</sup>** 800/576-7661

# Too Fast? We Can Stop You!

Over a Dozen styles to choose from !!

Black \* Red \* Blue

# **Drag Chutes**

<b>DJ-851252</b> Super Quad (s/g, s/c)	\$ <i>219</i>
DJ-851424 Blown Gas or Alcohol Boat	\$ <i>439</i>
DJ-851070 Pro Mod & Top Alcohol	\$ <i>399</i>
DJ-851079 Top Fuel Dragster/ FC	\$ <i>425</i>
<b>D-30470</b> Nylon Pack 7x7	\$ <b>79</b>
<b>DJ-852999</b> Nylon Pack 9x9	\$ <i>69</i>
<b>DJ-852996</b> Silver Pack 9x9	\$ <i>9</i> 8
DJ-852809 Pilot Chute Heavy Duty	\$ <i>69</i>
DJ-852200 Release Cable with Lever	\$ <b>39</b>
DJ-911341 "Remove Before Run" Flag	\$ 5





Chutes Include: Quad Cross-Form Canopy, Pack, Pilot and Bridle Line.

# **Coldfire 302 Fire Systems**

Coldfire302 is a harmless plant & water based fire suppressing agent. Is especially effective in Class B fires (Oil/fuel). Also suitable for wood & paper fires. Suppresses quickly, prevents reflash, safe to store and leaves virtually no residue. Biodegradable and environmentally safe.



Systems for Most Applications

Systems		
DJ-911050	5lb	\$ 369
DJ-911100	10lb	<i>\$ 399</i>
<b>DJ-911100</b> .FC	201b	\$ <b>899</b>

Accepted by Most Sanctioning Bodies

Fire System is DOT & SFI Approved. Bottles can also be Refilled.



<b>DJ-911101</b> 10lb Bottle Only \$ 299	
A. <b>DJ-911327</b> Manual Injector <b>\$ 79</b>	
в. <b>DJ-911328</b> Mnl Injector & Bracket <b>\$</b> 85	
c. <b>DJ-911329-2</b> Pull-Style Adapter <b>\$ 59</b>	
D. <b>DJ-911329</b> Pneumatic Injector \$ 149	
E. <b>C-8420</b> Mounting Bracket 5.25 <b>\$ 33</b>	
<b>D-89260.438</b> Mounting Bracket 4.38 <b>\$ 29</b>	
<b>DJ-911311</b> Nozzle & Fitting Kit 3pc <i>\$</i> <b>79</b>	
Alum Tubing 1/4" (10ft Coil) \$ 14	
CC-86U04 Remote Cable From 3ft \$ 49	

More Cables on Pg 11





**Driver Gear** <sup>30</sup>

SFI 1 Suits (1 Layer)

# 800/576-7661

## **Nomex Driving Suits**

Driving Suits are manufactured to meet one of the following specs: SFI 3.2A/1, 5 or 20. Standard Suits are one solid color with contrasting trim.

Sizes: S-XXL Colors: Black Red Blue

DJ Safety sfi /20 suits can Embroidery be recertified every 5 years! Choose from 1pc or Separate Jacket and Pants

*Options:* Arm Restraints Kool Pad Pockets Embroidery

······································	-/	
DJ-011200 Jacket	\$	<b>79</b>
DJ-011300 Pants	\$	<i>69</i>
<b>DJ-011100</b> 1pc Suit .	\$	<i>129</i>
SFI 5 Suits (2 Laye	er)	
DJ-012200 Jacket	\$	<i>169</i>
DJ-012300 Pants	\$	169

DJ-012100 1pc Suit \$ 299 SFI 20 Suits (4 Layer) DJ-014200 Jacket ... \$ 699 DJ-014300 Pants .... \$ 549

Sewn-in Restraints \$ 59

# **Driving Boots**

DJ styling Driving Shoes feature padded Kevlar lining and velcro closure.

*Sizes:* 6-13 in Full Sizes *Colors:* Black Red Blue Gray

DJ-050000 sfi 3.3/5 Shoes ..... \$ 79 DJ-051000 Alky/TF sfi 3.3/20 Boots \$ 229

# **Driving Gloves**

Leather Palm Gloves offer excellent protection while maintaining a high level of comfort.

D-04100.331	Nomex sfi 3.3/1	\$ 77
DJ-022000	Nomex sfi 3.3/5	\$ <b>59</b>
DJ-024000	Nomex sfi 3.3/15	\$ <i>129</i>
<b>D-84600</b>	Nomex sfi 3.3/20	\$ 139

Colors: Black Red Blue

## Kool Vest

Keeps driver or crew member comfortable

for upwards of an hour. Thin vest easily fits under driver's suit. Has one pad on upper back and one on each kidney.






D-03520 ... **\$ 79** 

D-03520-3 Extra/Replacement Kool Pads \$8.99ea





Lay hand flat with fingers and thumb together. Measure circumference at widest point.







# Helmet/ Head Gear <sup>31</sup>

*Open 24/7 at:* GoodVibrationsRacing.com

# 800/576-7661

# **Race Helmets**



Helmets are built to meet and exceed **Snell 2010**. The **"SA"** rating has a fire-resistant liner.







*Note:* Blown Alcohol & Nitro applications usually requires a Snell "SA" rating

## How to Measure Helmet Size



#### Hat Size Circumference

XS	6 1/2"	21 5/8"
S	7"	22"
S	7 1/8"	22 3/8"
Μ	7 1/4"	22 3/4"
Μ	7 3/8"	23 1/8"
L	7 1/2"	23 1/2"
XL	7 5/8"	24"
XX	L 8"	25"

To properly determine head circumference, run a soft tape measure around your head (approximately one inch above your eyebrows and just over the ears).

#### Testimonial

I just wanted to thank you for your excellent service. Parts must of been dispatched within minutes of me ordering & arrived safe & sound today. Total time from ordering to delivery was just 3 days, excellent service considering I live in England. Once again, thanks & I look forward to the next time we do business. Cheers,

Mark Sheridan, Middlesex, England

# Equipment Bags



Made from a high quality rip-stop nylon. Internal padding. 3 pockets.

Helmet Bag DJ-036010 \$29.95

Gear Bag DJ-070410 \$49.95

Helmet Supports

Velcro Closure *SFI* Approved DJ-040009 *\$ 29* 



Tapered For Comfortable Fit

Head Socks/ Underwear

Head Socks are designed to be worn under the helmet. These soft nomex knit hoods provide an extra measure of protection. Nomex underwear are also soft and gives a driver a few extra critical seconds of time.

D-03211	1 Layer Sock	<i>\$ 31</i>
DJ-062002	2 Layer, <i>sfi</i> 3.3	<b>\$ 45</b>
DJ-060000	Top S-XL	<b>\$ 69</b>
DJ-061000	Pants S-XL	<b>\$ 69</b>
DJ-063040	Socks	\$ 22

### Nostalgia Mask

Made of aluminized silver. Includes breathers.




-

D-83110-SIL Mask non-SFI \$ 349

### We stock jr Dragster Safety Equipment !!









# **Specialty Tools**<sup>32</sup> 800/576-7661

# You just found those Hard-To-Find Tools !!



### **Cam Degree Installation**

Makes degreeing a cam a lot quicker and easier. This fixture attached to the block over cylinder #1 using two of the block studs (or bolts). An adjustable stop is included for helping determining

T-1115 SBC T-1116 BBC \$159 T-1117 HEMI

top-dead center. Simply install a dial indicator into either the intake or exhaust hole of the fixture.

### Valve Lash Adjuster

Quickly and accurately adjust your valves with this custom tool. Machined from stainless steel for durability with choice of 7/16, 1/2 or 9/16 hex. Fits SBC, BB, Mopar & most Fords. 3/16 hardended Tip.



**T-1125** 7/16 Hex. **T-1126** 1/2 Hex. **T-1127** 9/16 Hex.

## **Main Cap Puller**

The bottom-end guy sure appreciates this main cap slide puller. The 5/16 heat-treated threads are easily threaded into the main



T-1103 2.5 Lbs \$59 **T-1100** 4.5 lbs **\$89** 

cap using the slip-proof knurled knob. A simple tug of the tool allows the cap & lower bearing to drop safely into your hand. A great asset for between round thrashes. Also great to have one at the shop.

#### **Adjustable AN Wrench** T-1152 **\$49**

Protect the anodize on your AN Hose Ends. Knurl Thumbscrew. Minimizes chance of over-tightening.

T-1134

\$14



## Hemi Top Dead Center Checker

Wanna' check your top dead center like a pro? Then grab one of these. Simply thread the checker into Cylinder #1 of your Hemi and rotate the crank until the dial indicator maxes out. A real time saver when trying to dial in a magneto or camshaft at the track.



Valve train failure is normally catastrophic and a bent push rod can be attributed as a culprit in many instances. A pushrod out-of-round as little as .010 will begin to flex. I'm sure you have seen the wear marks on the sides of your pushrods and wonders how they got there. With the Pushrod Checker, simply insert the pushrod into the spring

loaded end, rotate 360 degrees and quickly check the roundness of a pushrod to less than .001.

**T-1120 BBC** T-1121 FATHEAD T-1122 HEMI FUEL

### **Rod Bolt Stretch Checker**

One simply inserts the rod bolt into the Bolt Stretch Checker and records the reading on the gauge. Bolts that are stretched more than .007 are usually discarded. A complete set of 16 bolts can be checked in less than 60 seconds. Might just be the best minute you invested in your engine assembly.

T-1128 **\$65** 

### **Rod-Piston Pusher**

Here is a tool that allows one to safely and quickly install or remove the rod-piston combo out of the block. The pointed end of The Pusher is simply inserted into one of the two threaded holes in the connecting rod. The bend in the shaft allows easy navigation around the crankshaft journal. The diver with hot oil dripping onto his face will thank you profusely.





T-1017 **\$24** 

### **Magneto Wrench**

Designed to very quickly and safely remove the drive from a Mallory or MSD magneto/ Distributor. It simply slips over and holds the 4-Pin or Hex Cross Drive so that one can remove the inner nut. No need to remove the magneto cap and hold the rotor. Ditto for installing the drive.





GoodVibrationsRacing.com

**Specialty Tools** <sup>33</sup>

# 800/576-7661



## **Spark Plug T-Wrench**

Save time and head damage. This torque wrench only allows the spark plug to tighten to a pre-determined safe setting. Machined from billet aluminum for strength & lightweight. Very popular among Top Fuel & Alcohol teams.

## **The Gapper**

Quickly, precisely and accurately gap spark plugs. Billet Alum.



## Spark Plug Storage Rack

Heavy-Duty, yet lightweight rack is designed to store 8 spark plugs safely and in order. Large flat anodized

bottom keep the rack upright and easily cleans up. Can be used stand-alone or bolted to a work bench. Those that assemble the engine top end will truly appreciate this rack regardless if they're at the shop or in the pits.



**T-1136** Holds 8 **\$39 T-1138** Holds 16 **\$47** 

### Valve Train Trays

These trays are made of a very light-weight yet rigid plastic material with built-in handles. The valve tray holds valve springs, valve locks, and the largest of valves. The rocker tray holds push rods, lifters, poly locks, spark plugs and rocker arms. Perfect for the home mechanic or pro racer.

JAZ-735-001-06 Valve & Spring JAZ-735-002-06 Rocker Arm & Lifter

## Billet Primer Bottle Top

Machined from billet alum and precisely drilled to allow correct flow of fluid during priming of a blown alcohol or nitro engine. Fits most plastic bottles. Used by the Pros. **T-1005** 



# \$29 T-1005

## Rack 'em Up

### Piston & Rod

Safely hold and protect a complete set of Pistons & Rods during assembly. A must for the serious racer. **T-3003** 

### **Head Repair**

Here's a great rack to store your Valves, Lash Caps, Shims & Retainers during head repairs. Sturdy billet anodized aluminum bottom tray. **T-3009** 



Lifter/ Push Rod

Just set this tray in your lifter valley and store your pushrods & lifters in order. T-3013

## Clutch Loading Rack

This rack is heavy-duty yet lightweight, Holds 5 discs and rotors. Designed by a racer for racers. **T-3005** 

### **Injector Hat Tool Tray**

Injector Hat Tool Tray is made from high grade aluminum and black powder coated for an attractive longlasting finish. The tray has plenty of space for

\$154









tools & also accommodates 16 spark plugs. Fits on top<br/>of Bug, Bird & Buzzard.OLS-TT600





\$319/ Set C-7103 Spindles Complete with: Pins, 2 Arms, Caps & Grade 8 Hardware. C-7107 6" Arm \$ 29

## FC/Altereds Front Brake Kits



**Includes Mounting Hardware!** 

Designed for the PS/ Anglia style spindle popular on Funny Cars and Altereds.

\$ 539 Front Brake Kit

In-line Residual Valves retain a minimum line pressure (2 psi) to eliminate excessive pedal travel.



Wilwood Master Cylinders are High Pressure die-cast from High-Grade Aluminum, fully machined and assembled with exclusive features.





# 800/576-7661



**Remote Mounts and Block Adapters** Machined from Billet alum and anodized. Available in AN10 or AN12.



A. <b>SYS-209-312361</b> Oil Filter 4.25"	<i>\$ 148</i>
A. SYS-211-510571 Oil Filter 6.37"	\$ 179
B. Replacement SS Element 6.375"	<b>\$ 59</b>
C. SYS-221-90004 Remote Mount	\$ 145
D. <b>SYS-220-90006</b> Remote 1.50"	\$ 172
E. SYS-228-90556 Block Adapter	<b>\$ 199</b>

### We Specialize in **Drag Racing Brakes**



W-260-4894 Master Cylinder Dual	<i>\$118.98</i>
<b>W-260-6764</b> Master Cylinder 3/4"	\$ 57.98
W-260-6765 Master Cylinder 7/8"	\$ 57.98
W-260-6766 Master Cylinder 1"	\$ 57.98
W-260-1874 Residual Valve 2psi	\$ <b>17.98</b>
W-120-2498 Front Caliper Dynalite	\$ 92.85
W-120-6818 Rear Caliper Dynalite	\$124.95
W-150-1251K Front Pads Round Spot	\$ <b>32.98</b>
W-150-8937K Front Pads Square	<i>\$ 39.98</i>
W-150-8850K Rear Pads	<i>\$ 42.98</i>
W-140-3326 FC/Altered Front Brake Kit	\$539.99






# Tabs & Rod Ends35

*Open 24/7 at:* GoodVibrationsRacing.com

# 800/576-7661

## **Premium Heavy-Duty Chassis Tabs**



## Carbon Steel 1/8 Thick

A <b>C-8152</b> Double Sided 3/8 hole	<b>\$ 4.99</b>
C-8152.5 5 Pack	<i>\$23.99</i>
B C-8150L Single Sided LH	<b>\$ 4.99</b>
C-8150L.5 5 Pack	<i>\$23.99</i>
C C-8150R Single Sided RH	<b>\$ 4.99</b>
C-8150R.5 5 Pack	<i>\$23.99</i>
D C-8154 Universal 3/8 hole	\$ 1.99
C-8154.5 5 Pack	\$ <b>7.99</b>

### **Chromoly** 1/8 Thick

A <b>C-8186</b> Double Sided 3/8 hole	<b>\$ 7.99</b>
C-8186.5 5 Pack	\$36.99
F <b>C-8182</b> Universal 3/8 hole	\$ 5.99
C-8182.5 5 Pack	\$27.99

2008	2023			
1000	88)			
1000	001-			
1999	996	_		
-			_	-
				=
-				-
10	_		_	

Over 97 % of all race parts sold by Good Vibrations Products are Proudly made in the USA!







Female Right Hand		Male Right Hand			
CREF-3-3	10-32	<b>\$7.99</b>	CREM-3-3	10-32	<b>\$6.99</b>
CREF-4-4	1/4-28	<b>\$6.99</b>	CREM-4-4	1/4-28	<b>\$6.99</b>
CREF-5-5	5/16-24	\$7.99	CREM-5-5	5/16-24	<b>\$7.99</b>
CREF-6-6	3/8-24	<b>\$7.99</b>	CREM-6-6	3/8-24	<b>\$7.99</b>
CREF-7-7	7/16-20	<b>\$8.99</b>	CREM-7-7	7/16-20	<b>\$8.99</b>
CREF-8-8	1/2-20	<b>\$9.99</b>	CREM-8-8	1/2-20	<b>\$9.99</b>
Female	e <i>Left</i> Hai	nd	Male	e <mark>Left</mark> Ha	nd

i cinare Egy mana	
CREF-3L-3 10-32 \$7.9	09 CREM-3L-3 10-32 \$6.99
CREF-4L-4 1/4-28 \$6.9	
CREF-5L-5 5/16-24 \$7.9	09 CREM-5L-5 5/16-24 \$7.99
CREF-6L-6 3/8-24 \$7.9	09 CREM-6L-6 3/8-24 \$7.99
CREF-7L-7 7/16-20 Cal	CREM-7L-7 7/16-20 \$8.99
CREF-8L-8 1/2-20 Cal	CREM-8L-8 1/2-20 \$9.99

Don't trust your Race Car to inferior brands

### **Premium DZUS Fasteners**

A <b>C-83010</b> Steel .550 Button	\$ 1.55
10 Pack	\$13.05 Installation
B C-83013 Steel Backing Plate	VIGEO
10 Pack	
C C-83015 Steel Spring	
10 Pack	A
D C-83017 Doubler Round	
10 Pack	
E C-83018 Doubler Square	
10 Pack	····· \$ 7.95 \$ C
•••• •••	
F C-83020 SE Button Assy	\$ 2.20 Salf
10 Pack	\$19.95 Selj
G C-83023 SE Backing Plate	
10 Pack	
H C-83025 SE Steel Spring	\$ ./0
10 Pack	<b>\$ 6.95</b> (SE)
F G	
Dimpling 1	
Dimpling T Professional w	Tool ay to heet
Dimpling 1	Tool ay to heet JS. DZUS
Dimpling T Professional w dimple your sh	Tool ay to heet JS. <b>\$10</b> DZUS
Dimpling T Professional w dimple your st metal for DZU	Tool ay to heet JS. DZUS
Dimpling T         Professional w         dimple your si         metal for DZU         C-83005 \$         Zoomie         Headers         Weld-Up Kits         .065 Wall Thickness	Tool ay to heet JS. DZUS
Dimpling T         Professional w         dimple your si         metal for DZU         C-83005 \$         Zoomie         Headers         Weld-Up Kits         .065 Wall Thickness         Includes Flanges!	Sol       \$10         JS.       DZUS         C-83007       Wrench
Dimpling T Professional w dimple your si metal for DZU C-83005 \$	Sol       \$10         JS.       JS.         J8       DZUS         C-83007       Wrench         Image: Construction of the state of th
Dimpling T Professional w dimple your si metal for DZU C-83005 \$	Sol       \$10         Jay to       Jay to         Jay t

\$ 475 Kit

2.50"Hemi **\$450** 



AN8

X-987108 ..... \$ 10.15

AN10 X-987110 ..... \$ 11.99

AN12 X-987112 ..... \$ 12.37

AN16 X-987116 ..... \$ 19.99




Same Day Shipping!

# Fitting Tech <sup>36</sup>

# 800/576-7661

		AN Size	Metal Tube O.D.	Thread Size
AN	-20 -16 -1	2 3 4	1/4"	7/16-20 UNJ
Thread		6	3/8"	9/16-18 UNJ
Thread		8	1/2"	3/4-16 UNJ
C: Too		10	5/8"	7/8-14 UNJ
Sizes		12	3/4"	1-1/16-12 UNJ
	-10 -8 -6 -4	-3 16	1"	1-5/16-12 UNJ
		20	1-1/4"	1-5/8-12 UNJ

NIDT		1,"	3"	1"	Pipe Thread Size	Threads Per Inch	Fitting I.D.	Closest AN Fitting Size
NPT	8	4	8	2 2 X	1/8"	27	1/8"	4
Thread		Party and			1/4"	18	1/4"	6
Thread					3/8"	18	3/8"	8
	5	>	<		1/2"	14	1/2"	10
Sizes	2	3"	5	1" <	3/4"	14	3/4"	12
	- 5	4	2		1"	11-1/2	1"	16
	2		. <		1-1/4"	11-1/2	1-1/4"	20



X-997108 .....\$ 4.99

X-997110 ..... \$ 5.86

X-997112 ..... \$ 9.96

X-997116 ..... \$ 12.90

3/8"	X-996703 <b>\$ 4.99</b>	X-996803 <b>\$ 3.55</b>
1/2"	X-996704 <b>\$ 5.88</b>	X-996804 <b>\$ 3.89</b>
3/4"	X-996706 <b>\$ 8.40</b>	X-996806 <b>\$ 4.06</b>
1"	X-996708 <b>\$ 9.96</b>	X-996808 <b>\$ 4.64</b>
		· · · · · ·





Online Assembly AN Hose-Fittings <sup>37</sup>

# 800/576-7661


# Hose Fitting Assembly


**1.** Wrap hose tightly with tape at cutting point. Using a fine tooth hacksaw, cable cutters or radiac wheel, cut the hose in the middle of the tape. Remove tape after cutting being careful not to fray the braid.


2. Slip hose into socket to the depth indicated by the hose insertion mark on the outside of the socket. This should be just short of the back of the threads. VERY IMPORTANT - Mark hose with tape or suitable marking device at rear of socket. This mark will later indicate to you if the hose has pushed out of the socket during assembly.


3. Using an anti-seize lubricant, liberally lubricate inside of hose and threads on the nipple. Holding nipple horizontally in a vise equipped with soft aluminum jaws, push socket end carefully with hose nipple with a turning motion and engage nipple threads into those of the socket. Continue tightening by hand as far as possible to make sure that the threads are properly mated and no cross threading has occurred.

4. Using an aluminum fitting wrench, finish tightening assembly. When properly assembled a small gap of .030" or less should exist between the socket and shoulder of nipple. NOTE: Check marks on hose in step 2 for any evidence of push out. Hose assembly must be cleaned and tested to twice the operating pressure.











### **Aluminum Vice Jaws**

Vice Jaw inserts protect your hose ends during assembly. Each jaw has magnetic backing to prevent them from falling out of the vice when opened.

X-821010



# No more Bloody Fingers!





Precisely sized for a perfect fit on AN fittings. Anodized in colors, XRP wrenches are fully radiused to fit your hand.

Machined from heat treated 2024 aluminum alloy.

\$89

X-750000 AN3-20

#### **Building a Better** World Vision® World for Children

A portion of your sale will be contributed to this noble cause. If you would like to learn more about this worldwide charity, please goto:

www.worldvision.org





**AN Hose-Fittings**<sup>38</sup>

Same Day Shipping!



## Why Use CPE Braided SS Hose ??

Used by Top Teams everywhere, Stainless Steel braid provides durability and Heat Resistance. Inner liner is composed of Chlorinated Polyethylene (CPE) which provides the finest fluid transfer available with a temperature range of -40 degrees to +300 degrees F.

100004.. \$ 7.16

100006.. \$ 7.63

100008.. \$ 9.61





Straight



45 Degree



90 Degree



 Fixed

 AN-4
 118004.... \$ 21.84

 AN-6
 118006.... \$ 23.35

 AN-8
 118008.... \$ 26.88

 AN-10
 118010.... \$ 29.73

 AN-12
 118012.... \$ 33.72

AN-4 AN-6

**AN-8** 

AN-12

AN-20

**180 Degree** 

	100010
AN-12	100012 <b>\$17.19</b>
AN-16	100016 <b>\$26.43</b>
AN-20	100020 <b>\$41.70</b>
ŀ	Fixed
<b>N-4</b> 1	04504 \$ 17.10
<b>N-6</b> 1	04506 <b>\$ 18.46</b>

Fixed

AN-10 100010 \$12 57

AN-4

**AN-6** 

**AN-8** 

AN-4104504....\$ 17.10AN-6104506....\$ 18.46AN-8104508....\$ 21.79AN-10104510....\$ 25.80AN-12104512....\$ 31.13AN-16104516....\$ 39.65AN-20104520....\$ 74.69

Fixed

AN-10 109010.... \$ 25.80

AN-16 109016.... \$ 39.65

AN-16 118016.... \$ 44.87

109004.... \$ 17.10

109006.... \$ 18.46

109008.... \$ 21.79

109012.... \$ 31.13

109020.... \$ 74.69

Swivel

Want Black Fittings?

Same Price!

Simply add .BB to end

of the part number :)

Swivel Ends allow one to

position hose end after it

has been installed on hose.

AN-6

AN-8

Swivel

AN-10 204510.... \$ 28.04

AN-12 204512.... \$ 33.57

AN-16 204516.... \$ 42.15

AN-20 204520.... \$ Call

204506.... **\$ 20.53** 204508.... **\$ 24.08** 

AN-6209006....\$ 20.13AN-8209008....\$ 24.75AN-10209010....\$ 28.04AN-12209012....\$ 33.64AN-16209016....\$ 42.15AN-20209020....\$ Call

## Swivel

AN-6218006....\$ 23.08AN-8218008....\$ 27.30AN-10218010....\$ 30.68AN-12218012....\$ 38.06AN-16218016....\$ 55.93

Hose Ends also Available in: 30, 60, 120 & 150 Degree

# 800/576-7661

Want BLACK Hose? XR-31 for the same price as Braided SS hose!



XR-31 Hose is tough, yet lightweight, durable, abrasion-resistant and economical. 3 ply construction. High tube strength allows a tight bend radius capable for tight engine compartments.

Uses the same Hose	
Ends as the Braided	
SS Hose	

AN-4 \$ 6.35/ft AN-6 \$ 6.90/ft AN-8 \$ 7.90/ft AN-10 \$ 8.90/ft AN-12 \$10.90/ft AN-16 \$11.90/ft AN-20 \$16.90/ft

NHRA/IHRAAccepted

## **Braided SS TEFLON Hose**

Braided Stainless Steel TEFLON Hose and

Reusable Hose Ends are used in Brake, Clutch, Instruments and other applications where max high pressure protection is a must.

		AN-3 AN-4	X-610003 X-610004	
TEF	<b>LO</b>	N Ho	se Ends	
xtreme racing pro-	ducts	Ch.		Z
1	Str	AN-3	X-600003	
c		AN-4		
1	<b>45</b>	AN-3		
		AN-4 AN-3		
	<b>90</b>	AN-3 AN-4	X-609003	
-				· .
C.	T	EFLO	N Hose As	sembly
111		We s	stock Pre-Ass	sembled
AN3 & AN4 Braided SS				
Teflon Hose Assemblies.				
	Straights or 90 Deg Ends.			
A	Lengths: 12" - 50"			
	01	8 9	from.	. <i>\$10</i>

and		AN I	Hose-Fittings <sup>39</sup>
ABRATIONS	Open 24/7 GoodVibrationsR	at: acing.com 80	0/576-7661
xtreme racing products Tube Nuts	Tube Sleeves	Hose Finish	Includes SS Blue Black
AN-3       X-981803\$ .91         Works on       AN-4       X-981803\$ .91         Steel or       AN-4       X-981804\$ .91         Aluminum       AN-6       X-981806\$ 1.19         Aluminum       AN-8       X-981808\$ 1.73         Hard Line.       AN-10       X-981810\$ 2.49         AN-12       X-981812\$ 3.36         AN-16       X-981816\$ 5.38	X-981903 \$ .95 X-981904 \$ .95 X-981906 \$ 1.19 X-981908 \$ 1.35 X-981910 \$ 2.08 X-981912 \$ 3.38 X-981916 \$ 3.85		AN4 X-550104 \$ 4.34 AN6 X-550106 \$ 4.34 AN8 X-550108 \$ 4.62 AN10 X-550110 \$ 5.53 AN12 X-550112 \$ 6.49
Hex Pipe Plug	EPR O-Ri Long Lasting - Won		AN Flare
Internal hex for smooth finish and easy installation.	X-803003 AN3 X-803004 AN4	\$ 3.66 \$ 4.18	Reducers     Female - Male
1/8X-993202 (pr)\$ 2.431/4X-993203 (pr)\$ 2.433/8X-993204 (pr)\$ 3.081/2X-993205\$ 3.263/4X-993206\$ 4.20	X-803006         AN6           X-803008         AN8           X-803010         AN10           X-803012         AN12           X-803016         AN16           X-803020         AN20	\$ 5.01       Gas,         \$ 5.01       Gas,         \$ 7.89       Alcohol         \$ 7.89       & Nitro         \$ 4.50*       *	AN6-4 X-995006 \$ 6.79 AN8-6 X-995008 \$ 7.75 AN10-6 X-995010 \$ 8.68 AN10-8 X-995011 \$ 8.68 AN12-8 X-995012 \$10.33 AN12-10 X-995013 \$10.33
Flare Plug Port Pl	lug Flare Cap	Hex Nut	AN16-12 X-995017 \$27.74 Flare Adapters AN-3 981503 \$ 2.71 AN Flare AN-4 981504 \$ 2.71 Coupler AN-6 981506 \$ 2.71
AN-4         X-980604\$         1.40         X-981404           AN-6         X-980606\$         1.40         X-981406           AN-8         X-980608\$         2.61         X-981408	\$ 1.73       X-992903\$ 1.84         \$ 2.07       X-992904\$ 2.11         \$ 2.10       X-992906\$ 3.44         \$ 3.34       X-992908\$ 4.13         \$ 5.04       X-992910\$ 5.00	5       X-992404\$ .91         8       X-992406\$ 1.03         3       X-992408\$ 2.00	AN-8 981508 \$ 4.81 AN-10 981510 \$ 5.60 AN-12 981512 \$ 10.87 AN-16 981516 \$ 17.51
AN-12 X-980612\$ 5.01 X-981412	\$ 7.44 X-992910\$ 5.00 \$ 7.44 X-992912\$ 6.79 \$ 9.49 X-992916\$ 8.79	X-992412\$ 2.36	<b>4-3</b> 991902 \$ <b>4.13</b> <b>6-4</b> 991906 \$ <b>4.24 AN Flare</b>
Flare to Pipe Adapters	45 Degree	90 Degree	8-6       991912 \$ 5.93       Reducer         10-6       991914 \$ 8.68       Reducer         10-8       991915 \$ 8.42       12-8         12-8       991919 \$ 13.04       13.04         12-10       991920 \$ 13.04       16-10         16-10       991922 \$ 16.95       16.95         16-12       991923 \$ 16.95       23.65         20-12       991926 \$ 27.95       16.95
Flare - Pipe AN-31/8 981603 \$ 2.28 AN-41/8 981604 \$ 2.28	982303 <b>\$ 7.26</b> 982304 <b>\$ 7.39</b>	982203 <b>\$ 7.26</b> 982204 <b>\$ 7.39</b>	<b>Stainless Steel Tubing</b>
AN-61/4 981606 \$ 2.45	982306 <b>\$ 7.60</b>	982206 <b>\$ 7.60</b>	Great for plumbing your Brake, Fuel or Fire System.
AN-63/8981666 \$ 3.17AN-81/4981607 \$ 3.29AN-83/8981608 \$ 3.29AN-81/2981688 \$ 4.81	982366 <b>\$ 10.20</b> 982307 <b>\$ 13.04</b> 982308 <b>\$ 9.22</b> 982388 <b>\$ 14.67</b>	982266 <b>\$ 10.20</b> 982207 <b>\$ 13.04</b> 982208 <b>\$ 9.22</b> 982288 <b>\$ 14.67</b>	E-ST18 3/16 E-ST25 1/4 \$ 5.99/ ft
AN-101/2981610 \$ 4.88AN-103/4981613 \$ 9.12AN-123/4981612 \$ 9.12	982310 <b>\$ 14.67</b> 982313 <b>\$ 21.72</b> 982312 <b>\$ 21.72</b>	982210 <b>\$ 14.54</b> 982213 <b>\$ 21.72</b> 982212 <b>\$ 21.72</b>	E-ST37 3/8 \$7 Seamless!!








800/576-7661

Same Day Shipping!

### Male Flare to Female Swivel Tee



### **Fuel Pressure Take Off Adapters**





X-700202	-10 Male to -10 Female Swivel	<b>\$</b> 1	4.89
X-700199	-8 Male to -8 Female Swivel	<b>\$</b> 1	1.57
X-700198	-8 Male to 3/8" Male NPT	\$	9.73
X-700196	-8 Male to -8 Male	\$	9.73
X-700195	-6 Male to -6 Female Swivel	\$	9.77
X-700194	-6 Male to 3/8" Male NPT	\$	8.33
X 100101		Ψ	0100




Gauge

Sold

Separately

### **Carburetor Line Kit**





Carb **Fittings** 

### **Dual Feed Holley**

X-700106 AN6 to 7/8-20	\$ 7.30
X-700128 AN8 to 7/8-20	\$ 10.94



### Single Feed AN6

X-700006 9/16-24 Hollev \$ 5.78 X-700306 5/8-20 Carter \$ 5.78

Fittings Include Washers

Stainless Steel Dual Carb Plumbing Kits See Page 21

### **Female Swivel Coupler**

X-900106	\$	6.63
X-900108	\$	8.14
X-900110	\$	9.89
X-900112	\$	13.86
X-900116	\$	19.29
	X-900108 X-900110 X-900112	X-900106 \$ X-900108 \$ X-900110 \$ X-900112 \$ X-900116 \$



### Female Swivel Coupler - 90 Deg


AN4	X-929004	\$ 13.30
AN6	X-929006	\$ 13.30
AN8	X-929008	\$ 14.98
AN10	X-929010	\$ 18.99
AN12	X-929012	\$ 20.48
ΔN16	X-929016	\$ 47.26
	X 020010	Ψ TILEV
-	X-929106	\$ 14.26
AN6		
AN6 AN8	X-929106	\$ 14.26
AN6 AN8 AN10	X-929106 X-929108	\$ 14.26 \$ 15.09
AN6 AN8 AN10 AN12	X-929106 X-929108 X-929110	\$ 14.26 \$ 15.09 \$ 19.27



Forged



### **Liquid Filled Pressure Gauge**





Gauges to AN **Fittings** Hoses



X-705003 STRT to 1/8 Fem NPT AN3 \$ 5.27 X-705004 STRT to 1/8 Fem NPT AN4 \$ 2.05 X-705093 90 Deg to 1/8 Fem NPT AN3 \$ 5.16 X-705090 90 Deg to 1/8 Fem NPT AN4 \$ 3.66









GoodVibrationsRacing.com

# 800/576-7661

Female to Male What are AN ORB Adapters? Anodized Swivel Adapters Male AN Flare to Inverse Male AN with an O-Ring. Black Sizes: AN4 -16 High Contour XRP Flow 45 & 90 Degrees 45 Degree 90 Degree Straight 4.75 X-984503 X-989003 AN3 \$ n/a \$12.95 E-815-3A \$ 9.95 AN4 X-980004 \$ 5.71 X-984504 X-989004 \$ 9.95 E-815-6 \$ 4.81 X-984506 \$13.35 X-989006 \$11.95 AN6 Tube AN8 E-815-8 \$ 6.28 X-984508 \$15.30 X-989008 \$13.74 \$ 7.95 \$23.10 \$21.39 **AN10** E-815-10 X-984510 X-989010 AN12 E-815-12 \$ 9.95 X-984512 \$34.81 X-989012 \$32.88 \$14.95 X-984516 \$43.95 \$43.85 AN16 E-815-16 X-989016 Forged AN20 E-815-20 \$ 19.95 X-984520 \$58.95 X-989020 \$88.08 Reducer **Pursosil** E-919-6-8 7.99 \$ XRP's silicone Purosil preformed hose has a \$ 9.99 E-919-6-10 maximum operating temperature of 350°. Hose \$ 9.99 E-919-8-10 Popular on Top Alcohol Fuel Systems. \$12.99 E-919-8-12 90 Deg Bend E-919-10-12 \$ 12.99 X-390125 1.25 ID \$ 44.50 Ideal for E-919-12-16 \$ 18.99 X-390175 1.75 ID \$ 50.28 Fuel Line E-919-16-20 \$ 23.99 **3ft Straight - Coolant** from Tank \$ 55.14 X-370125 1.25 ID Anodized aluminum ORB Reducers are designed to reduce to Pump X-370125 1.75 ID \$ 68.50 the inverse flare ORB side to a smaller male AN size. O-ring and inverse flare will be on the larger AN side. **Push-On Hose** Expander E-919-8-6 7.99 \$ & Ends XRP# \$ E-919-10-8 7.99 AN4 X-230004 \$ 4.57 E-919-12-8 \$ 12.99 Hose From., \$3.57/ft AN6 X-230006 \$ 4.57 E-919-12-10 \$ 12.99 **CPE** elastomer AN8 X-230008 \$ 5.44 E-919-16-8 **\$ 18.99** tube, textile braid AN10 X-230010 \$ 7.33 Str E-919-16-12 \$ 18.99 reinforced with CPE AN12 X-230012 \$ 11.95 E-919-20-16 \$ 23.99 elastomer cover. AN4 X-239004 \$ 15.19 90 Maximum operating Anodized aluminum ORB Expanders are designed to AN6 X-239006 \$16.29 temperature of expand the inverse flare ORB side to a larger male AN size. AN8 X-239008 \$ 19.55 250°. Ideal for fuel, O-ring and inverse flare will be on the smaller AN side. AN10 X-239010 \$ 22.40 lubricating oil, air & AN12 X-239012 \$ 26.64 water. Aluminum Bung with Steel Cap. Hose & Fittings: Blue or Black X-821015 \$28.99 Also in Stock: 30 45 60 120 150 180 Degrees





Same Day Shipping!

# Hi-Perf Gaskets<sup>42</sup>

800/576-7661




Accu-Seal Gaskets

Accu-Seal is the first choice of engine builders and race teams. The Accu-Seal E gasket line delivers precision fit, durability and economy all in one. Accu-Seal Pro utilizes state-of-the-art materials such as *proprietary steel core laminate with teflon coating, viton oil seals, and molded rubber* for selected Oil Pan and Valve Cover applications.

p/n: **Regular** = 1xxxxxx **Pro** = 2xxxxxx

# Intake Gaskets

SCE-111101 SBC 1.20 x 2.00 Port	\$ 12.95/pr
SCE-111102 SBC 1.25 x 2.275 Port	\$ 12.95/pr
SCE-111103 SBC 1.25 x 2.275 (1266) Thick	\$ 16.95/pr
<b>SCE-113102</b> BBC 1.8 x 2.5	\$ 12.95/pr
SCE-113115 BBC 1.8 x 2.5 No Top bolt	\$ 12.95/pr
SCE-113116 BBC 1.8 x 2.5 No Top bolt. Thick	\$ 17.95/pr
G-2210 426 Hemi Stock Port 2.375	\$ 17.98/pr
G-2212 426 Hemi Medium Port 2.750	\$ 17.98/pr
G-2218.10 Hemi/BAE/TFX End Rail Gaskets	\$ 8.50/10pk



SCE-211128 SBC 1.30 x 2.24 Port (1206) ... \$ 17.95/pr SCE-213102 BBC 1.80 x 2.50 Port (1211) .. \$ 19.95/pr SCE-213115 BBC 1.80 x 2.50 Port (1275) .. \$ 16.95/pr SCE-218101 Big Chief/ bigDuke (1298) ..... \$ 19.95/pr





#### **PREMIUM** -Street/ Strip

SCE-111091 SBC Pre 1974 Thin Front S	Seal <b>\$ 12.95</b>
SCE-113090 BBC .090 Thick	\$ 12.95
SCE-235091 BB Ford 1pc Molded	\$ 32.95
SCE-113091 KB Olds .090 Thick	\$ 15.95
SCE-113092 Merlin Block, Large Stroke	e <i>\$ 15.95</i>
SCE-167091 417 Hemi	\$ 14.95
G-2110 426 Hemi, KB, BAE	<i>\$ 11.95</i>
G-2114 TFX-92	<i>\$ 11.95</i>
G-2118 TFX-96	<i>\$ 11.95</i>

#### **PROFESSIONAL** Steel-Core & Teflon Coated

SCE-274090 481X Rodeck	\$ 27.95	Simply
SCE-266091 KB BAE Hemi	\$ <b>29.95</b>	
SCE-261091 TFX 92 Hemi	\$ <b>32.95</b>	the Best.
SCE-261093 TFX 96 Hemi	\$ <b>32.95</b>	Period.

## Engine Seals





	Front		<b>Rear Viton</b>
SB Chevy	SCE-11102	\$ <b>3.95</b>	SCE-21105 <b>\$19.95</b>
<b>BB</b> Chevy	SCE-11302	<i>\$ 7.95</i>	SCE-21305 <u>\$24.95</u>
351W	SCE-13602	\$ <b>7.95</b>	SCE-23605 <b>\$14.95</b>
BB Ford	SCE-13502	<i>\$ 7.95</i>	SCE-23505 <b>\$21.95</b>
SB Mopar	SCE-16902	\$ <b>7.95</b>	SCE-16904 \$ 9.95
BB Mopar	SCE-16402	\$ <b>7.95</b>	SCE-26405 <b>\$19.95</b>
417 Hemi	SCE-16702	<i>\$ 7.95</i>	SCE-13405 <b>\$19.95</b>
426 Hemi	SCE-16602	<i>\$ 7.95</i>	SCE-26605 <u>\$23.95</u>

## Looking for **Blower** Gaskets?









*Open 24/7 at:* GoodVibrationsRacing.com



# 800/576-7661



 SCE-213075 BB Chevy
 \$ 19.95/pr

 SCE-213076 BB Chevy
 \$ 23.95/pr

 SCE-267076 Hemi Early
 \$ 29.95/ea

 G-2310 426 Hemi
 \$ 11.47/ea

### **PROFESSIONAL** Steel-Core & Teflon Coated

SCE-213078 BB Chevy SCE-218078 Big Chief SCE-266075 KB BAE 1/4 holes SCE-261075 KB BAE 5/16 holes SCE-267077 Hemi Early



Superb Quality - Reusable Gas - Alcohol - Nitro



*Inlcudes* Timing Cover, Water Pump & Fuel Pump Gaskets SCE-11100 SB Chevy SCE-11300 BB Chevy SCE-13600 SB Ford SCE-13500 BB Ford SCE-16900 SB Mopar SCE-16400 BB Mopar SCE-16600 426 Hemi



### Thermosplastic Carb Gaskets



Molded Bowl Carb gasket is

made from a non-stick thermoplastic material that is resistant to all motor fuels, racing fuels, and additives common to racing. Designed for **4150/4160** Holley carburetors. Has precision fuel and air passages for better consistency. Will not shrink, stick or tear, thus eliminating scraping. Gasket is reusable. *Patent Pending.*  Will NOT Shrink ! Will NOT Stick ! Will NOT Tear ! \$ 8.95/pr

Ask about our 10pk Discount

**BOWL** Gasket SCE-411 4150 SCE-451 4500

*METERING* Gasket SCE-410 4150 SCE-450 4500

Award Winner SEMA Show



Holley Carb gaskets are heat resistant and standard thickness. Will handle the rigors of *supercharged* engines.



 G-2070 Carb Gasket
 \$ 3.25

 G-2072 Dom Gasket
 \$ 3.25

 SCE-355 4 Port Gasket
 \$ 3.25



### Customer's Ride



Alfio Sciacco - Windsor Downs, Australia





Same Day Shipping!

**Copper Gasket** 44

# 800/576-7661

# **Copper Head Gaskets**

# Benefits of Using Copper...

**Conductivity.** Copper is the standard by which all other conductors are measured, therefore a copper gasket provides superior thermal conductivity, acting to stabilize head and block temperatures which makes tuning easier.

**25% Coefficient of Elasticity**. One of the properties of copper is that it stretches before a catastrophic failure, thereby providing an extra measure of safety in case of severe detonation.

**Strength.** Copper (in the form SCE use) has a tensile strength of approximately 32,000 psi, compare this to the 1200 to 1800 psi tensile of most facing materials used on conventional performance head gaskets.

### Premium Quality \* Properly Annealed Perfect Fit \* Dead Soft Copper



*O-Ring Wire* 304 Stainless Steel **SCE-31541** 15ft **\$10.95** 



In Stock: Chevy, Mopar, Ford \* Reusable \*



### Pro-Copper Exhaust Gaskets

SCE Copper Exhaust Gaskets will permanently seal a warped or uneven flange.

Embossed *\$29/pr* Non-Embossed *\$49* 





## The World's First *Self Sealing* Copper Head Gasket!


SCE's **TITAN** gaskets provides unbeatable strength and user friendly installation. This patented headgasket gives you the best of both worlds: The combustion sealing strength of a SCE copper head gasket and the confidence of *built-in coolant and oil seals*! The perfect racing and performance copperhead gasket!

e	
SELFSEALING COPPER HEAD GASKET	.032 <b>\$129</b>
	.043 <b>\$129</b>
SCENT	.050 <mark>\$139</mark>
GASKETS	.062 <b>\$149</b>
00.0	.070 <b>\$159</b>
Sold in Pairs	.080 <mark>\$159</mark>

# **ICS Copper Head Gaskets**

Same as above but with a **Integrated Steel O-Ring** means there is no need to machine your Block or Heads!

(	Sold	in
l	Pair	rs



Embedded silicone to seal oil and water passages. Soft copper is ready to use. *Awarded Best New Product at SEMA Show.* 

# **Collector Gaskets**

Use SCE copper collector gaskets for maintenance free operation.

2.5, 3 and 3.5in \$11.95/pr





*Open 24/7 at:* GoodVibrationsRacing.com

# 800/576-7661

**Belt & Gear Drives** 

## **Billet Gear Drives**

Billet Alum Cover Chromoly Gears Fixed Idler Premium Fasteners

### One of the strongest on the market !



### **BILLET Gear Drives**

RCD-251000-0003 SBC	\$ <b>899</b>
RCD-251000-0006 SBC w/ BBC	<b>\$ 899</b>
RCD-251000-0009 SBC Tall	<i>\$ 949</i>
RCD-251500-0002 BBC	<b>\$ 899</b>
RCD-251500-0040 KB OLDS	\$1099
RCD-253500-0002 TFX	<b>\$ 899</b>
RCD-253500-0020 KB, BAE	<b>\$ 999</b>
RCD-253500-0040 KB, BAE Tall	<b>\$ 999</b>
RCD-254000-0040 417 Donovan	<b>\$ 999</b>

## Gear Drive Components

RCD-300205-0028 Cam Cover (SBC only)	<b>\$1</b>
RCD-300205-0032 Cam Cover All Others	\$1
<b>B-2121</b> Cam Cover (KB-BAE-TFX, etc)	\$
RCD-300209-03 5/8-3/8 Steel Hex Adap	\$ .
RCD-300207-05 3/8 Steel Shaft 5"	\$.
<b>RCD-300201-0032</b> QR Pump Ext 3 or 5"	<b>\$ 3</b> .
B-2125 QR Pump Ext Smooth 5"	\$1
<b>B-2126</b> QR Pump Ext 5" (Fits Non-RCD)	\$1



# **Jesel Belt Drives**



- Cam timing adjustment is made externally providing the easiest and most accurate tuning available.
- Billet aluminum Spider is made from 2024-T6 and is available as a solid unit for additional strength.
- Accessories available to run distributor drives, fuel pumps or oil pumps off front of cam.
- Hard coated Billet aluminum 7075 Upper Pulley features patented High Torq Drive<sup>™</sup> tooth configuration.
- Teflon® coated high vacuum cam and crank seals.
- Patented High Torq Drive<sup>™</sup> reinforced belt operates dry and spins with less friction than timing chains or gear drives and also absorbs harmonics.
   Crank Pulley is heat-treated steel and incorporates a High Torq Drive<sup>™</sup>
- tooth configuration.
- Kit hardware is all Grade 8 Allen and Torx<sup>™</sup> head design.



JES-KBD-31000 SBC Standard ..... \$ 940 JES-KBD-31200 SBC w/ BB Snout \$1024 JES-KBD-32000 BBC Standard ..... \$1045 JES-KBD-35000 426-440 Mopar \$1239







**Prolong Lubes** 46

# Same Day Shipping! 800/576-7661



Motor oils, transmission fluids and gear oils are flowing lubricants that provide a film barrier between metal surfaces pressing or rubbing together. The greater the film strength, the better the oil. However, in extreme pressure metal-to-metal areas, the film strength of oil is seriously thinned and is often completely squeezed out. On the other hand, *Prolong* is a bonding lubricant. *Prolong AFMT*<sup>TM</sup> interacts with metal surfaces in a molecular and chemical process to create a protective buffer on the surface of the metal. This is not a film or

coating over the metal. Molecules in the AFMT<sup>TM</sup> formula are polarized and actually bond with the metal surface. The layer of AFMT<sup>TM</sup> molecules is activated by extreme pressure and heat, meaning that *Prolong* lubrication performs best right where it is needed most! The result, AFMT<sup>TM</sup> significantly reduces harmful friction and heat.

Fortified with Prolong's advanced technology, nothing works better than Prolong Oil Stabilizer to help *solve lubrication-related* problems. Other oil stabilizers on the market do not include the necessary additives provided by today's motor oils, such as antioxidants. The formulation of Prolong Oil Stabilizer includes: Prolong's AFMT<sup>TM</sup> (Anti-Friction Metal Treatment) advanced technology as well as vital additives to provide a completely formulated oil stabilizer product, which sets this product apart from the other competitors. (32oz)

Works great in high horsepower, drag racing engines especially those injected or blown. Fuel: Gas, methonal, diesel or nitro fuels.

**Product Overview:** *Reduces* electrolysis, extreme pressure friction and excessive heat. *Displaces* moisture and protects metal surfaces. Helps *prevent* corrosion and oxidation. Formulated with unique, AFMT<sup>™</sup> advanced technology formula. **How to use:** Add 10% to total volume of oil for gas, methanol, nitro or diesel fueled motors, engines or gear boxes. Add 5% to total volume for hydraulic systems and automatic transmissions. (32oz)


*Race proven in most motorsports including:* NASCAR, NHRA, Marine & Tractor Pulling

### **Oil Stabilzer**



PSL13032.. **\$9.99** 

#### **Oil Stabilzer**



Prolong Waterless Wash & Shine is a revolution-

Wash & Shine



PSL64017..**\$6.99** 

Lubricant



PSL10010.. **\$35.95** 

Super Penetrating Lubricant Spray is formulated with AFMT<sup>TM</sup> (Anti-Friction Metal Treatment) advanced technology to *lubricate*, *penetrate*, and *prevent* corrosion, free sticky mechanisms, *displace* moisture, stop squeaks, and reduce friction and wear on all metal surfaces. *Easy-to-apply* protection and lubrication for hundreds of performance & recreational uses as well as commercial and industrial applications such as light duty machining, tapping and drilling fluid. (16oz) *Ideal for: Enderle & Hilborn fuel pumps*, *barrel valves & shutoffs*.



PSL40016.. **\$9.99** 

# **\*\*\* Preowned Performance Parts \*\*\***

Roots Blowers Pulleys & Belts Safety Equipment Magneto Ignitions



Injection Hats Fuel Pumps 16" Wheels Zoomie Headers

# We pay CASH for good, used race parts

website (www.goodvibesracing.com/Preowned-Parts.htm) 800.576.7661





HI-

INC



*Open 24/7 at:* GoodVibrationsRacing.com

# 800/576-7661

*Lucas High Performance* Racing Motor Oil is a purpose built product designed for the high performance racing industry. It's blended with an exclusive additive package that includes lubricity agents and anti-seize agents that control drag like a zero weight oil and protects metal like a heavy multi-viscosity oil. It is perfect for high RPM & high horsepower Engines. For more specific information on each racing oil please review our product specification sheets.

### **Racing Oil Key Benefits:**

High Zinc Fortified Perfect oil for high RPM engines **Extra Protection** OIL PRODU Lower Oil Temperature Less Drag For More Horsepower! Compatible With Methanol Or Racing Gas



LOP-10635 20W-50 Oil 1 Qt \$ 7.99 LOP-10636 20W-50 Oil 5 Qt \$ 29.99 **Racing Engine Oil** 

LOP-10620 20W-50 Oil 1 Qt \$ 7.99 LOP-10621 20W-50 Oil 5 Qt \$35.99 LOP-10044 50W Oil 1 Qt \$ 6.99 LOP-10094 50W Oil 2.5 Gal \$73.99 LOP-10265 70W Oil 2.5 Gal \$79.99 Synthetic Engine Oil LOP-10615 20W-50 Oil 1 Qt \$13.99

LOP-10616 20W-50 Oil 5 Qt \$56.99

### **Super Coolant**

Lower cylinder head temps

Allow advanced ignition, timing and more horsepower Reduce operating temperatures by up to  $20^{\circ}$ Prevents corrosion, electrolytes and deposits that cause leaks, overheating, and cooling system failures LOP-10640 Super Coolant 16oz ... \$ 12.99



### **Transmission Sure Shift**

#### Smooth, precise shifting \* Extraordinary protection

This is no normal ATF formulation. It has been developed to give the smooth, precise shifts needed by racers and yet extends a degree of protection not found in any other ATF. This product will stop wear and tear like nothing you've ever tried.



LOP-10052 Sure Shift 1 Qt... \$ 6.99

#### **SAFEGUARD™ ETHANOL Fuel Conditioner** With Stabilizers

Lucas Safeguard<sup>TM</sup> was developed to specifically address issues associated with using ethanol based fuels. This applies to E-10, E-15, E-85, pure ethanol and any mixtures in between including gasoline. Safeguard<sup>TM</sup> is completely soluble in all ethanol fuels and will not harm filters. Contains effective additives to prevent rust and corrosion associated with the use of ethanol fuels. Treats 80 Gallons



LOP-10670 Ethanol/Alky Conditioner 5.2oz \$ 5.99

### Synthetic Gear Oil

Lucas SAE 75W-90 Synthetic Gear Oil is a nonfoaming, super slick, long lasting lubricant designed especially for high performance applications where other gear lubricants just aren't good enough. Contains a special additive package that cushions gears and resists "squeezing out" under extreme pressure situations where other gear lubricants just aren't good enough. Specially designed to stand up to high temperatures without losing its lubricity.



LOP-10043 80W-90 1 Qt Non-Syn .. \$ 8.99 LOP-10047 75W-90 1 Qt Synthetic .. \$ 14.99

### **Extreme Pressure Valve Train Synthetic Grease**

Greatly reduces friction on moving parts to prevent galling. Excellent adhesion quality. Excellent on all surfaces requiring an

extreme pressure lubricant. Perfect for assembly lube on rod bolts. Protects pushrod ends on initial start up. Essential for roller lifters, rockers, pushrods and camshafts



LOP-10578 Extreme Pressure Grease \$32.99

### Semi-Synthetic Assembly Lube

Lucas High Performance Assembly Lube is designed for mechanics and technicians to pre lube bearings, cams, lifters and valve train. The Semi-Synthetic formula contains ZINC, MOLY and other high pressure additives which offer maximum protection during engine break-in. Super slick and easy to use, Lucas High Performance Assembly Lube will eliminate dry starts and prevent seizing galling and scuffing



LOP-10153 Assembly Lube 8oz \$ 7.99







# Magnetos



Front Offset Drive

Alum drive allows one to drive the fuel pump and magneto off the gear drive. Clamps to your fuel pump extension. Gear driven - no belt to replace!





# **Billet Offset Drives**

Accepts Mallory or MSD Mags. Belt Driven. Includes Bronze Gear. Available in Fixed Flange or Adjustable Clamp Styles.

A. RCD-302000-0005 Front	\$ 8	898
B. <b>I-2062</b> Front Drive	\$ 9	995
C. T-1016 MSD Support	\$ 1	159
D. <b>I-2030</b> Chevy Offset	\$ (	<b>595</b>
E. <b>I-2040</b> KB, TFX, BAE	\$ 2	795
F. I-2037 Cross Coupler	\$	33

Front Pump/ Magneto Drive (RCD)

Chevy



Front Pump/ Magneto Drive (Sitko)



### Move your Distributor or Magneto to the front.

Clamps to Pump Extension. Uses Std height BBC Base. Postions magneto behind blower belt. Includes Support Bracket.

RCD-302500-0010





Great for supercharged alcohol engines. Include: Generator Assembly, Billet Aluminum Base, Pro Coil, QD Wiring Harness, Instructions and Case.

M-35-36544 LH Hemi Pro Cap M-35-59544 RH Chevy Pro Cap M-35-59514 RH Chevy Stack Cap Also Available for Fords & Mopar

\$ 1249 Includes padded shipping case!

# **Billet Magneto Bases**

	<b>C</b>
	F
A. M-35595 Chevy Base w/ Bronze Gear	<i>\$ 239</i>
M-35365 Hemi Straight Base	<i>\$ 245</i>
B. <b>RCD-303000-0015</b> Hemi Angled Base	<b>\$ 928</b>

C. I-2042 Hemi Hold-Down Clamp	\$	<b>65</b>
D. <b>M-45520</b> Alum Slip Collar Clamp Hemi•	\$	<i>29</i>
E. I-2038 Magneto Clamp Billet Alum	\$	<b>98</b>
F. M-26041A SS Steel Magneto Clamp	\$	<i>69</i>
G. I-2070 Chevy .491 I-2070 .500 Bronze Gear	r <b>\$</b>	<b>49</b>
I <b>E-7025</b> Hemi Straight Base w/ oil shaft	\$	356

I E-7025 Hemi Straight Base w/ oil shaft

### Front Drive

Same as unit to the left though does NOT require a magneto base. Works wirh Mallory or MSD magnetos.

Specify CW or CCW.

RCD-302500-0020







# Magnetos<sup>49</sup>

GoodVibrationsRacing.com

# 800/576-7661

## **Magneto Components**




M-28103A Advance Lock Out \$ 34.99
M-28995 Rotor (RH) Stack Cap \$ 41.99
M-28995A Rotor (LH) Stack Cap \$ 42.99
M-29038 Rotor Adapter \$ 8.99
M-29772 Rotor (RH) Pro Cap \$ 22.99
M-29772C Rotor/Adapter w/ nylon screws \$ 64.99
M-29773 Rotor (LH) Pro Cap \$ 24.99
M-25758M Premium Contact Points \$ 24.99
M-28005A .36mf (Small) Condenser \$ 32.99
M-28005 .56mf (Large) Condenser \$ 39.99



M-28862	Wiring Harness	\$ 21.99
M-205M	HEI Stack Cap	\$ 63.99
M-29745	HEI Pro Cap	\$ <b>54.99</b>
<b>M-29744</b>	Wire Retainer	\$ <b>29.99</b>
M-26007I	<b>3</b> 4 Pin Drive Flange	\$ 38.99
<b>M-26030</b>	Woodruff Key	\$ <b>1.95</b>
M-28797	Shrink Sleeving	\$    6.99
<b>M-28974</b>	Timing Indicator	<b>\$ 3.98</b>

### **Electronic Distributors**





\$ 419

\$ 945

345678

M-28797

Curved for **Blown Engines** 

M-3755801 Ford 351W M-3756001 Ford 460 M-3768501 Chevy V8



Electronic Ford Offset Billet Alum \* Pro Cap \* Belt Driven **Ideal for Blown Engines** 

Ford 302 / Ford 460



## **PRO Plug Wire**

Mallory PRO WIRE Plug Wires are designed to withstand the high temperatures that performance engines produce. PRO WIRE Spark Plug Wire provides protection to over 500 degrees F.

Stainless Steel Core



M-787 Hemi SS Straight Ends	<i>\$ 138</i>
M-783M Chevy SS 90 Deg Ends	\$ 69
M-784M Bulk SS Wire (foot)	\$ 1.95
<b>M-836</b> Red Pro Sleeving 25'	<b>\$ 89</b>

# SUPER-MAG Transformer

COIL is externally mounted making for a more efficient and powerful magneto. HEI style contact terminals resulting in a more positive wire retention.

M-28900A Pro Oil-Filled Coil ...... \$ 234 M-28900B Epoxy-Filled Coil ...... \$ 285





NZIG

**Oil Pump Drives** 

Required when running a front drive M-29003 Std Chevy Deck Pump Drive *§* 82 M-29007 Tall BBC Deck Pump Drive \$ 119

Magneto Timing Buzzer Necessary To Set Magneto Timing

> Lights & **Buzzes**

Instructions

Online

**79** 

I-2098 \$ 119 **ZIG-TB100** 





Designed specifically for Mallory & MSD magnetos. Positive push-off. Internally sealed to prevent corrosion. Single or dual mags.

I-2096 Mallory I-2097 MSD 44 (I-2099 Change Over \$89)

Air Actuated Kill Switch Ideal for Top Fuel & Alky. Connect to your CO2. I-2095 **\$ 369** 







# **Books & DVDs**<sup>50</sup>

# 800/576-7661

Performance

**Books** 

Books are 128 pages. Feature 300 photos! **SA-78** BUILD PERF PONTIAC SA-85 BUILD BIG INCH SBF SA-87 BUILD BIG INCH SBC

SA-104 BIG INCH SB Mopar

SA-17 Street Supercharging \$19.95


SA-104 Big Inch SB Mopar \$19.95

SA-161 Electronic Fuel Injection \$25

ENDERL

Above Titles **\$16.95** 

## **Power Building DVD's**





\$29.95

Multi-DVD sets are part of a series tailored towards racing and street performance. Filled with money and time saving advice. Great for the novice and veteran.

**PWR-D-NITROUS** Nitrous PWR-D-SUPR Blowers **PWR-D-CARB** Carburetors **PWR-D-ROT** Rotating Assy

Good Vibrations will refund the price of the Blower DVD with the purchase of a blower!

#### Legal Stuff... **Telephone Orders**

Order lines are open between 8am and 4:30pm (PST) Mon-Fri. Also online at: www.DragParts.com. Most orders are processed and shipped within 24 hours. UPS is the method of shipping unless otherwise specified. Domestic UPS Ground is approximately 1-4 business days, depending on your location. Faster service is available (See Pg 51).

#### **Payment Policy**

Orders can be prepaid by Mastercard, Visa, Discover credit/debit cards. Cancelled orders can be subject up to a 15% cancellation fee.

#### Freight & Shipping

All shipments are shipped freight prepaid unless other arrangements are made. All shipments are fully insured. If your shipment is damaged, save all packaging material and contact the freight carrier immediately.

#### Returns

A copy of the original invoice must accompany all returns within 30 days of the original purchase date. No reasonable return will be refused, however we reserve the right to apply up to a 15% restocking fee.

#### **Shortages or Discrepancies**

All shortages or discrepancies must be reported within 10 days from receipt of shipment. Please include invoice number and date of receipt.

#### Warranty

Most products carry the manufactures warranty. Good Vibrations Motorsports will not be held liable for any loss, damage, injury or casualty arising from the use of products supplied by Good Vibrations.

#### Prices & Specifications


All prices are subject to state sales taxes where applicable. All prices are subject to change without notice.

Not for sale or use on pollution controlled vehicles




GoodVibrationsRacing.com









2 Great Books for the Coffee Table, Office or where ever you do your best reading! Rich in History with 100's of Color Pics.

Slingshots FC Fever **SA-CT443 SA-CT464** \$25



\$12

Limited Edition T-Shirt **Good Vibrations** (Rear)

> **Enderle** (Front) Silkscreened 6 Colors 100% Pre-shrunk **USA** Cotton S-3XL





**High Quality** Embroidery. Velcro Closure. Full Color.



Aprons **\$18** 



# **Mission Statement**

At Good Vibrations Motorsports we strive to provide high quality performance products at discount prices without sacraficing customer service.

### Why Buy From Good Vibrations?

\* **Prices** Never pay Retail. All products are generously discounted.

> \* **Quality** We sell premium quality products only.

## \* Technical Support

No Question is too tough. Deal directly with enthusiasts that speak your language.

### \* Promptness

97% of orders are shipped the same day.

How to Contact Us


- Orders... 800/576-7661
- Tech/BS 562/945-7669
- Fax..... 562/693-9553

## E-mail.... sales@DragParts.com

Web..... www.GoodVibrationsRacing.com

Mail: 8858 Painter Ave, Ste. E, Whittier, CA 90602

GUARANTEED Ground Shipping Time -Or your money back!



We also Ship International Daily!!

## Sales & Tech Crew "We're here to serve you!"





Jim Maher

Jessica Lascano



Randy Walton



<mark>Maribel Menchaca</mark>



Kasey Smith



Shawna Snyder



James



Russ Conlin



At Dragparts.com, we strive to provide high quality performance products at discount prices without sacrificing customer service. Good Vibrations 8858 Painter Ave, Suite E

Whittier, CA 90602

PRSRT STD US Postage PAID Whitter,CA Permit #243



-New Racing Products -Used Performance Parts -Free Technical Advice -Online How-To-Videos -Free Racing Classifieds

From mild street rods to blown alky racing, we speak your language!



Proudly Made in the USA Since 1985







GoodVibrationsRacing.com New & Preowned Performance Products Toll Free (800) 576-7661 We Ship International Daily !