<text>

Specializing in Fuel Injection & Supercharged Applications

Empowering Racers Since 1989

DragParts.com

800.576.7661

At Good Vibrations Motorsports we strive to provide high quality performance products at discount prices without sacrificing customer service.



Rear: Randy, Rod, Jessica, Kasey, Jose *Front:* Jim, Maribel, Brian, James, Gabby



Official **"Drag Racing Specialty Parts"** of Auto Club Famoso Raceway This catalog is Smart Phone & Tablet Friendly !!





Why Scan the QR Codes?

- * Order Online
- * Current Prices
- * Specifications
- * Options (Color, Sizes, etc..)
- * Technical Tips
- * How-To-Videos
- * Discounts & Promotions!
- * Download Catalog
- * And Much, Much More....

∞ How to Contact Us



Orders... 800/576-7661 E-mail.... sales@DragParts.com Tech/BS 562/945-7669 Web...... GoodVibrationsRacing.com Ship & Snail Mail: 8858 Painter Ave, Ste. E, Whittier, CA 90602 USA

Why Buy From Good Vibrations?

* Prices Never pay Retail. All products are generously discounted. * Quality We sell premium quality products only. * Technical Support No Question is too tough. Deal directly with enthusiasts that speak your language. * Promptness

98% of orders are shipped the same day :-)))



We also Ship International Daily!

Good Vibrations is a Major Sponsor of these IHRA Nitro.Jam Nationals!





Telephone Orders

Open between 6am - 5pm (PST) Mon-Fri. Also online at: GoodVibrationsRacing.com. Most orders are processed and shipped within 24 hours. UPS & USPS are the methods of shipping unless otherwise specified. Domestic UPS Ground is approximately 1-4 business days, depending on your location. Faster service is available (See previous page).

Payment Policy & Returns

Orders can be Paid by Mastercard, Visa, Discover credit/debit cards or Paypal. No reasonable return will be refused though cancelled orders and returns can be subject up to a 15% restock fee. A copy of the original must accompany all returns within 30 days of the original purchase date. A RMA number is required for returns.

Freight & Shipping

All shipments are shipped freight prepaid unless other arrangements are made. All shipments are fully insured. If your shipment is damaged, save all packaging material and contact the freight carrier immediately.

Prices & Specifications

California Sales are subject to state sales taxes. All prices are subject to change without notice.

Shortages or Discrepancies

All shortages or discrepancies must be reported within 10 days from receipt of shipment. Please include invoice number and date of receipt.

<u>Warranty</u>

THIS MERCHANDISE IS INTENDED FOR OFF-HIGHWAY USE, MAINLY RACING. THE EFFECTIVENESS WARRANTY AND LONGEVITY OF THIS EQUIPMENT ARE RELATED DIRECTLY TO THE MANNER IN WHICH IT IS INSTALLED, USED AND /OR MAINTAINED. WE CANNOT BE RESPONSIBLE FOR THE QUALITY OF INSTALLATION, AND WE ARE NOT RESPONSIBLE FOR DAMAGE OR INJURY, DIRECT OR CONSE-QUENTIAL, LOSS OR CASUALTY WHICH MIGHT RESULT FROM CIRCUMSTANCES BEYOND OUR CONTROL. Some products carry the manufacturers warranty.

Not for sale of	o <mark>r use on</mark>	pollution	controlled	vehicles
-----------------	-------------------------	-----------	------------	----------

Fuel Injection	4-11
Linkage-Cables	12-13
Supercharging	14-23
Bearings-Rings	24-25
Oil Systems	26-27
Tabs, Rod Ends	28-29
Starters	30
Safety Product	31-35
Specialty Tools	36-39
Hose & Fittings	40-45
Gaskets	46-49
Gear Drives	50-51
Oils & Lubes	52-53
Magnetos	54-55
Valve Covers	56
PreOwned Parts	57
RePlay Camera	58
Neat Stuff	59
	57







Blown

4 **Fuel Injection** 800/576-7661



Good Vibrations Motorsports is the Largest Dealer in the World of ENDERLE FUEL INJECTION **Enderle Fuel Injection products!!**

All blower injectors are complete with: Barrel Valve, Fuel Lines, Nozzles & Bodies, Check Valve, Distribution Block & Bypass Pills.



Progressive Linkages

Allows better partial throttle by opening just one butterfly first; The other butterflies are then opened progressively.

It's Back!

E-BAUPLA Installed on new hat \$ 241

E-BAUPL1 Retrofit existing hat \$ 359



E-1001 Bugcatcher Gas \$ 1397 E-1002 Bugcatcher Alky \$ 1297 E-1003 Birdcatcher Gas \$ 1597 E-1004 Birdcatcher Alky \$ 1497

Injector Assemblies are set up FREE per customer application !

3-Rib Nostalgia Bugcatcher

This cool injector is nearly identical to the original Bugcatcher of days gone by. Has the three ribs on the top rear. Ideal for that nostalgia look.

> E-4005F Partial Hat \$ 699 E-1002F Complete Assy \$1325



ENDERLE

Injector Hat - Partial

Includes: Polished Hat. Shaft, Stops, **Double Arms** and Butterflies.



E-4006 Bird \$ 866 E-4005 Bug \$ 653



Injector Hat Filter Assembly

Sand Drags * Mud Bogs **Tractor Pullers**





Kit includes:

- Outerware
- Billet Aluminum Housing
- SS Quick Disconnect Pins
- Mounting Hardware
- Reusable Filter element

Outerware Colors: (Red, Orange, Blue, Black, Purple) from \$ 20



Clarence & Jeremy: When 1 engine will not "Git R Done"!

3-Hole Upright Injectors

Professional Products at Sportsman **Prices!**



Fuel Injection⁵

Big & Ugly Injector

4 Butterfly Sizes: 3 9/16, 4 3/8, 5 & 5 9/16"

This tall aluminum injector hat is Enderle's replica of the carbon fiber hats. It has a highly luster polished finish and billet front.

Complete	Assem	bly		
E-BAU-3-36	3 9/16"	\$ 2087		
E-BAU-3	4 3/8"	φ 2007		
E-BAU-1-5	5"	¢))(7		
E-BAU-1	5 9/16"	\$ 2367		

Specs Weight ... 16lbs Tall ... 10.5" Optional Short ... 8.3"

Partial Hats

\$ 1297
\$ 1297
\$ 1567
\$ 1567

Partial Includes: Polished Hat. Shaft. Butterflies, Stops & Arms.

Why Enderle Fuel Injection ?

Fits Blower or Tunnel Ram

E-1013A with Filters ... \$1677

E-1014A w/o Filters \$1464

400/15/07

Ideal for:

Tractor Pullers Mud Boggers

Magnesium !

* Consistent & Responsive * Dependable & Affordable * FREE Tech Support * Looks Cool!



Intake sold separately

Injectors are set up per customer application **FREE** at NO additional charge.

Tunnel Ram Injectors are complete with:

Polished Hat, Barrel Valve, Fuel Lines, Nozzles & Bodies, Main and Secondary Check Valves, Dist Block & Bypass Pills.

E-2100A Bugcatcher	\$ 1449
E-2101A Birdcatcher	<i>\$ 1649</i>
E-BAU-3A-36 Big & Ugly	\$ 2087
E-7070 Edelbrock SBC TR Base	\$ 399
E-7075 Edelbrock BBC TR Base	\$ 479
E-6209 Dart BBC Tall Deck w/ Adap	\$ 829
E-460BT Blue Thunder BBF Base	\$ 678
E-TRA7075 BBC Top Adap Plate	<i>\$ 161</i>
E-6233 BBC Dart Top Adap Plate	\$ 99
E-SBTRA SBC Top Adap Plate	<i>\$ 161</i>



NHRA



Same Day, Low Cost Fast Worldwide Shipping!



i. AER-11742 Terminator Shut-Off Valve Alky \$ 210

i. AER-11744 Terminator Shut-Off Valve Nitro ... \$ 210

Convert Your 4 Barrel Manifold into Fuel Injection!







Fuel Injection

800/576-7661

Stainless Steel Pump Loop Lines

Pre-bent stainless steel loop lines are most **\$21** Line Only designed to return fuel to inlet of pump.

E-110SOT6 110 Shutoff using a tee (shown) E-110HS6 110 High Speed **Pump Inlet** E-110SO6 110 Shutoff Fitting with E-80AHS6 80A High Speed Returns. E-80ASO6 80A Shutoff from \$42 E-80ASOT6 80A Shutoff using a tee E-LOOP-AN6 AN6 K-style B/V (shown)

Complete Loop Kits: \$75 to \$85



Billet Fuel Logs Mounts to the side of Shutoff Valve.

FI-2100 **\$99**

Routes two AN6 returns. Side or bottom outlet.

Routes three AN6 returns into one outlet. Accepts "Screw-In" style bypass pills.

Pump Belt Drive

Belt drive kits allow one to drive the fuel pump off the crankshaft. Required if your E-5012 SBF water pump blocks access to the cam. from **\$294**

E-5011 SBC E-5010 BBC E-5014 BB Mopar E-5014A Blown E-5015 BBF



Flowed Fuel Pumps Pumps are *Coated* inside.

Cam or Belt Driven



E-3002 80A-0 (4.5 gpm) \$ 569 E-3003 80A-1 (7.1 gpm) \$ 569 E-3003.DSR 80A-1 (7.5)\$ 626 E-3004A 600 (9.2 gpm) \$ 626 E-3004 110 (13.2 gpm) \$ 626 E-3005 990 (15.7 gpm) \$740 E-3006 1100 (17.2 gpm) \$ 786 E-3008 1270 (20.2 gpm) \$ 854

E-2000C 3-Hole Collar \$ 41 E-3000C 4-Hole Collar *\$* **63 E-88011** 11mm Bearing *\$ 13* E-6002 ZZ 15mm Brng *\$ 13* E-114HC-11 .433 Seal \$ 24 E-114HC-15 .590 Seal \$ 24

Fuel Pump Exts *Lengths:* 2 - 6 inches (1/2" inc.)



* 3pc Billet Aluminum * 360 Degrees Adjustable * Internal Shaft & Bearing







Standard Ext from	<i>\$ 132</i>
Quick Release from	<i>\$159</i>
QR SS Clamp	\$ 49
Billet Clamp	\$ 153

3-Way Fuel Shutoff Valve

Adjustable 360 Degrees and includes Arm & Fittings. Mandatory on Enderle pumps Shutoff Valve E-85110 AN6 \$ 97 E-85210 AN8 \$ 129 E-85310.12 AN12 ... \$ 172 **O-Ring**/ Seal Kit E-85103 AN6 \$13.99 E-85203 AN8 S/O Bracket Kit

E-80ABR 80A Pumps \$35.99 E-110BR 110 Series

Over-Center Spring Bracket Assy

This bracket setup will hold the Enderle shutoff valve positively in the ON position until it is turned off manually. Includes: Billet Alum Bracket, SS Spring, Bolt & Nut. FI-5140 AN6 S/O \$39.99 FI-5142 AN8 S/O

FI-5144 AN12 S/O



AN6 Spring & Shim Kit \$ 19.99

15.9170

E-4028 Port Block w/ 8 fittings \$ 64.99 E-4028A Port Block w/ 12 fittings ... \$ 75.99





Fuel Injection ² **800/576-7661**

Bypass Pills, Nozzle Jets, Holders

Enderle *Bypass Pills* are the "Screw-In style" and are designed to divert fuel away from the engine. The larger the pill, the leaner the mixture.



Sizes: .020 to .209

E-7009 Bypass Pill \$3.75



Hi-Speed kit .050-.095 \$37.99



Install pills without damaging. Stores 8 pills.

E-7009.SD Driver \$37.99



Alum storage holder is a convenient place to store up to 40 bypass pills.

E-7010 Pill Holder \$19.99

Enderle *Nozzle Jets* are the "Screw-In" style





On-Board Self Primer System 🔊

Special 4psi check valve controls fuel. *Choice:* Stainless-Steel or 1qt Poly tank. Prime mechanical fuel injection from inside the driver's cockpit.

Kit Includes Fuel Cell Primer Check Valve 5' Premium Hose Hose Fittings



E-7133S.KIT System w/o pump \$ 99.99 FI-5135 System w/ 12 volt pump \$139.99

Injector Hat Spacer & Adapters

Billet Adapter

000

Allows one to bolt a smaller hat (13.25" bolt pattern) to a large blower (15.25" bolt pattern).
E-BS2 2in Injector Spacer \$ 99
E-BS3 3in Injector Spacer \$107
B-9055 Billet Hat Adapter \$169
B-6019 Hat Stud Kit \$ 12

Polished Spacers Height: 2 or 3" C-C: 13.25" Includes Hardware

Hi-Flow Adapter

Machined from billet aluminum & oringed. Accepts Enderle or Hilborn hats & carb adapter plates. 2" high & 3" forward offset for improved airflow.

B-9058 Polished B-9059 Anodized Black \$ 398 Includes O-ring and Mounting Hardware !





10**Fuel Injection**

800/576-7661

Barrel Valves

Enderle Barrel Valves can be used on Gas, E85, Alky, Nitro. Available for Blowers & Naturally Aspirated.



E-MVORM O-Ring Kit (Specify Style) \$ *10* E-4018 Gas Metering Piston \$ 77 E-4018-32 Tunnel Ram Metering Piston \$ 77 77 E-4019 Alcohol Metering Piston \$ E-4020 Nitro Metering Piston K-Style \$ **98** E-4020A Alky Metering Piston K-Style \$ 98 E-4023 Barrel Valve Assy Square-Style Alky \$ 288 E-4024A Barrel Valve Assy K-Style Alky \$ 342 E-4024A.PSI Barrel Valve Assy K-Style PSI \$ 342

12V Electronic Fuel Lean-Outs



As a high-speed lean out, this valve can be activated with an RPM activated switch, timer or momentary switch. Fuel will be taken away at the top end for best horsepower. What's a "Converter helper"? When a fuel injected motor is on a rev-limiter, the motor cools down severely since a large quantity of fuel is not being burned. This valve can be wired to the transbrake circuit so that when the transbrake is set, the valve opens and keeps the motor hot, lean and mean while on the rev-limiter.

FI-5101 Leanout FI-5103 Enrichment



Barrel Valve Leakdown

- * Block off all injector lines & returns except for hat nozzles
- * Connect dual gauge tester to outlet of compressor
- * Set air compressor to read 100psi on gauge



- * Connect tester to inlet of barrel valve
- * Read % on 2nd gauge
- * Adjust linkage turnbuckle for desired %
 - (Lengthen to Richen, Shorten to Lean)

Leakdown Tester

Professional Grade

-2003

Dual Gauge Leakdown Tester.

Includes Injector Hose (AN6 or 8).

Injector Hose *\$19* T-2006 AN6 T-2008 AN8

Hi-Speed Assembly

Bleeds off fuel at higher rpm. Frees up top-end horsepower. Install anywhere between pump and distribution block. Variety of Pressures Available. Accepts Enderle Bypass Pill.



E-7019 Unblown AN6 Tee E-7018 Blown AN8 Tee







Fuel Injection

800/576-7661

Premium Fuel Filters Anodized **Black** or **Red**

Gas, E85, Alky & Nitro

Filter-Shutoff

System One filters are made from billet alum and feature a reusable 30 micron SS filter. Handles high pressure without volume loss.

Race - Long 2 x 9" \$151 Race 2 x 6" \$125 Pro-Street 2 x 4" \$99 AN6 SYS-202-202406 SYS-201-203406 SYS-200-201406 **AN8** SYS-202-202408 SYS-201-203408 SYS-200-201408 AN10 SYS-202-202410 SYS-201-203410 SYS-200-201410 **AN12** SYS-202-202412 SYS-201-203412

Replacement SS Elements from \$51

Fuel Filters

Designed to mount before the pump. AN12 female ports and a reusable #40 stainless steel screen Foot pad is tapped with 1/4 -20 threads for easy mounting.



Hydrometers





Hi Kasey,

FUEL INJECTION Same as E-4056 but with a built-in 2 way shutoff valve for easy mainte-

E-4056 **\$68**

Complete with: Hydrometers, Glass Beaker, Thermometer, Padded Case and Instructions. Also checks: Gas, Methanol & Ethanol.

Hydrometer Kits

nance of fuel system.

T-1200 Gas & Alky. 1 Hydrometer \$ 198 **T-1203** 0-30 Nitro. 2 Hydrometers **\$ 266 T-1204** 0-60 Nitro. 3 Hydrometers \$ 251 **T-1205** 0-100 Nitro. 4 Hydrometers *§* 278

Hydrometer Only

T-1210 Hydrometer Gas-Methanol **T-1213** Hydrometer 5-30% Nitro \$29.99 T-1215 Hydrometer 30-60% Nitro T-1217 Hydrometer 60-100% Nitro


Components

T-1220 Padded Case **\$ 89 T-1222** Glass Beaker *§* 42 **T-1224** Thermometer *§* 57

Used by Successful Pros & **Sportsmen**

Testimonial

I purchased a big & ugly set up off you guys in Sept last year. You guys got it right straight away, excellent work & I want to say thanks alot. Matthew Power -Lightning Ridge, Australia



Gas

E85

Alky

Nitro

E-4057 **\$104**

XRP:

Internal Mount AN12 Gas, E85, Alky X-980012FS \$32

JAZ economical inline billet aluminum *filters* are 5in long and feature a 35 micron element.

Gas Only \$43 JAZ-836-006-11 AN6 JAZ-836-008-11 AN8 JAZ-836-010-11 AN10 JAZ-836-001-11 3/8" Barb



Viton O-Rings 60 or 120 Micron

2.50" x 3.90"

\$149

Gas, E85, Alky, Nitro



Gauge
Only
\$39 .99

X-710000 0-15psi X-710030 0-30psi X-710060 0-60psi X-710100 0-100psi

Blower Boost Memory Kit .. \$ 45 **Records Highest Reading** (Gauge not included in kit)

Injector De-Icer

Spray directly onto Injecto Butterflies to prevent sticking & freezing. 11oz Aerosol FI-7150 .. **\$ 6**.99









Linkage Kits ¹² 800/576-7661

Blower Mounted Throttle Cable Bracket \$ 35.95



Injected? Get Connected! BILLET Throttle Cable Bracket

6061 Billet Aluminum Swingover hookclamp. Provision for Springs. Fits most Blower & Tunnel Ram Injectors. TF/TA Approved.

FI-5113 Most Hats FI-5114 PSI Hat

Throttle Stop FI-5120 \$ 59.99

Quick Release in < 1 Second Billet Aluminum w/ SS Pin Top Fuel & Alcohol Legal

.....

Return Springs **\$6**,99

FI-5115 Strong FI-5116 Medium

Special bend prevents spring from detaching from Injector. Includes Grade 8 10-24 bolt & locking nut.



Adjustable Bell Crank Assembly Billet Aluminum

Stainless-Steel Fasteners

E-54-500 \$58.99

Injector Hat Linkage Kit \$ 98.99



Designed to work with mechanical fuel injection (Bug or Birdcatcher) on blown applications only. Adjustable heime end design and needle bearings for smooth throttle operation. **E-76-GVIHL**



Works with Bug or Bird. Anodized Aluminum. Mounts to front of Blower. Swingover Hook clamp. Provision for Springs.



FI-5110

Tunnel Ram Linkage Kits

Everything needed for mounting **Dual Carbs** on a Tunnel Ram *Side-Saddle*

\$ 119.99

E-72-2000 SBC E-71-1000 BBC E-75-107 Ford 351C E-75-220 Ford 460



View Complete Listing of Linkage Kits Online





Blower Linkage Kits \$ 119.99

For dual Holley double-pumpers, Dominators, Predators & Carters mounted *Side-Saddle*. Includes adjustable heime-end design and needle bearings for smooth throttle operation. **E-76-107**

For dual Holley vacuum secondary, Dominators, Predators & Carters mounted *Inline* on a 8 9/16 center-to-center distance. Includes adjustable heime-end design and needle bearings for smooth throttle operation. **E-55-501**







Supercharging¹⁴

800/576-7661

Billet Case Blowers!



The Blower Shop superchargers are some of the finest on the market. Their **BILLET** case is superior to

cast casings and has a show polished finish.

HA = Anodized Rotors/ Case Race = HA & 18 strips of teflon and case drilled for rear nozzles.

aperior to as a show 8.71 Ha sh. Billet C

Show Quality Blowers: 6.71 to 14.71

 Billet Case - Cast Rotors

 6.71 Hard Anodize
 2599

 6.71 Full Race
 \$ 3699

 8.71 Hard Anodize
 \$ 3199

 8.71 Full Race
 \$ 3399

Billet Case - Bille	t Rotors
6.71 Full Race	<i>\$ 3699</i>
8.71 Full Race	<i>\$ 3899</i>
10.71 Full Race	<i>\$ 4399</i>
14.71 Full Race	\$ 4499
14.71 Race Hi-Helix	\$ 5499

More Sizes, Prices & Info!

Proven successful in professional motorsports including: Drags, Marine and Tractor Pulling.

Blower & Drive Kits

Street Rods * Marine * Drag Racing Tractor Pulling * Mud Boggers

Our Blower Kits are some of the finest on the market. Show-Quality & Precision Machined. *Most kits include:* Blower, Drive Kit, Manifold, Bolts, All Gaskets & Tech Support.

Drive Kits in Stock From \$998



B-7222 \$ 749

Blower Spacers

CAST

Manufactured from *cast* aluminum and designed to raise the blower 4 inches. *Includes:* Gaskets and Aluminum Studs.

Options: Burst Panel Machining w/ all Hardware

BILLET

Machined from *Billet* aluminum and designed to raise the blower 2 inches (can be stacked). O-Ring Groove on top. *Includes:* O-Ring, Anodized Studs, Stainless Steel Washers and Nuts.



B-7234





Supercharging¹⁵ **800/576-7661**

Blower Manifolds



* Drilled for Port Nozzles * Machined for Burst Panel **BB** Chevy Race w/ Hardware



B-7255 Retro Plate w/ Hardware \$224

b

d



B-7104 SBC Chevy Race



B-7110 BBC Chevy Race

Need Premium Gaskets? See Page 19



Raised tented floor for improved airflow. Solid sides for added strength and rigidity. Competition models have port nozzle provisions.

Most will accept 6.71 through 14.71 blowers. **SBC**

B-7102 SB Chevy Street Large Port \$ 599 B-7100 SB Chevy Race Mooneyham \$ 448 B-7104 SB Chevy Race Large Port. All Hardware Including Alum Studs \$ 779 BBC

B-7110 BB Chevy Race Std. Machined for burst panel. Hardware sold separate. \$ 716 B-7112 BB Chevy Race Std. Machined for burst panel. All Hardware Included. \$781 **B-7114** BBC **Race TALL** deck. Machined for burst panel. Hrdwr sold separate. \$ 781 B-7116 BB Chevy Street Standard deck. Pop-off valve. Hardware Included \$ 533 **B-7118** BBC Street TALL deck. Pop-off valve. All Hardware Included \$ 597

Show Polishing ... most \$110

Manifold Components

a.	B-7200	Swivel Thermostat H	Iousing	\$	29 .99
----	---------------	---------------------	---------	----	---------------

- b. **B-5120** Billet Extrnl Thermostat Housing *§* 79.99
- c. **B-5020** Steel Mounting Bolt Kit \$ 18.99
- d. **B-5025.K** Alum Blower Stud Kit 2.5" ... *\$* 34.95
- **B-5026.K** *Above* with 12pt Nuts \$ 48.99 e



Premium Burst Panels

Standard size panels are **SFI** Approved. Very popular on Top Fuel & Blown Alcohol Engines.

2pc Aluminum Frame Kit

Designed to mount a burst panel onto a blower manifold. Includes 24 Stainless-Steel bolts.

PSI Blower Tandem Kit

Burst Deflector

Billet aluminum deflector diverts potential explosions either up or down away from fuel lines and other fragile components. Has depth



Burst Panel Adapters

Aluminum adapters can be either welded or bolted on a blower intake.



Ideal for applications where there is not enough surface for the standard 2 pc frame kit. Accepts the standard size burst panel.

Similar as above but also includes special	B-5100 Burst Panel, SFI Approved
aluminum center with side brass fitting for	B-5100.3 Burst Panel <i>3 pack special! \$</i> 65 .99
quick check of inner panel. Has 2 burst panels. Burst Deflector	B-5102 2pc Alum Frame Kit w/ 24 bolts\$ 64.99
Billet aluminum deflector diverts potential	B-5106 PSI Blower Tandem Kit \$ 194.99
explosions either up or down away from fuel	B-5112 Burst Panel Deflector
lines and other fragile components. Has depth	B-5109 Burst Panel Alum Adapter (Bolt-on) \$ 74.99
gauge provision for measuring panel expansion.	B-5110 Burst Panel Alum Adapter (Weld-On) \$ 74.99















Supercharging¹⁶

800/576-7661

8 & 11mm						Т	OP	PU]	LLE	EY					
		43	44	45	46	47	48	49	50	51	52	53	54	55	56
	47	9.3	6.8	4.4	2.2	1.0	-2.1	-4.1	-6.0	-7.2	-9.6	-11.3	-13.0	-14.5	-16.1
	48	11.6	9.1	6.7	4.3	2.1	1.0	2.0	-4.0	-5.9	-7.7	-9.4	-11.1	-12.7	-14.3
_	49	14.0	11.4	8.9	6.5	4.3	2.1	1.0	-2.0	-3.9	-5.8	-7.5	-9.3	-10.9	-12.5
	B 50	16.3	13.6	11.1	8.7	6.4	4.2	2.0	1.0	-2.0	-3.8	-5.7	-7.4	-9.4	-10.7
	51	18.6	15.9	13.3	10.9	8.5	6.3	4.1	2.0	1.0	-1.9	-3.8	-5.6	-7.3	-8.9
	01	20.9	18.2	15.6	13.0	10.6	8.3	6.1	4.0	2.0	1.0	-1.9	-3.7	-5.5	-7.1
	<u> </u>	23.2	20.5	17.8	15.2	12.8	10.4	8.2	6.0	3.9	1.9	1.0	-1.9	-3.6	-5.4
Ratio	Γ 54	25.5	22.7	20.0	17.4	14.9	12.5	10.2	8.0	5.9	3.8	1.9	1.0	-1.8	-3.6
Nauv	55	27.9	25.0	22.2	19.6	17.0	14.6	12.2	10.0	7.8	5.8	3.8	1.9	1.0	-1.8
		30.2	27.3	24.4	21.7	19.1	16.7	14.3	12.0	9.8	7.7	5.7	3.7	1.8	1.0
	M 57	32.5	29.5	26.7	23.9	21.3	18.8	16.3	14.0	11.8	9.6	7.5	5.6	3.6	1.8
Chart	58	34.8	31.9	28.9	26.1	23.4	20.8	18.4	16.0	13.7	11.5	9.4	7.4	5.5	3.6
	59 P 60	37.2	34.1	31.3	28.3	25.5	22.9	20.4	18.0	15.7	13.5	11.3	9.3	7.3	5.4
		39.5	36.4	33.3	30.4		25.0	22.4	20.0	17.6	15.4	13.2	11.1	9.1	7.1
	U 61	41.8	38.6	35.6	32.6	29.8	27.1	24.5	22.0	19.6	17.3	15.1	13.0	10.9	8.9
	L 62	44.2	40.9	37.8	34.8	31.9	29.2	26.5	24.0	21.6	19.2	17.0	14.8	12.7	10.7
the states	03	46.5	43.2	40.0	37.0	34.0	31.1	28.6	26.0	23.5	21.2	18.9	16.7	14.5	12.5
A DEC.		48.8	45.5	42.2	39.1	36.2	33.3	30.6	28.0	25.5	23.1	20.8	18.5	16.4	14.3
	€ 65	51.2	47.7	44.4 46.7	41.3	38.3	35.4 37.5	32.7	30.0 32.0	27.5	25.0 26.9	22.6 24.5	20.4	18.2 20.0	16.1 17.9
	Y 67	53.5	50.0 52.3	46.7 48.9	43.5	40.4		34.7 36.7		29.4			22.2		17.9
The second se	68	55.8 58.1	52.5	40.9	45.6 47.8	42.6 44.7	39.6 41.7	38.8	34.0 36.0	31.4 33.3	28.8 30.8	26.4 28.3	24.1 25.9	21.8 23.6	21.4
	69	56.1 60.5	56.8	53.3	47.0 50.0	44.7	41.7	30.0 40.8	36.0 38.0	35.3	30.8 32.7	20.3 30.2	25.9 27.8	23.6 25.5	21.4
	70	62.8	50.8 59.1	55.6	50.0		43.0 45.8	40.8	40.0	35.3 37.3	34.6	32.1	27.0	25.5 27.3	25.2 25.0
	10	02.0	55.1	00.0	52.2	-10.9	-10.0	-12.3	-10.0	57.5	04.0	JZ. I	23.0	21.0	20.0

13.9mm/14mm 1/2" Pitch: 25-44T

Jan Barris
How to select
your Belt & Pulleys Sizes

TOP PULLEY

			25	26	27	28	29	30	31	32	33	34	35	36	37
		25	1.0	-3.8	-7.4	-10.7	-13.8	-16.7	-19.4	-21.9	-24.2	-26.5	-28.6	-30.6	-32.4
	n	26	4.0	1.0	-3.7	-7.1	-10.3	-13.3	-16.1	-18.7	-21.2	-23.5	-25.7	-27.8	-29.7
	B	27	8.0	3.8	1.0	-3.6	-6.9	-10.0	-12.9	-15.6	-18.2	-20.6	-22.9	-25.0	-27.0
	0	28	12.0	7.7	3.7	1.0	-3.4	-6.7	-9.7	-12.5	-15.2	-17.6	-20.0	-22.2	-24.3
	Т	29	16.0	11.5	7.4	3.6	1.0	-3.3	-6.5	-9.4	-12.1	-14.7	-17.1	-19.4	-21.6
		30	20.0	15.4	11.1	7.1	3.4	1.0	-3.2	-6.2	-9.1	-11.8	-14.3	-16.7	-18.9
	Т	31	24.0	19.2	14.8	10.7	6.9	3.3	1.0	-3.1	-6.1	-8.8	-11.4	-13.9	-16.2
	0	32	28.0	23.1	18.5	14.3	10.3	6.7	3.2	1.0	-3.0	-5.9	-8.6	-11.1	-13.5
5	M	33	32.0	26.9	22.2	17.9	13.8	10.0	6.5	3.1	1.0	-2.9	-5.7	-8.3	-10.8
	IVI	34	36.0	30.8	25.9	21.4	17.2	13.3	9.7	6.3	3.0	1.0	-2.9	-5.6	-8.1
		35	40.0	34.6	29.6	25.0	20.7	16.7	12.9	9.4	6.7	2.9	1.0	-2.8	-5.4
	P	36	44.0	38.5	33.3	28.6	24.1	20.0	16.1	12.5	9.1	5.9	2.9	1.0	-2.7
	Ū	37	48.0	42.3	37.0	32.1	27.6	23.3	19.4	15.6	12.1	8.8	5.7	2.8	1.0
		38	52.0	46.2	40.7	35.7	31.0	26.7	22.6	18.8	15.2	11.8	8.6	5.6	2.7
	L	39	56.0	50.0	44.4	39.3	34.5	30.0	25.8	21.9	18.2	14.7	11.4	8.3	5.4
	L	40	60.0	53.8	48.1	42.9	37.9	33.3	29.0	25.0	21.2	17.6	14.3	11.1	8.1
		41	64.0	57.7	51.9	46.4	41.4	36.7	32.3	28.1	24.2	20.6	17.1	13.9	10.8
	E	42	68.0	61.5	55.6	50.0	44.8	40.0	35.5	31.3	27.3	23.5	20.0	16.7	13.5
	Y	43	72.0	65.4	59.3		48.3	43.3	38.7	34.4	30.3	26.5	22.9	19.4	16.2
		44	76.0	69.2	63.0	57.1	51.7	46.7	41.9	37.5	33.3	29.4	25.7	22.2	18.9
		45	80.0	73.1	66.7	60.7	55.2	50.0	45.2	40.6	36.4	32.4	28.6	25.0	21.6





Supercharging

800/576-7661

Blower Belts

Good Vibrations stocks one of the largest selection of blower pulleys & belts in the world !

510H300 \$ 6	9
540H300 \$ 6	9
550H300 \$ 6	9
560H300 \$ 6	9
570H300 \$ 6	9
585H300 \$ 7 9	9
600H300 \$ 7 9	9
630H300 \$ 7 9	9
660H300 \$ 7 9	
700H300 \$ 79	9

1/2 Pitch

Street/ Race < 15% OD



3" Belts listed. Other widths in Stock



Street/ Race < 35% OD
1280M75 \$ 89
1360M75 \$ 79
1440M75 \$ 99
1520M75 \$ 99
1600M75 \$ 99
1696M75 \$ 109
1760M75 \$ 109
GT Street/ Race > 35% OD
1440M75GTC \$188
1440M75GTPS2 \$ 229
1512M75GT2 \$ 145
1600M75GTC \$ 208
1600M75GTPS2 \$ 233
1792M75GTPS2 \$ 262

8mm & GT



Street/ Race > 35%	6 OD
1400M75	\$ 217
1568M75GTC	\$ 323
1568M75GTPS	\$ 332
1610M75	\$ 218
1610M75KEV	<i>\$ 323</i>
1610M75GTPS	\$ 359
1694M75	<i>\$ 319</i>
1694M75GTPS	\$ 335
1750M75GTC	\$ 362
1778M75	<i>\$ 233</i>
1778M75KEV	\$ 437

13.9mm

1543M75 \$ 209

Billet Alum Blower Pulleys. *In Stock!*

* Pulleys are 3.5" wide with 2" center register.

* Machined from **Billet 6061** aluminum and **T-6** heat treated.

Hard anodizing is standard on:

8mmGT, 11mmGT, 13.9 and 14mm/ GT pulleys.



Discounted

2 or 2.25"					
1/2 Pitch Hole	8mm	8mmGT	11mmGT	13.9mm	14mm & GT
Ratios < 15% Sizes: 26-44 From \$ 74	Ratios < 35% Sizes: 42-71 From \$ 74	Ratios > 35% Sizes: 42-80 From \$ 96	Ratios > 35% Sizes: 32-53 From \$ 89	Ratios > 35% Sizes: 25-45 From \$ 82	Ratios > 35% Sizes: 25-46 From \$ 82



Good Vibrations Motorsports is the "Official Supercharging of IHRA"

Scan to see if you're eligible for \$\$\$

Good Vibrations is posting over \$70,000 in Contingency. Racers in most classes at ALL National & Division races are eligible!







Supercharging

800/576-7661

Blower Components



- c. **B-5020** Blower Bolt Kit Steel. Grade 8 (Set of 8) \$ 35
- d. **B-5038** Aluminum Blower Turning Plate \$35
- e. **B-5136** Pressure Relief Valve 7/16 Alum Black .. **\$ 17**
- f. B-5135 Pressure Relief Valve 1/8 Stainless Steel \$16
- g. **B-5138** Oil Level Sight Gauge Lexan 1/4 NPT \$18
- h. B-5140 Billet Tri-Plate Kit w/ Bolts & Oring \$ 19

Street Snouts are Polished !



Shaft Size Street 1.125 1.250 Race



Includes Grade 8 **Bolts & Washers**

Blower Snouts

Drive Snouts are machined from billet aluminum. Has double ball bearings and HD oil seal. 48-Tooth spline shaft is made from heat-treated 4100 steel.

Street Snouts	
B-5300 Street Snout 3.90"	<i>\$ 298</i>
B-5310 Street Snout 5.75"	<i>\$ 338</i>
B-5302 Coupler for above	\$ 87
B-5317 Street Snout 8.125"	<i>\$ 398</i>
B-5319 Coupler for above	\$ 99
Race Snouts	
B-5340 Race Snout 3.90"	<i>\$ 289</i>
B-5342 Coupler for 3.90"	\$ 75
B-5350 Race Snout 5.25"	<i>\$ 299</i>
B-5352 Coupler for 5.25"	\$ 79
B-5360 Race Snout 6.00"	<i>\$ 339</i>
B-5362 Coupler for 6.00"	\$ 85
B-5370 Race Snout 7.00"	\$ 359
B-5372 Coupler for 7.00"	\$ 89

Blower Front

Covers **Billet 6061-T6 Aluminum**

B-5220 All Round **B-5224** Half-Round Corners Fits most brands of blowers



Satin Finish .. \$ 189 Polished \$ 209

Blower Bearing Plates BLOWER

Rear plate includes: Heat-Treated dowels & Bearing Caps (pr). **POLISHED** !



TBS-1160 Billet **\$ 198 TBS-1169** Cast **\$ 179**

Quick-Connect Burndown Tubes

Anodized Aluminum **Positive Locking** Heat Treated Flanges





Polished Aluminum Upright Breathers w/ 1.25" Ends

C-7197 **\$169** Pair

Flat Breather Hose

Fits 1.25 to 1.50" hose. Lightweight & Flexible B-5126 \$3.25/ ft

Clear Breather Hose

Works with All Fuels. **B-5125** 1.250" **\$5/ ft B-5127** 1.500" **\$6/ ft**







Blower Gaskets

These premium gaskets are race tested and proven in Top Fuel/Alcohol & Blown Gas.



Belt Guards & Components

19



RCD-103507-0010 Top Belt Guard, SSI 3-Hole \$ 176
RCD-103507-0018 Top Belt Guard, Snout Mntd \$ 187
RCD-157019-15 Snout Mounted Guard Clamp \$ 151
(Specify with or w/o Starter Bracket for Belt Guards)
a. RCD-103507-0004 Top Belt Guard, Roots \$ 178
b. RCD-103512-10 Middle Belt Guard \$ 50
c. RCD-103522-0003 Lower Belt Guard \$ 154
d. RCD-103507-0002 Top Belt Guard, Roots HD \$ 216
e. RCD-103507-0030 Top Belt Guard, Clamp HD <i>\$</i> 439
f. B-5040 Starter Dog 6-Hole Roots Steel <i>§</i> 69
g. B-5042 Starter Dog PSI Blowers Steel \$ 139
h RCD-103507-03 Blower Starter Face Plate \$ 73
i. Belt Guard Mounting Kit For RCD Guards from \$ 55

Mounting Kits: Standoffs Available from 1.75" - 4.00"







Chromoly Crank Hubs

Hubs are designed to replace your harmonic balancer. Machined from 4100 steel and broached for 2 keyways.





Internal Balance









Hub with optional Degree Ring Installed



Crank Hub

Int Bearing Support 426 Hemi

429-460 Ford 4

426 Hemi PSI/ RCD Spline

Race Tested & Proven in Top Fuel and Alky! w/V-Groove

Bearing Problem? *Get Support!*

Front Bearing Supports

Chrome-moly crank hub Billet aluminum plate & standoffs Minimize crank flex & bearing damage *Bearing Supports*

RCD-202200-0002 Bearing Support SBC	\$ 521
RCD-202400-0002 Bearing Support BBC	\$ 543
RCD-202600-0004 Bearing Support 426 HEMI	<i>\$ 741</i>
RCD-202800-0002 Bearing Support 392-417 HEM	I \$ 686
Long Crank Hubs for Bearing Support	
B-2046 Crank Hub SBC 3/16 & 1/4 Keyways	<i>\$ 329</i>
B-2057 Crank Hub BBC 3/16 & 1/4 Keyways	<i>\$ 329</i>
B-2058 Crank Hub BBC Dual 1/4 Keyways	\$ 329
RCD-202603-0020 Crank Hub 426 HEMI	<i>\$ 412</i>

RCD-202803-0020 Crank Hub 392-417 HEMI \$ 439

B-2066 Hemi Dual 1/4 Key (Rear Support) \$ 269

1		
Te	ET	Billo

Crank Bolts 7/16 - 1/2 - 3/4"

Chevy

Hemi

Ford



B-2040 SBC Int Bal 3/16-1/4 Keys \$ 109 B-2041 SBC Int Bal w/ V-Groove \$ 158 B-2042 SBC Ext Bal 3/16-1/4 Keys \$ 199 **B-2053** BBC Int Bal 3/16-1/4 Keys \$109 B-2054 BBC Int Bal Dual 1/4 Keys \$ 109 B-2051 BBC Int Bal w/ V-Groove \$ 158 B-2055 BBC Ext Bal 3/16-1/4 Keys \$ 198 B-2056 BBC Ext Bal Dual 1/4 Keys \$ 198 B-2060 Hemi 426 PSI Spline \$ 169 B-2064 Hemi 426 Dual 1/4 Keys \$ 109 B-2066 Hemi 426 Internal Brng Sppt \$ 269 RCD-202803-04 Hemi 354-417..... \$ 198 RCD-203003-03 Ford 429-460 \$ 199

Billet Crank Hub Degree Rings



Standard



Billet Aluminum 6.375 or 7" Diameter 1 Degree Increment

w/o Magnets

B-2032 6.375"	 \$ 69
B-2034 7.000"	 \$ 69

with Magnets

B-2033 6.375"	<i>\$119</i>
B-2037 7.000"	<i>\$119</i>
B-2038 7.000" Offset	<i>\$179</i>

Offset

Crank Hub & Gear Remover



This tool allows one to safely remove the blower crank hub or harmonic balancer. Unlike some lightweight models, the remover is heat-treated and built tough. It also has a provision for removing the crank gear. Proven many times over by Top Fuel teams.





Straight

Supercharging²¹

90

Degrees

Online Parts

& Technical

Pickup Holders

Crank Trigger Pickup Holders are

machined from billet aluminum

and are designed to hold the 3/8

threaded or smooth pick-ups.

Slides into: SBC, BBC, Hemi

Extension

Cable

BBC

Hemi

I-3300 3/8 Smooth -SBC

I-3303 3/8 Smooth -Others

30

39

I-3118 Pickup Straight 18" \$ 125

I-3126 Pickup Straight 26" \$ 125 I-3218 Pickup 90 Deg 18" \$ 125

I-3226 Pickup 90 Deg 26" \$ 125

I-3102 Extension Cable 24" \$ 30

I-3103 Extension Cable 36"\$

I-3201 Pickup Adap 3/4-16 to 3/8 *\$*

SRC

Crank Triggers

100% coverage foil-shield, twisted pair cable for max noise rejection. Covered with fire-sleeve. The coil is precision wound on a nylon bobbin for long life. Employs a separate 16" ground wire for shielding and max radio frequency and electromagnetic noise rejection. Can be trimmed to fit and grounded to the chassis or motor. Highest quality gold*plated terminals* in the plug ensures that the connection stays corrosion free. Pickup sensors have a smooth diameter and fit perfectly in most 3/8" pickup holders.

Adapter allows one to adapt 3/4"-16 style pickup brackets to the smooth 3/8" pickups (usually used with straight pickups).

Trigger Brackets



Crank Trigger Brackets are machined from billet aluminum. Designed to mount to the right side (passenger) or left side (driver). Utilizes the smooth Pickup Holders.

I-3310 SBC Right I-3312 SBC Left I-3314 BBC Right I-3316 BBC Left

\$69

I-3318 Hemi Right I-3320 Hemi Left \$69

Billet Pointers

Pointer Assembly is machined from billet aluminum and is adjustable by 14°. Designed for a 7" degree ring and allows precise reading of the engine timing. NHRA Legal.

Fits HEMIs including TFX, BAE, etc..

V-Groove Pulleys

V-Groove Pulleys are machined from billet 6061-T6 alum. Has a 2" register and bolts directly to crank hub with 6 bolts. Can be stacked together for PS, AC, etc...



Machined from billet aluminum and is adjustable. Will work on 6 3/8 or 7in degree ring. Allows for precise reading of engine timing. Includes mounting hardware. One of the nicest pointers on the market.

Trigger Brackets



B-2020 SB Chevy B-2022 BB Chevy

- B-2205 Single V-Groove Pulley \$ 65 \$ 85 **B-2211** Single V-Groove Adap SBC \$109 B-2212 Dual V-Groove Adap SBC \$ 85 B-2221 Single V-Groove Adap BBC
- B-2222 Dual V-Groove Adap BBC \$109

Adapter-style pulleys bolt directly to harmonic balancers and are available in single or double V-Grooves.

Billet Aluminum Pulley Spacers allows one to easily align both top and lower blower pulleys.



.300 - 1.40" widths from **\$ 19.99**

Accessory **Pullevs**





Billet Aluminum Uppers are Polished

B-2230 Water Pump SBC	\$ 39.95
B-2233 Water Pump BBC	\$ 39. 95
B-2236 Lower Pulley BBC	\$ 29 .95
B-2240 Alternator SB Chevy	\$ 29 .95
F-312-1000SS SS WP Bolt	\$.75

Fits Short Water Pumps











Proudly Made in USA

Billet Idler Pulleys and Brackets Machined from Billet 6061-T6 and Show Polished





Billet Idler Pulley

Idler Pulleys are machined from 6061-T6 aluminum. Feature an offset double ball bearing. Crowned center helps keep blower belt centered.

Includes: Idler Pulley, Alum Standoff and Washer.



B-6092 2" wide x 3.25" **\$ 139 B-6095** 3" wide x 3.25" \$ 139 **B-6096** 3" wide x 4.50" **\$ 159 B-6097** 3.3" wide x 3.25"**\$** 139 B-6090 Steel T-Nut \$ 25



Idler Pulley Spacers Billet Aluminum & Anodized Spacer Widths .400 to 1.400 From \$10

Engine Mounted Kits

Includes: Polished Alum Bracket, Water Standoffs (Drilled & Tapped AN8), Mounting Spacers & Bolts, Idler Bolt & Chromoly T-Nut.

B-6041 SB Chevy Kit *199* **B-6051** BB Chevy Kit

Outboard Support Kit BBC & Hemi

Includes: Alum Bracket, Outboard Support, 3.10" Idler Pulley, Bolt, T-Nut and Hrdwr. Fits BBC, BAE, KB,

Mount for Dunn Offset Mag Drive





B-6065 Hemi Kit \$449 B-6055 BB Chevy Kit \$449 **B-6067** Magneto Mnt *§* 98



of most roots blowers. Kit Includes: Bracket, T-Nut, Bolts and Alum Standoffs. \$ 65 **B-6000** Bracket Only \$ 128 B-6001 Standard Kit \$ 138 B-6002 Long Kit

Billet L-Shape bracket mounts directly to the front

Long Kits include .700 spacer & longer bolt.

Billet Swing Arm Bracket clamps to snouts (with 3.38" OD). Allows one to adjust the idler pulley For and Aft.

> B-6007 Billet Arm \$ 119 Idler Bolt 5/8-11 x 4"\$ 7

Engine Mounted Brackets



\$ 109 B-6040 SB Chevy \$ 109 **B-6050** BB Chevy \$ 166 **B-6060** 426 Hemi 156206-09 392 Hemi **\$ 169**

HEMI Outboard Support Bracket Angled w/ T-Nut & Mounting Hardware.

BAE, KB, TFX

*Idler pulley & Outboard Support not included



Mounts to Engine Block. 3/4" Aluminum Prevents Warpage.



B-6062 Hemi \$215





Carb **Scoops**

Fits Blowers & Most Tunnel Rams



Scoops are replicas of the famous Bugcatcher Injector. Designed to fit single or dual carbs. Highly polished with anodized butterflies.

Complete with Mounting \$249 Hardware and Filters! ACC-2522 ... Smooth ACC-2520 ... Ribbed **Dual Carbs:** 7.75 - 9.25 с-с

Hilborn-Style	
Hilborn-style scoops are	
designed for single or	
dual carbs on Tunnel	Shotgun
Rams & Blowers.	Shotgun
Polished (or Black)	
Finned or Smooth top.	
Includes: Adjustable	ACC-2527 Single Carb \$ 129
mounting hardware, front	CC-2525 Dual Carb \$ 149
screen & filter(s).	ACC-2523 Shotgun-Style \$ 249
	Blower Only Scoops

Polished aluminum **Dual Carb** scoop for **Standard** four-barrel style carbs mounted inline or side-saddle on 8 5/8" centers. (Won't fit most Tunnel Rams)

	B-9070 Dual Carb Blower Scoop	<i>\$ 261</i>
	B-9072 Above w/ Filters	<i>\$ 324</i>
	B-9072.BLK Black w/ Filters	<i>\$ 391</i>
00	B-9074 Filter w/ Top, Stud & Nut	\$ 40



Dual four barrel carb adapter plate for a 6.71 or 8.71 blower. Accepts two Standard Holley carbs sidesaddle or Carter carbs inline on an 8-5/8" center to center. Holley carbs without secondary metering plates may be run inline. **Dominator** carb plate is at 8-3/4" center to center.

> B-9050 Standard B-9053 Dom

Single four barrel carb adapter plate for 6.71 or 8.71 blower. Accepts Standard Holley and Carter four barrel carbs or **Dominator.**

B-9051 Std B-9054 Dom

Stainless-Steel Carb Plumbing



Premium Quality

3/8" seamless Polished Stainless-Steel tubing with anodized aluminum fittings (or SS) for two double pump carbs mounted sidesaddle. Includes carb fuel inlet to AN6 fittings and provides a AN6 Tee fuel connection per carb to supply fuel to both carb bowls. Works on blowers and tunnel rams

4150 Dual Lines 4150/Demon I		Bridle	
B-9201 Blue	<i>\$149</i>	B-9221 Blue	\$49
B-9202 Black	<i>\$149</i>	B-9222 Black	\$49
B-9200 SS	<i>\$229</i>	B-9220 SS	\$79

4500 Dual Lines	45
B-9207 Blue \$149	B
B-9208 Black \$149	B
B-9206 SS \$249	B

500 Bridle -9227 Blue \$49 -9228 Black **\$49** -9226 SS \$79

Demon Dual Lines B-9204 Blue **\$149** B-9205 Black \$149 **B-9203** SS *\$229*



More pics & descriptions online.

Billet Alum Fuel Rail

Single Inlet to feed Dual Holleys. Single Return Back to Tank

Show Polished! **B-9256** \$84.99



Includes: Billet Plate, Screen Gasket, Carb Base Gaskets, Cadium Plated Bolts & Washers.






KING <mark>Aacing</mark>

Need more bearing info?

High Performance Bearings

Proven effective on circle track engines running at 8000rpm, on Top Fuel Blown Engines producing 5500HP as well as on high performance street vehicles. Alecular material offers an extremely high temperature threshold and high load capacity.

Main Bearings



800/576-7661

Rod Bearings

	_				
MB-557HP-STD	350 SBC STD 1/2 Groove	<i>65.99</i>	CR-807HPN-STD	350 SBC STD w/o Dowel	<i>65.99</i>
MB-557HP-001	350 SBC .001 1/2 Groove	<i>65.99</i>	CR-807HPN-001	350 SBC .001 w/o Dowel	<i>65.99</i>
MB-557HP-010	350 SBC .010 1/2 Groove	<i>65.99</i>	CR-807HPN-010	350 SBC .010 w/o Dowel	<i>65.99</i>
MB-557HP-011	350 SBC .011 1/2 Groove	<i>65.99</i>	CR-807HPN-020	350 SBC .020 w/o Dowel	<i>65.99</i>
MB-557HP-020	350 SBC .020 1/2 Groove	<i>65.99</i>	CR-807HPN-STDX	350 SBC .001 Oversize w/o Dowel	<i>65.99</i>
MB-557HP-STDX	350 SBC .001 Oversize 1/2 Grve	<i>65.99</i>	CR-803HPN-020	327 SBC .020 w/o Dowel	<i>68.99</i>
MB-509HP-STD	400 SBC STD Half Groove	<i>61.99</i>	CR-807HPND-STD	350 SBC STD w/ Dowel	<i>68.99</i>
MB-509HP-010	400 SBC .010 Half Groove	<i>61.99</i>	CR-807HPND-010	350 SBC .010 w/ Dowel	68.99
MB-509HP-020	400 SBC .020 Half Groove	<i>61.99</i>	CR-807HPND-020	350 SBC .020 w/ Dowel	<i>68.99</i>
MB-509HP-STDX	400 SBC .001 Oversize Half Grve	<i>61.99</i>	CR-807HPNDSTDX	350 SBC .001 Oversize w/ Dowel	<i>68.99</i>
MB-5163HP-020	400 SBC .020 Full Groove	<i>56.99</i>	CR-807HPND-010X	350 SBC .009 w/ Dowel	<i>68.99</i>
MB-5163HP-030	400 SBC .030 Full Groove	66.99	CR-807HPND-020X	350 SBC .019 w/ Dowel	<i>68.99</i>
MB-556HP-STD	BBC STD 1/2 Groove	<i>82.99</i>	CR-803HPND-STD	302 SBC STD w/ Dowel	<i>66.99</i>
MB-556HP-001	BBC .001 1/2 Groove	<i>82.99</i>	CR-808HPN-STD	BBC STD w/o Dowel	<i>82.99</i>
MB-556HP-010	BBC .010 1/2 Groove	<i>82.99</i>	CR-808HPN-001	BBC .001 w/o Dowel	<i>82.99</i>
MB-556HP-011	BBC .011 1/2 Groove	<i>82.99</i>	CR-808HPN-010	BBC .010 w/o Dowel	<i>82.99</i>
MB-556HP-020	BBC .020 1/2 Groove	<i>82.99</i>	CR-808HPN-020	BBC .020 w/o Dowel	<i>82.99</i>
MB-556HP-030	BBC .030 1/2 Groove	<i>82.99</i>	CR-808HPN-STDX	BBC .001 Oversize w/o Dowel	<i>82.99</i>
MB-556HP-STDX	BBC .001 Oversize 1/2 Groove	<i>82.99</i>	CR-808HPND-STD	BBC STD w/ Dowel	84.99
MB-5164HP-STD	BBC STD Full Groove	<i>94.99</i>	CR-808HPND-001	BBC .001 w/ Dowel	84.99
MB-5164HP-010	BBC .010 Full Groove	<i>94.99</i>	CR-808HPND-010	BBC .010 w/ Dowel	84.99
MB-5164HP-020	BBC .020 Full Groove	<i>94.99</i>	CR-808HPND-011	BBC .011 w/ Dowel	84.99
MB-5116HP-STD	440/426 Hemi STD 1/2 Groove	78.99	CR-808HPND-020	BBC .020 w/ Dowel	84.99
MB-5116HP-010	440/426 Hemi .010 1/2 Groove	78.99	CR-808HPND-STDX	BBC .001 Oversize w/ Dowel	88.99
MB-5650HP-STD	BBF STD 1/2 Groove	<i>69.99</i>	CR-806HPND-STD	440/426 HEMI w/ Dowel	<i>99.99</i>
MB-5503XP-STD	FORD 351C STD 1/2 Groove	81.99	CR-806HPND-001	440/426 HEMI .001 w/ Dowel	<i>99.99</i>
MB-5503XP-010	FORD 351C .010 1/2 Groove	81.99	CR-806HPND-010	440/426 HEMI .010 w/ Dowel	<i>99.99</i>
			CR-874HPN-STD	BBF STD w/o Dowel	7 4.99

Why Use King Bearings?

* Improved consistency of bearing-to-journal clearance, so you never have to worry about King bearings having the right fit within a set. * Superior eccentricity and crush relief values for a better oil "wedge" and less journal wear.

* Decreased taper across the bearing face, yielding superior wall stability, a more parallel wall and better oil film development.

* No need to grind cranks "fat" or "thin" to compensate for bearing wall variations.




Engine Bearings²⁴





Piston Rings

Total Seal Gapless Piston Rings



Keeps Leakdown to 2% or Less!

As a normal ring wears, the gap opens up allowing combustion gasses to escape. The Total Seal Gapless ring has no gap. Instead, its patented design incorporates a 2-part interlocking ring to close the gap and provide a more perfect seal between the piston and cylinder.



Gapless 2nd RACE Sets 1/16 1/16 3/16

4.035 TS-T3690.35	<i>\$ 239</i>
4.065 TS-T3690.65	\$ 239
4.155 TS-T0690.30	<i>\$ 239</i>
4.255 TS-T9190.05	\$ 244
4.285 TS-T9190.35	\$ 244
4.315 TS-T9190.65	\$ 244
4.355 TS-T6490.35	\$ 244
4.385 TS-T6490.65	<i>\$ 244</i>
4.445 TS-T9190.195	\$ 244
4.505 TS-T9190.255	\$ 244
4.567 TS-T9130.5	<i>\$ 268</i>
4.605 TS-T9150.5	<i>\$ 268</i>



.017 Dykes 1/16 3/16

4.255 TS-T1702 5 \$ 284 4.285 TS-T1702 35 \$ 284 4.315 TS-T1702 65 \$ 284 4.380 TS-T1702 130 \$ 284 4.505 TS-T1702 255 \$ 284

Call for Other Sizes



WHY Total Seal Piston Rings?

Improved Consistency **Cleaner Engine Oil Better Oil Control** Less Friction Wilder Torque Curve More Engine Vacuum Less Blowby Longer Engine Life

Increased Horsepower and Torque Lower Engine Oil Temperatures Saves Money (Fewer Teardowns)

Not sure if Total Seal gapless rings are right for you? Compare the facts and then decide.





I just wanted to thank you for your excellent service. Parts must of been dispatched within minutes of me ordering & arrived safe & sound today. Total time from ordering to delivery was just 3 days, excellent service considering I live in England. Once again, thanks & I look forward to the next time we do business. Cheers, Mark Sheridan, Middlesex, England







800/576-7661

Milodon is a name you can trust your oil needs to. Their quality products have been keeping race cars lubed for decades. A great value in Oil Systems.



Oil Pumps

MIL-18750 SBC Cast Alum w/ 5/8" Pickup Hole	\$ 46
MIL-18760 BBC Cast Alum w/ 3/4" Pickup Hole	\$ <i>59</i>
MIL-21815 BB Mopar/Hemi Wet Sump 19gpm AN12	\$ <i>204</i>
MIL-21225 BB Mopar/Hemi Oil Pump Cover Remote mount	\$ <i>209</i>
MIL-21503 BB Mopar/Hemi Oil Pump Drive w/ Steel Gear	\$ <i>117</i>
MIL-21523 BB Mopar /Hemi Oil Pump Drive w/ Bronze Gear	\$ <i>126</i>

Oil Pans

Lightweight Steel, Semi-Circular Windage Tray, Trap Doors, Fits Large Stroke Engines

	1 /	0	0	
MIL-31170 SB	BC 79 and Earlier Ra	ace 7qt Plus Filt	ter \$	<i>446</i>
MIL-31176 BE	BC Mark IV Race Fu	ull Kick Out 8qt	t Plus Filter 🛛 🖇	<i>446</i>
MIL-31151 Ch	nrysler BB/Hemi Ra	ce 7qt Plus Filte	er \$	<i>378</i>
MIL-31482 Fo	ord 351C Race 8qt P	lus Filter	\$	<i>432</i>
MIL-31488 Fo	ord 429-460 Race 9q	t Plus Filter	\$	<i>499</i>

Pick Ups

MIL-18315 SBC 5/8 Pickup for 31170 Oil Pan	\$ 45
MIL-18202 BBC 3/4 Pickup for 31176 Oil Pan	\$ 57
MIL-21330 Chrys BB/Hemi Pickup AN12 for 31151 Oil Pan	\$ <i>127</i>
MIL-18570 Ford 351C Pickup for 31482 Oil Pan	\$ 79
MIL-18577 Ford 429-460 Pickup for 31488 Oil Pan	\$ 79

Dan Olson = For Those That Demand and Require High Quality, Aluminum Oil Pans.



OLS-WS427ASK BBC Aluminum Tapered w/ Pickup ... \$ 782

3/8" Billet Rail w/ O-ring, Baffled Windage Tray, Front & Rear Skid Plates.

OLS-WSTFXF Wet Sump TFX w/ Pickup	\$ <i>719</i>
OLS-WSF Wet Sump BAE & KB w/ Pickup	\$ <i>719</i>

HEMI Single AN16 Pickup (AN20 Fitting Available)



Professional Products at Sportsman **Prices!**





800/576-7661



Oil Pumps and Filters for severe race applications, especially Blown Alcohol & Top Fuel

Chevy Oil Pumps

- * Cast Housing
- * Adjustable Pressure 75-125psi
- * Bypass Oil Anti-aeration
- * Use Stock Chevy Pickup

SYS-234-900773 SB Chevy

SYS-234-900773-2 BB Chevy

* Finest Cast Pump on he Market



\$198

HEMI Oil Pumps



27

- * Billet 7075-T6 Alum Construction
- * Low Weight & High Strength
- * Adjustable Oil Pressure 80-250psi
- * Bypass Oil Anti-aeration
- * 1.8 Gear. 30 GPM!

SYS-235-900780-2 Wet Sump HEMI \$ 946 SYS-235-900777-2 Dry Sump w/ Scavenge \$1849 Used by 8 out of 10 Professionals!

Professional Oil Filters

Spin-On aluminum filter features a re-usable Stainless Steel element. Very easy to inspect oil.

- a. SYS-209-312361 Oil Filter 4.25" \$ 156
- \$ 188 a. SYS-211-510571 Oil Filter 6.37"
- \$ 64 b. Replacement SS Element 6.375"
- c. SSYS-201-203700 Inline Oil Fillter\$ 125
- \$ 153 d. SYS-221-90004 Remote Mount
- \$ 182 e SYS-220-90006 Remote 1.50"
- \$ 127 f. SYS-222-90007.10 Side Remote
- \$ 213 g. SYS-228-90556 Block Adapter
- h. SYS-219-0950 Strap Wrench \$ 25

anodized. Sizes: AN10 or AN12.





Over 90% of Nostalgia Funny Cars & Dragsters run System 1 Filters.













Machined from Billet aluminum and







Steering-Brakes²⁸

800/576-7661

Steering Wheels & Boxes

Quality Steering Components for your Funny Car, Altered or Dragster.





Steering wheels are CNC machined. not stamped, from heat-treated aluminum. Includes: Switch tab and ergonomic grips.

Ideal for Front Engine applications: Altereds, Roadsters and FCs. CNC machined, zero backlash.

C-7222



CNC machined from alum & hi-C-7115 strength steel. Ideal for Dragsters. Weighs less than 2lbs! \$250 11" eye-to-eye.



C-7115 Steering Box Dragster	\$ 249.99
C-7222 Steering Box Funny Car Std	\$ 592.99
C-7225 Pitman Arm	\$ 47.99
C-7250 B-Fly Steering Wheel w/ Tab	\$ 58.99
C-7255 B-Fly Steering Wheel w/ Tab & Grips	\$ 92.99
C-7290 3 Bolt Q.R Steering Hub 1/4" SFI	\$ 74.99
C-7292 4 Bolt Q.R Steering Hub SFI	\$ 74.99
C-7296 Splined Coupler 5/8-36	\$ 23.99
W-270-2017 Q.R. Steering Hub 5/8	\$ 25.99
W-300-2020 Steering hub shaft 5/8	\$ 9.99

PS Anglia-Style Spindle Kits

CNC machined and double-lock on steering arm to ensure against movement.

Billet Chromoly Forging 2" King pin bosses

Dragsters

Altereds

Funny Cars



Pins, 2 5" Arms, Alum Caps & ARP Hardware.

	C-7120 Chromoly Spindle Set	\$3	8 49 .99
00	C-7105 Steering Arm Billet Steel 5"	\$	28.99
A 60	C-7106 Steering Arm Billet Steel 6"	\$	28.99
0	C-7109 Steering Arm Steel 5"	\$	16 .75
	C-7122 Tow Caps (pr)	\$	27.99

FC/Altereds Front Brake Kits Includes Mounting Hardware!



Designed for the PS/ Anglia style spindle popular on Funny Cars and Altereds.

Wilwood Master Cylinders are high pressure die-cast from aerospace quality aluminum & fully machined.



W-260-4894 Master Cylinder Dual \$ 115.99
W-260-6764 Master Cylinder 3/4" \$ 54.99
W-260-6765 Master Cylinder 7/8" \$ 54.99
W-260-6766 Master Cylinder 1" \$ 54.99
W-260-1874 Residual Valve 2psi \$ 17.99
W-120-2498 Front Caliper Dynalite \$ 100.99
W-120-6818 Rear Caliper Dynalite \$ 121.99
W-150-1251K Front Pads Round Spot \$ 30.99
W-150-9764K Front Pads Square \$ 38.99
W-150-8850K Rear Pads \$ 39.99
W-140-3326 FC/Altered Front Brake Kit \$ 589.99



C-8190 Flating Saddle Mount\$ 30.99 C-8198 SS Band Clamp 1.5 - 1.875 \$ 7.99

Don't trust your Race Car to inferior brands

Call

CREF-8L-8 1/2-20

CREM-8L-8 1/2-20 \$10.99





Chevy

Pontiac/

Olds

Ford

US

Patented

Selection

Online!

د 🕑

Hi-Torque Starters Designed for High Comp and Supercharged Engines





4.40 to 1 Gear Reduction 534 ft./lbs. Torque! Lightweight (8.8lbs) Compact and Adjustable Heat Resistant Solenoid



Guaranteed with a Warranty !



Perf Starters

IMI-109 Mopar 1.3hp	<i>\$ 189</i>
IMI-909 Mopar 2.0kw	<i>\$ 299</i>
VW/ PORSCHE	
IMI-101 VW-Porsche 1.3hp	<i>\$ 199</i>
IMI-101N VW-Prsche 1.9hp	<i>\$ 229</i>
IMI-104 VW Vanagon 1.9hp	<i>\$ 229</i>
IMI-105 VW 6 Volt Flywhee	1\$ 198



Copper!

Professional DragParts.com **Products** at Sportsman **Prices!**



800/576-7661

Over a Dozen styles

to choose from !!

Black * Red * Blue

How to Pack

a Chute

Too Fast? We Can Stop You! Drag Chutes

DJ-851252 Super Quad (et, sg, sc, ts, td)	<i>\$ 284</i>
DJ-851424 Blown Gas or Alcohol Boat	\$ 574
DJ-851070 Pro Mod & Blown Alcohol	\$ 497
DJ-851070.2 Above with Launcher	<i>\$ 839</i>
DJ-851079 Top Fuel Dragster/ FC	\$ 546
D-30470 Nylon Pack 7x7	\$ 60
DJ-852999 Nylon Pack 9x9	\$ 87
DJ-852996 Silver Pack 9x9	<i>\$ 125</i>
DJ-852809 Pilot Chute Heavy Duty	\$ 87
DJ-852200 Release Cable with Lever	\$ 51
DJ-911341 "Remove Before Run" Flag	\$ 7

AOTORSPORTS



Coldfire302 is a harmless plant & water based fire suppressing agent. Is especially effective in Class B fires (Oil/fuel). Also suitable for wood & paper fires. Colfire Suppresses quickly,



Ŋ

We have

Complete

Systems

for Most

Classes &

Applica-

tions.

回流回

回新聞

Systems

& Parts Online

prevents reflash, safe to store and leaves virtually no residue. Biodegradable and environmentally safe.





Chutes Include: Quad Cross-Form

Canopy, Pack, Pilot and Bridle Line.

- More Cables on Pg 13
- a. **DJ-911327** Manual Injector\$ 99
- b. DJ-911328 Mnl Injector & Brckt \$ 107
- c. DJ-911329-2 Pull-Style Adapter \$ 79
- d. DJ-911329 Pneumatic Injector \$ 191
- e. C-8420 Mounting Bracket 5.25 \$ 33
- f. DJ-911311 Nozzle & Fitting Kit \$ 94
- **DJ-911101** 10lb Bottle Only \$ 374
- **DJ-911312** 10' Alum Tubing 1/4" *\$* 23 g. CC-86U04 Remote Cable from 3ft \$ 50

On-Board Systems Accepted by Most Sanctioning Bodies

DJ-911050 5lb Sys \$ 489 DJ-911100 10lb Sys \$ 499 DJ-911100.FC 20lb \$1146 DOT & SFI **Approved**

Bottles Can be Recertified & Refilled

31



Seat Belts and Harnesses

DJ Safety offers over 100 combinations of 5pt Seat Harnesses. **Options include:** Latch/Link design or Quick-Release (CamLock) 2" or 3" wide. 3 Styles of attachment: Wrap-around, Bolt-in or Snap-in.

ě

6

\$ 195 5pt Cam Lock style w/ Fire Protective Covering \$ 242 Latch Rewebb & Recert most \$ 84 w/ Fire Protective Covering \$ 131 View Online Selection **Buckle Styles** 出现 Cam Lock Latch/Link Cam \$195 **Belt Mounting Options** SFI 16.1 Colors: Fresh Dates! Black a. Snap-In Also Available Red b. Bolt-In in 6 & 7pt c. Wrap Around Blue **Premium Seatbelt Hardware Shoulder Pads** Shoulder pads are **D-70200** 2" Slip-On Pads Nomex .. \$ 31 Hardware is made available as **DJ-603050** 3" Fire Retardant Pads \$ 33 of high quality Slip-Ons or steel for that Sewn-In. Sold in measure of safety **Great Driver Pairs** you are looking Comfort. for and deserve. Dual Wheels or Window & a. **DJ-600105** Snap-In Kit w/ Hardware *\$10* Single Tripod Wheelie Bar Nets b. **DJ-600305** Floor Mount Kit w/Hrdwr (pr) \$8 Wheelie c. **DJ-600402** 3-Bar Adjuster 2" (pr) \$5 \$ 57 Bars DJ-221721 Angular 17x21 e. **DJ-600403** 3-Bar Adjuster 3" (pr) \$8 \$ 45 DJ-221824 Square 18x24 **Arm Restraints \$ 61** JAZ-906-03 Installation kit SFI 27. \$ 54 DJ-220001 Wheelie Bar Arm Restraints have velcro closure and are

SFI 3.3

DJ-605009 Arm Restraints \$ 36/pr

adjustable in length.

Seat Belts Out-of-Date?

\$ 103

\$ 148

5pt Latch/Link style ... most

w/ Fire Protective Covering





800/576-7661

33

\$225

Blower Restraints

Billet 7075-T6 Aluminum Silver Aluminized Straps Quick-Disconnect Pins

Re-certifiable



DJ-141000 Restraint w/ Hardware SFI 14.1 <i>\$ 392</i>
Restraint Only, No Hardware SFI 14.1 <i>\$ 302</i>
DJ-141999 Re-Certification SFI 14.1 \$ 104
DJ-141002 Adjustable Silver Straps (4ea) \$ 127
DJ-141900 Mounting Hardware w/ pins \$ 149
DJ-142007 Top Alcohol Restraint with Kevlar
Ballistic Bag and Steel Hardware. SFI 14.2 <i>\$1296</i>
DJ-143103 Top Fuel Restraint with Kevlar
Ballistic Bag and Steel Hardware SFI 14.3 <i>\$1852</i>
Need Premium Gaskets? See Page 19



Blower Bags Non-SFI \$ 333 Ideal for those wanting extra

protection around the blower

B-7306 6 .71 B-7308 8.71 B-7314 14.71



Multiple layers of Ballistic material to capture exploding shrapnel.



Perfect Fit Water - Oil Resistant **Dozens in Stock Custom Available Re-certifiable** !

Heavy-Duty Race Car Tiedowns

Webbing is 1.75" wide. Burst Strength: 5,000lbs Snap-in J-Hook Ends. American Made!

- a. **DJ-236201.12** Inline Ratchet Tiedown\$ 31.99
- b. **DJ-236205.8** w/ Sewn-In Axle Loop \$ 31.99
- c. **DJ-238044** Flush Mounted D-Ring\$ 9.99
- d. **DJ-237224** Heavy-Duty Axle Strap 24" *\$* 11.99
- DJ-241202 Heavy Duty Tow Strap 14' \$ 31.99

Sportsman Engine Diapers SFI 7.2

Snap-in Absorbant Pads. Q.D. Adjustable Straps. Tailored Fit. Ballistic Nylon.

DJ-730281 SB Ford DJ-730350 SB Chevy DJ-730454 BB Chevy DJ-730426 426 Hemi

Most Other Makes in Stock!

Pro Engine Diapers

Adjustable quick-release buckles attaches to the header flanges. Reusable Snap-in Absorbant Pads. Wet & Dry Sump. Can be recertified.

TF/TA	DJ-711001.bal Soft Ballistic Nylon	\$ 696
Legal	DJ-711002 Soft Kevlar (shown)	\$ 950
Legal	DJ-710002 Carbon Fiber Bucket	\$1092
SFI 7.1	DI-710401 Replacement Pads (pr)	\$ 70

Plug Wire Shield

Protect spark plug wires in the event of a burst panel or blower back-fire.



DJ-801012 Powerglide	\$ 168
DJ-801014 Turbo 350/400	\$ 209
DJ-801126 Lenco Reverser (only)	\$ 125
DJ-801124 Lenco 2spd w/Rev	<i>\$ 189</i>
DJ-801152 Lenco 3spd w/Rev	<i>\$ 218</i>
DJ-801181 B&J 3spd w/Rev	<i>\$ 218</i>

Most other Makes in STOCK!



Don't trust your race car to inferior brands !







Driver Gear ³⁴ 800/576-7661

Nomex Driving Suits

Driving Suits are manufactured to meet one of the following specs:

SFI 3.2A/1, 5 or 20.

Standard Suits are one solid color with contrasting trim.

Sizes: S-XXL Colors: Black Red Blue

DJ Safety sfi /20 suits can be recertified every 5 years!



Options: Arm Restraints Kool Pad Pockets Embroidery

Choose from 1pc or Separate Jacket and Pants



SFI 1 Suits (1 Layer) DJ-011200 Jacket .. \$ 99 DJ-011300 Pants \$ 99 DJ-011100 1pc Suit . \$174

SFI 5 Suits (2 Layer)		
DJ-012200 Jacket	<i>\$ 228</i>	
DJ-012300 Pants	<i>\$ 218</i>	
DJ-012100 1pc Suit	<i>\$ 439</i>	

 SFI 20 Suits (4 Layer)


 DJ-014200 Jacket ... \$ 848

 DJ-014300 Pants \$ 662

 Sewn-in Restraints \$ 69

Kool Vest

Keeps driver or crew, member comfortable for upwards of an hour. Thin vest easily fits under driver's suit. Has one pad on upper back and one on each kidney.





D-03520 ... \$ 75

D-03520-3 Extra/Replacement Kool Pads \$10.99ea

Driving Gloves

Leather Palm Gloves offer excellent protection while maintaining a high level of comfort.

D-04100.331	Nomex sfi 3.3/1	\$ 79
DJ-022000	Nomex sfi 3.3/5	\$ 57
DJ-024100	Nomex sfi 3.3/20	\$ 175

Colors: Black Red Blue



Driving Boots

DJ styling Driving Shoes feature padded Kevlar lining and velcro closure.

Sizes: 6-13 in Full Sizes *Colors:* Black Red Blue Gray

DJ-050000 sfi 3.3/5 Shoes	\$ 98
DJ-051000 Alky/TF sfi 3.3/20 Boots	\$ 269



How to Measure Glove Size



Lay hand flat with fingers and thumb together. Measure circumference at widest point.

9" = Sml 10" = Med 11" = Lrg 12" = XL





Head Gear

800/576-7661

Race Helmets

Helmets are built to meet and exceed Snell 2010. SA rating has a fire-resistant liner.







Note: Blown Alcohol & Nitro applications usually requires a Snell "SA" rating.

How to Measure Helmet Size Video



Hat Size Circumference **XS** 6 1/2".... 21 5/8" S 7"..... 22" S 7 1/8"..... 22 3/8" 7 1/4" 22 3/4" Μ 7 3/8" 23 1/8" Μ L 7 1/2" 23 1/2" XL 7 5/8" ... 24" XXL 8" 25"

To properly determine head circumference, run a soft tape measure around your head (approximately one inch above your eyebrows and just over the ears).

Equipment Bags

Made from a high quality rip-stop nylon. Internal padding. 3 pockets.



Helmet Bag DJ-036010 \$29.99

Gear Bag

DJ-070410 **\$47.99**



Helmet Support

Velcro Closure \$ 33.99 SFI Approved **DJ-040009**

Tapered For Comfortable Fit

Head Socks/ Underwear

Head Socks are designed to be worn under the helmet. These soft nomex knit hoods provide an extra measure of protection. Nomex underwear are also soft and gives a driver a few extra critical seconds of time.

D-03211	1 Layer Sock	\$ 45.99
DJ-062002	2 Layer, <i>sfi</i> 3.3	\$ 53.99
DJ-060000	Top S-XL	\$ 81.99
DJ-061000	Pants S-XL	\$ 81.99
DJ-063040	Socks	\$ 25.99



Made of aluminized silver. Includes breathers.



-

SFI 45.1 Black Red Blue \$22.95 3' Length

Rollbar padding is made of highdensity foam. Fits 1-1/2" to 1-3/4" diameter tubing. 3/4" thickness.

Also Available for Helmet Bars (1 - 1.25")



We stock jr Dragster Safety Equipment !!







Specialty Tools³⁶ 800/576-7661



You just found those Hard-To-Find Tools !!



T-1115 SBC

T-1116 BBC

T-1117 HEMI

Cam Degree Installation

Makes degreeing a cam a lot quicker and easier. This fixture attached to the block over cylinder #1 using two of the block studs (or bolts). An adjustable stop is included for helping determining top-dead center. Simply install a dial indicator into either the intake or exhaust hole of the fixture.

Valve Lash Adjuster

Quickly and accurately adjust your valves with this custom tool. Machined from stainless steel for durability with choice of 7/16, 1/2 or 9/16 hex. Fits SBC, BB, Mopar & most Fords. *3/16 hardended Tip.*



Stainless Steel

T-1125 7/16 Hex. **T-1126** 1/2 Hex. **T-1128** 9/16 Hex.

Main Cap Puller

The bottom-end guy sure appreciates this main cap slide puller.



The 5/16 heat-treated threads are easily threaded into the main cap **T-1103** 2.5 Lbs **\$68.99** using the slip-proof knurled **T-1100** 4.5 lbs **\$98.99** knob. A simple tug of the tool allows the cap & lower bearing to drop safely into your hand. A great asset for between round thrashes. Also great to have one at the shop.

Wrist Pin Checker

A piston pin failure is catastrophic. Period. And checking their roundness was always a challenge. Now there is a cool tool that allows you to check the pin's roundness to less than .001 thousands in less 5 seconds. And that all adds up to NO kaboom.





Valve train failure is normally catastrophic and a bent push rod can be attributed as a culprit in many instances. A pushrod out-of-round as little as .010 will begin to flex. I'm sure you have seen the wear marks on the sides of your pushrods and wonder how they got there. With the Pushrod Checker, simply insert the pushrod into the spring loaded

end, rotate 360 degrees and quickly check the roundness of a pushrod to less than .001.

T-1120 BBC **T-1121** Fathead **T-1122** Hemi Fuel

Rod Bolt Stretch Checker

One simply inserts the rod bolt into the Bolt Stretch Checker and records the reading on the gauge. Bolts that are stretched more than .007 are usually discarded. A complete set of 16 bolts can be checked in less than 60 seconds. Might just be the best minute you invested in your engine assembly.

....

T-1158 **\$85.99**

Rod-Piston Pusher

Here is a tool that allows one to safely and quickly install or remove the rod-piston combo out of the block. The pointed end of The Pusher is simply inserted into one of the two threaded holes in the connecting rod. The bend in the shaft allows easy navigation around the crankshaft journal. The diver with hot oil dripping onto his face will thank you profusely.



T-1131 **\$43**.99

Hemi Top Dead Center Checker

T-1134

\$159.99

Wanna' check your top dead center like a pro? Then grab one of these. Simply thread the checker into Cylinder #1 of your Hemi and rotate the crank until the dial indicator maxes out. A real time saver when trying to dial in a magneto or camshaft at the track.

T-1132 *\$135.99*





Large Online Selection of Tools!

800/576-7661

Specialty Tools³⁷

Billet Primer Bottle Top \$29.99

Machined from billet alum and precisely drilled to allow correct flow of fluid during priming of a blown alcohol or nitro engine. Fits most plastic bottles. Used by the Pros.





T-1098

New!

Sleeve Puller

Sleeve puller is designed to quickly remove steel cylinder sleeves out of the engine block. Large loop handle grip protects one's hand from getting pinched by the slip-proof slide hammer. Puck can be replaced. Very popular with top fuel and alcohol teams.

Sleeve Installer

\$68.99
 \$68.99
 Sleeve installer is a quick and efficient way to install steel cylinder sleeves into the engine block. One size fits most sleeves. Very durable and rugged. Popular with top fuel and alcohol teams.

Chevy Oil Pump Primer



Engine Oil Pump Primer with sleeve. Inserts into distributor hole to prime the engine with oil prior to initial startup. Fits most V8 GM engines



T-1160 Single End AN3-12\$106 \$ 69.99T-1180 Double End AN3-20\$185 \$116.99

Adjustable AN Wrench

Protect the anodize on your AN Hose Ends. Knurl Thumbscrew. Minimizes chance of over-tightening.



The newest member of the family is the mini. Great to have in your back pocket when you're on the starting line or if you need to get in tight spaces. T-1154 \$34.99

Fits **AN3-8**

Tire Pressure Gauges Has Pressure Relief Valve T-2202 0-15psi

 Economy Model
 T-2202
 0-13psi 0-30psi

 T-2206
 0-60psi



RU QCK ENUGH? Good Vibrations sponsors the Quick Reaction Time bonus for the following Series!

Check out their Race Schedules













T-1003

\$149

Spark Plug T-Wrench

Spark plug T-handle wrench is machined from billet aluminum for strength and lightweight. Has a steel 13/ 16 socket with an internal rubber boot for holding spark plugs in place during assembly & removal. Very popular among sportsmen teams.

Torque Spark Plug T-Wrench

Save time and head damage. This torque wrench only allows the spark plug to tighten to a pre-determined safe setting. Machined from billet aluminum for strength & lightweight. Very popular among Top Fuel & Alcohol teams. Fits 13/16 plugs.

"The Plug Gapper"

Quickly, precisely and accurately gap spark plugs. Billet Alum.



Spark Plug Storage Rack

Heavy-Duty, yet lightweight rack is designed to store 8 spark plugs safely and in order. Large flat anodized

bottom keep the rack upright and easily cleans up. Can be used stand-alone or bolted to a work bench. Those that assemble the engine top end will truly appreciate this rack regardless if they're at the shop or in the pits.



T-1136 Holds 8 **\$40 T-1138** Holds 16 **\$46**

Valve Cover SS Speed Wrench



 T-Handle valve cover Speed wrench is machined from polished stainless steel with a
 T-1006 steel 7/16 socket. Conveniently helps to tighten or loosen valve cover nuts. Ideal for the racer looking to save time between rounds.

Lower Crank Gear Installer

This tool allows one to safely install the crank gear onto the crankshaft. Has a knurl grip to prevent slippage and is heat-treated for durability. Will fit BBC, Hemi and other similar cranks.

Dampner Installation Kit

T-1110 \$89 Dampner kit for installation and removal of harmonic balancers and crank hubs. High quality kit fits most domestic applications. Comes complete in a hard shell case.

Crank Hub & Gear Remover



This tool allows one to safely remove the blower crank hub or harmonic balancer. Unlike some lightweight models, the remover is heat-treated and built toug. It also has a provision for removing the crank gear. Proven many times over by Top Fuel teams.

T-1112 **\$157**

Mag Timing Adjustment Wrench



Owners of MSD magnetos really appreciate this unique tool. The billet aluminum band remains clamped to the mag. The removable handle wrench allows for accurate adjustments of the mag while the engine is running. Very popular with Top Alcohol teams.

MSD Magnetos T-1015 *\$155*

Magneto Drive Remover



Designed to very quickly and safely remove the drive from a Mallory or MSD Magneto/ Distributor. It simply slips over and holds the 4-Pin or Hex Cross Drive so that one can remove the inner nut. No need to remove the magneto cap and hold the rotor. Ditto for installing the drive.

T-1017 **\$24**





Specialty Tools ³⁹ **800/576-7661**

Injector Hat Tool Tray

Injector Hat Tool Tray is made from high grade aluminum and black powder coated for an attractive longlasting finish. The tray has plenty of space for



tools & also accommodates 16 spark plugs. Fits on top of Bug, Bird & Buzzard. T-3020 \$129


Valve Train Trays

These trays are made of a very light-weight yet rigid plastic material with built-in handles. The valve tray holds valve springs, valve locks, and the largest of valves. The rocker tray holds push rods, lifters, poly locks, spark plugs and rocker arms. Perfect for the home mechanic or pro racer.

JAZ-735-001-06 Valve & Spring JAZ-735-002-06 Rocker Arm & Lifter

Leakdown Tester

Dual Premiums Gauges Billet Aluminum Housing Ideal for: *Fuel Injection or Engine Cylinders* T-2



Premium Mechanix Gloves

Designed to help the professional mechanic with increased grip. Protects from heat & cold. Features CLARINO palm, 3-ply mesh top and elastic velcro wrist. **XS-2XL \$19**

Heat Sleeves

Features 100% heat-resistant woven Kevlar fabric, extra long sleeve protects arm above the elbow, oil and fuel resistant, snug fit allows comfortable fit.



Rack 'em Up Piston & Rod

Safely hold and protect 8 Pistons & Rods during assembly. A must for the serious racer. **T-3003**

Head Repair

Here's a great rack to store your Valves, Lash Caps, Shims & Retainers during head repairs. Billet anodized aluminum bottom tray.

T-3009



\$32

Lifter/ Push Rod

Just set this tray in your lifter valley and store your pushrods & lifters in order. T-3013

Clutch Loading

Rack is heavy-duty yet lightweight, Holds discs and rotors. Designed by a racer for racers.

T-3004 3 Discs ... \$ 99 T-3005 5 Discs ... \$111









Jim Matuszak's Immaculate Restoration





AN20 X-987120 \$ 27.44






800/576-7661

40

				AN Size	Metal Tube O.D.	Thread Size
	-20	-16	-12	4	1/4"	7/16-20 UNJ
ANT		3 2		6	3/8"	9/16-18 UNJ
AN				8	1/2"	3/4-16 UNJ
T 1 1				10	5/8"	7/8-14 UNJ
Thread	10			12	3/4"	1-1/16-12 UNJ
C •	5 -10	-8 -6	-4 -3	16	1"	1-5/16-12 UNJ
Sizes	4			20	1-1/4"	1-5/8-12 UNJ

NPT		1."	3/8	1"	Pipe Thread Size	Threads Per Inch	Fitting I.D.	Closest AN Fitting Size
Thread	1"	4	8	2	1/8"	27	1/8"	4
	125 6	Part of the		Ball The State	1/4"	18	1/4"	6
Sizes			-		3/8"	18	3/8"	8
			. ~	5	1/2"	14	1/2"	10
🔳 🚺 🔳 Thread	D , E	3"		_1" <	3/4"	14	3/4"	12
Tech &		4			1"	11-1/2	1"	16
Charts	~ 2				1-1/4"	11-1/2	1-1/4"	20



X-997120 \$ 17.54

A-990000	••••	Φ	4.30
X-996808		\$	5.16

X-996708 \$11.04

1"





Fitting Selection

800/576-7661

Hose Fitting Assembly

1. Wrap hose tightly with tape at cutting point. Using a fine tooth hacksaw, cable cutters or radiac wheel, cut the hose in the middle of the tape. Remove tape after cutting being careful not to fray the braid.

2. Slip hose into socket to the depth indicated by the hose insertion mark on the outside of the socket. This should be just short of the back of the threads. VERY IMPORTANT - Mark hose with tape or suitable marking device at rear of socket. This mark will later indicate to you if the hose has pushed out of the socket during assembly.

3. Using an anti-seize lubricant, liberally lubricate inside of hose and threads on the nipple. Holding nipple horizontally in a vise equipped with soft aluminum jaws, push socket end carefully with hose nipple with a turning motion and engage nipple threads into those of the socket. Continue tightening by hand as far as possible to make sure that the threads are properly mated and no cross threading has occurred.

4. Using an aluminum fitting wrench, finish tightening assembly. When properly assembled a small gap of .030" or less should exist between the socket and shoulder of nipple. NOTE: Check marks on hose in step 2 for any evidence of push out. Hose assembly must be cleaned and tested to twice the operating pressure.



Aluminum Vice Jaws

Vice Jaw inserts protect your hose ends during assembly. Each jaw has magnetic backing to prevent them from falling out of the vice when opened.


\$19







Online

Assembly







No more Bloody Fingers!

Assemble Braided Stainless Steel hose without poking your fingers. Ideal for racers and performance enthusiasts who have experienced the painful challenge of installing the AN socket.



KT-468 3pc Kit AN4-6-8 \$ 75 **KT-681** 3pc Kit AN6-8-10 ... \$ 79 **KT-1016** 3pc Kit AN10-12-16 \$ 89 **KT-416** 6pc Kit AN4-16 **\$149** KT-409 Push-on Assy Press \$249

Teflon Hose Separating Tool

\$38

Easiest way to assemble braided stainless steel AN3 & AN4 teflon hose.

X-821060



Precisely sized for a perfect fit on AN fittings. Anodized in colors, XRP wrenches are fully radiused to fit your hand. Machined from heat treated

2024 aluminum alloy.

\$89 X-750000









Why Use CPE Braided SS Hose ??

Proven & trusted by Top Teams, Stainless Steel braid provides durability and Heat Resistance. Inner liner is composed of Chlorinated Polyethylene (CPE) which provides the great fluid transfer with a temperature range of -40 degrees to +300 degrees F.



Products **Prices**

Most Hose Ends

Also Available in:

Swivel Ends allow one to

position hose end after it

has been installed on hose.

Swivel

AN-10 204510 ... \$ 31.69

AN-12 204512 ... \$ 37.98

204506 ... \$ 23.22

204508 ... \$ 27.23

Uses the same Hose Ends as the Braided SS Hose

engine compartments.

AN-4	\$ 6.90/
AN-6	<i>\$ 7.90</i>
AN-8	\$ 8.90
AN-10	\$ 8.90
AN-12	\$ 9.90
AN-16	\$12.90
AN-20	\$17.90

NHRA/ IHRA Accepted

Braided SS TEFLON Hose

AN Hose-Fittings⁴²

800/576-7661

Want BLACK Hose?

XR-31 for the same price as Braided SS hose!

XR-31 Hose is tough, yet lightweight,

durable, abrasion-resistant and economical. 3 ply construction. High tube strength

allows a tight bend radius capable for tight

Braided Stainless Steel TEFLON Hose and

Reusable Hose Ends are used in Brake, Clutch, Instruments and other applications where max high pressure protection is a must.



Hose Ends AN-4 100004 \$ 8.10 AN-6 100006 \$ 8.63 Super Nickel add .SN

AN-8 100008 \$ 10.89 **AN-10** 100010 \$14.21 AN-12 100012 \$ 19.44 AN-16 100016 \$ 26.69 AN-20 100020 \$ 42.11

Fixed

104504 ... **\$ 18.99** AN-4 AN-6 104506 ... \$ 20.88 104508 ... \$ 24.62 AN-8 AN-10 104510 ... \$ 25.16 AN-12 104512 ... \$ 35.19 AN-16 104516 ... \$ 39.29 AN-20 104520 ... \$ 74.03



45 Degree

90 Degree



	Fixed
AN-4	109004 \$ 19.3 4
AN-6	109006 \$ 20.8 8
AN-8	109008 \$ 24.6 2
AN-10	109010 \$ 29.1
AN-12	109012 \$ 35.1 9
AN-16	109016 \$ 40.0 4
AN-20	109020 \$ 75.4 2



118006 ... **\$ 25.92** AN-6 **AN-8** 118008 ... \$ 29.82 118010 ... **\$ 33.01 AN-10** AN-12 118012 ... \$ 37.42 AN-16 118016 ... \$ 44.48

180 Degree

AN-16 204516 ... \$ 45.26 AN-20 204520 ... \$ n/a Swivel AN-6

AN-6

AN-8

209006 ... \$ 22.77 209008 ... \$ 28.00 **AN-8 AN-10** 209010 ... **\$ 31.69 AN-12** 209012 ... **\$ 38.03** AN-16 209016 ... \$ 42.56 AN-20 209020 ... **\$ n/a**

Swivel

AN-6 218006 ... \$ 25.62 **AN-8** 218008 ... \$ 30.29 AN-10 218010 ... \$ 34.06 AN-12 218012 ... \$ 42.25 AN-16 218016 ... \$ 55.41

Hose Ends also Available in: 30, 60, 120 & 150 Degree

×		DragPar		rofessional Products			Hose	e-Fittir	ngs ⁴³
	BRA		at at	Sportsman Prices!	Extensive Onli Fitting Selection		00/5	576-76	661
Works on Steel or Alum Hard Line.	AN-3 AN-4 AN-6 AN-8 AN-10 AN-12	Tube Nuts X-981803 X-981804 X-981806 X-981808 X-981810 X-981812 X-981816	\$ 1.05 \$ 1.05 \$ 1.35 \$ 1.36 \$ 2.77 \$ 3.71	ube eeves X-981903 \$ 1.05 X-981904 \$ 1.05 X-981906 \$ 1.37 X-981906 \$ 1.37 X-981908 \$ 1.52 X-981910 \$ 2.31 X-981912 \$ 3.76 X-981916 \$ 3.81	Great	4 \$7/ft 8 \$7/ft 2 \$8/ft	ng your System.	tool is desig cally fo tubin degree Fits A	Flair flaring
Hex	Pipe]	Plug)-Rings	10		AN	Flare
	l hex for	U		Long Lasting		^{1k} Pack		Ree	ducers
		stallation.		AN3 X-803003 AN4 X-803004		1		Femal	e to Male
		· •	\$ 2.75 \$ 2.75	AN6 X-803000 AN8 X-803008	5 \$ 5.55		AN		
		· •	\$ 2.75 \$ 3.48	AN10 X-803010) \$ 8.75	Alcoho	-	8-6 X-995008	
			\$ 3.6 8	AN12 X-803012 AN16 X-803010			-	10-6 X-995010	
3/4	X-99320)6	\$ 4.66	AN10 X-803010 AN20 X-803020			IVE	10-8 X-995012	
Most F	Tittings	are avai	lahla in · R	ed/ Blue, Blac	k and Sun	or Nickol		12-8 X-995012 12-10 X-995013	
WIOSt I	mings				k and Sup			12-10 X-995013 16-12 X-995017	
								Flare Adap	tors
							AN-3	981503 \$ 3.06	AN Flare
	Flare F	Plug	Port Plu	ig Flare C	Cap H	Hex Nut	AN-4	981504 \$ 3.06	Coupler
	K-980603		X-981403 \$	1.91 X-992903	. \$ 2.08 X-99	02403 \$ 1.05	AN-6 AN-8	981506 \$ 3.06 981508 \$ 5.44	A
	X-980604 X-980606		X-981404\$ X-981406\$			02404\$ 1.02 02406\$ 1.17	AN-10		(Gent
	X-980608		X-981408\$			02408 \$ 1.17	AN-12		
	K-980610		X-981410\$			2410 \$ 2.26		981516 \$ 17.36	
	X-980612 X-980616		X-981412\$ X-981416\$			02412 \$ 2.61 02416 \$ 4.64	4-3 6-4	991902 \$ 4.59 991906 \$ 4.69	AN Flare
Floro	to Pi	no 🥖				DODODOOL	8-6	991912 \$ 6.70	Reducer
							10-6 10-8	991914 \$ 8.27 991915 \$ 8.01	
Ad	apter	s 📛					10-0	991919 \$ 12.36	
X	RP:						12-10 16-10	991920 \$ 12.39	
xtreme ra	acing products						16-10	991922 \$ 16.91 991923 \$ 16.91	
<u>Flai</u>	<u>re - Pipe</u>	Stra	iight	45 Degree	90	Degree	20-12	991925 \$ 23.45	
	31/8	981603		982303 \$ 8.07		03 \$ 8.23	20-16	991926 \$ 27.77	
	41/8 61/4	981604 981606		982304 \$ 8.21 982306 \$ 8.44		04 \$ 8.35 06 \$ 8.59	100		Darrell Conrad 2014 Dragstrip from
AN-	63/8	981666	\$ 3.59	982366 \$ 11.32	9822	66 <i>\$ 11.55</i>		4	
	81/4	981607		982307 \$ 14.46		07 <i>\$ 14.46</i>	-		
	83/8 81/2	981608 981688		982308 \$ 10.24 982388 \$ 16.28		08 <i>\$ 10.45</i> 88 <i>\$ 16.59</i>			
AN-	101/2	981610	\$ 5.53	982310 \$ 16.14	9822	10 <i>\$ 16.45</i>	Sec.	- SEC SI	
	103/4	981613		982313 \$ 24.10		13 <i>\$ 24.10</i>	am	RIAS	
AIN-	123/4	981612	φ10.12	982312 \$ 24.10	9822	12 <i>\$ 24.10</i>	100	No.	







AN Fittings

44

800/576-7661



Take Off Adapters



\$ 15.17



On

Side

X-700192	-6 Male to -6 Male	\$ 9.24
X-700194	-6 Male to 3/8" Male NPT	\$ 9.24
X-700195	-6 Male to -6 Female Swivel	\$ 11.04
X-700196	-8 Male to -8 Male	\$ 10.80
X-700198	-8 Male to 3/8" Male NPT	\$ 10.80
X-700199	-8 Male to -8 Female Swivel	<i>\$ 12.83</i>
X-700202	-10 Male to -10 Female Swivel	\$ 16.52



From \$30 Steel & Alum Weld Bungs RO-WERK **O-Ring**

/

Female Swivel Coupler - 90 Deg

AN4	X-929004	\$ 14.75
AN6	X-929006	<i>\$ 14.75</i>
AN8	X-929008	\$ 16.64
AN10	X-929010	<i>\$ 21.05</i>
AN12	X-929012	\$ 22.73
AN16	X-929016	<i>\$ 46.83</i>
AN6	X-929106	\$ 15.84
AN8	X-929108	<i>\$ 16.75</i>
AN10	X-929110	\$ 21.40
AN12	X-929112	\$ 27.67
A N16	X-929116	\$ 41.84





Liquid Filled Pressure Gauge

Great for *Oil* or *Fuel Pressure*, or **Blower Boost**. Liquid filled for stability and longevity.

X-710000 0-15psi X-710030 0-30psi X-710060 0-60psi X-710100 0-100psi

Shock **Resistance**

1.50in Diameter



Gauge **Connect your** Gauges to AN **Fittings** Hoses



\$ 5.85

\$ 2.26

\$ 5.74

\$39.95

X-705003	STRT to 1/8 Fem NPT AN3
X-705004	STRT to 1/8 Fem NPT AN4
X-705093	90 Deg to 1/8 Fem NPT AN3
X-705090	90 Deg to 1/8 Fem NPT AN4



AN3 - AN12 1/8 to 3/4 NPT



	nod "	Professiona Products		an a	Hos	se-Fittings ⁴⁵
MBRAT	SPORTS	at Sportsman Prices!	Extensiv	ve Online 🖉 🖁	00/	576-7661
Anodized Black		at are AN Clare to Inverse			me racing products	Female to Male Swivel Adapters Sizes: AN4 -16
Very Large Selection of ORB Fittings online			High Contou Flow!		Comp	Sizes. And -10
Straight AN3 X-980003 AN4 X-980004 AN6 E-815-6 AN8 E-815-8 AN10 E-815-10 AN12 E-815-12	\$ 6.02 \$ 6.34 \$ 5.26 \$ 6.86 \$ 9.18	45 Degree X-984503 X-984504 X-984506 X-984508 X-984510 X-984512	n/a \$11.34 \$14.81 \$16.98 \$25.64	90 Degree X-989003 X-989004 X-989006 X-989008 X-989010 X 080012	\$15.12 \$11.28 \$13.52 \$15.52 \$23.75 \$26.51	45 & 90 Degrees
AN12 E-815-12 AN16 E-815-16 AN20 E-815-20	\$ 11.63 \$ 17.74 \$ 21.76	X-984512 X-984516 X-984520	\$38.64 \$49.58 \$65.53	X-989012 X-989016 X-989020	\$36.51 \$43.44 \$87.29	Forged
	a smaller male	\$ 8.99 \$ 11.99 \$ 11.99 \$ 13.99 \$ 13.99 \$ 21.99 \$ 26.99 the inverse O e AN size. in	nverse flare OR	$\begin{array}{c} \mathbf{F} \\ E-919-8-6 \\ E-919-10-8 \\ \hline E-919-12-8 \\ E-919-12-10 \\ \hline E-919-16-8 \\ \hline E-919-16-12 \\ \hline E-919-20-16 \\ \hline are designed to e \\ B side to a larger \\ be on the smaller \\ \end{array}$	expand the r male AN	Aluminum Bung with Steel Cap. X-821015 \$32.99 Save \$25 - Use Code CAT25
Push-On H CPE elastomer tube, textile braid reinforced with CPE elastomer cover. Maximum			230004 \$ 5.16 230006 \$ 5.16	Fu fro	on leal for tel Line m Tank Pump	preformed hose is very popular Top Alcohol Fuel Systems. 90 Deg Bend (Fuel, etc) X-390125 1.25 ID \$ 49.40 X-390175 1.75 ID \$ 55.79 3ft Straight (Coolant) X-370125 1.25 ID \$ 61.20 X-370175 1.75 ID \$ 76.02
operating tempera- ture of 250°. Ideal for fuel, lubricat- ing oil, air & water. Also in Stock	90 Hose &	AN4 X-2 AN6 X-2 AN8 X-2 AN10 X-2 AN10 X-2 AN12 X-2 Fittings: Blue of 0 120 150 18	39006 \$ 18.41 39008 \$ 22.12 239010 \$ 25.34 239012 \$ 30.12 or Black	Push-C	De	Clamp Hand Tool XRP Push-on hose clamp pliers. Specially designed for XRP hose clamps for ease of installation and removal. Manufactured from steel with rubberized grips.





800/576-7661

Hi-Perf Gaskets⁴⁶



Accu-Seal is the first choice of engine builders and race teams. Delivers precision fit, durability and economy all in one. Pro utilizes state-of-theart materials such as *proprietary steel core lami*nate with teflon coating, viton oil seals, and molded rubber for selected Oil Pan and Valve Cover applications.

SCE-111101 SBC 1.20 x 2.00 Port \$ 14.99/pr
SCE-111102 SBC 1.25 x 2.275 Port \$ 14.99/pr
SCE-111103 SBC 1.25 x 2.275 (1266) Thick\$ 22.99/pr
SCE-113102 BBC 1.8 x 2.5 \$ 15.99/pr
SCE-113115 BBC 1.8 x 2.5 No Top bolt \$ 15.99/pr
SCE-113116 BBC 1.8 x 2.5 No Top bolt. Thick \$ 24.99/pr
G-2210 426 Hemi Stock Port 2.375 \$ 17.98/pr
G-2212 426 Hemi Medium Port 2.750\$ 17.98/pr
G-2215 426 Hemi KB ALPE 10 Bolt \$ 19.98/pr
SCE-167101 392 Hemi Stock Port \$ 14.99/pr
SCE-167103 392 Lrg Stock ALPE 417 Don \$ 14.99/pr
G-2218.10 Hemi/BAE/TFX End Rail \$ 9.99/10pk



Silicone Ports

SCE-211101 SBC 1.20 x 2.00 Port (1256) .. \$ 19.99/pr SCE-211102 SBC 1.25 x 2.20 Port (1205) .. \$ 21.99/pr SCE-211128 SBC 1.30 x 2.24 Port (1206) .. \$ 21.99/pr SCE-213102 BBC 1.80 x 2.50 Port (1211) .. \$ 24.99/pr G-2247 BB Chevy 1.80 x 2.50 Port (1275) .. \$ 15.99/pr SCE-213115 BBC 1.80 x 2.50 Port (1275) .. \$ 18.99/pr SCE-218101 Big Chief/ bigDuke (1298) \$ 25.99/pr SCE-267101 354-392 Hemi Fuel/ Alky \$ 18.99/pr





PREMIUM -Street/ Strip

SCE-111091 SBC Pre 1974 Thin Front Seal	\$ 13.99
SCE-113090 BBC .090 Thick	\$ 13.99
SCE-113091 KB Olds .090 Thick	\$ 18.99
SCE-113092 Merlin Block, Large Stroke	\$ 14.99
SCE-167091 417 Hemi	\$ 18.99
G-2110 426 Hemi, KB, BAE	\$ 11.95
G-2114 TFX-92	\$ 12.95
G-2118 TFX-96	\$ 12.95



PROFESSIONAL Steel-Core & Teflon Coated

SCE-211090 SB Chevy 1pc Molded Pre 1986 \$ 26.99
SCE-211092 SB Chevy 1pc Molded Post 1986 \$ 27.99
SCE-213090 BB Chevy 1pc Molded Gen 4 \$ 32.99
SCE-213091 BB Chevy 1pc Molded Gen 5-6 \$ 27.99
SCE-235091 BB Ford 1pc Molded \$ 31.99
SCE-274090 481X Rodeck \$ 36.99
SCE-266091 KB BAE Hemi \$ 36.99 Simply
SCE-261091 TFX 92 Hemi \$ 44.99 the Best.
SCE-261092 TFX 96 Hemi \$ 36.99

Engine	e 🥢		
Seals			
			Peer Viter
		ont	Rear Viton
SB Chevy	SCE-11102	\$ 4.99	SCE-21105 \$27.99
BB Chevy	SCE-11302	\$ 9.99	SCE-21305 \$20.99
351W	SCE-13602	\$ 6.99	SCE-23605 \$19.99
BB Ford	SCE-13502	\$ 6.99	SCE-23505 \$28.99
SB Mopar	SCE-16902	\$ 8.99	SCE-16904 \$17.99
BB Mopar	SCE-16402	\$ 8.99	SCE-26405 \$28.99
417 Hemi	SCE-16702	\$ 8.99	SCE-16705 \$21.99
426 Hemi	SCE-16602	\$ 8.99	SCE-26605 \$28.99





Extensive Online Gasket Selection



PREMIUM Rubber with Steel Core

G-2320 SB Chevy \$ 12.95 G-2325 BB Chevy \$ 14.95 G-2330 SB Ford \$ 12.95 G-2335 351C Ford .. \$ 14.95 G-2340 428 Ford \$ 14.95 G-2345 429-460Ford *\$ 14.95* **G-2305** SB Mopar \$ 14.95 G-2355 330-455 Olds \$ 14.95 G-2350 Pontiac \$ 14.95



STREET/ STRIP Laminated Cork/ Silicone **SCE-211075** SB Chevy \$ 26.99/pr

SCE-213075 BB Chevy .125 \$ 30.99/pr SCE-213076 BB Chevy .250 \$ 37.99/pr G-2310 426 Hemi \$ 24.99/pr

Seals where others won't

PROFESSIONAL Steel-Core & Teflon Coated

SCE-213078 BB Chevy SCE-218078 Big Chief SCE-266075 KB BAE 1/4 holes SCE-261075 KB BAE 5/16 holes SCE-267077 Hemi Early



Superb Quality - Reusable Gas - E85 - Alcohol - Nitro



Inlcudes: Timing Cover, Water Pump & Fuel Pump Gaskets

SCE-11100 SB Chevy SCE-11300 BB Chevy SCE-13600 SB Ford SCE-13500 BB Ford SCE-16900 SB Mopar SCE-16400 BB Mopar SCE-16600 426 Hemi





Hi-Perf Gaskets⁴⁷

Thermoplastic Carb Gaskets



Molded Bowl Carb gasket is made from a non-stick thermoplastic material that is resistant to all motor fuels, racing fuels, and additives common to racing.

Designed for **4150/4160** Holley carburetors. Has precision fuel and air passages for better consistency. Will not shrink, stick or tear, thus eliminating scraping. Gasket is reusable.



Ask about our 10pk Discount

Award Winner **Patent Pending**

Will NOT Shrink ! Will NOT Stick ! Will NOT Tear !

\$ 8.99/pr

BOWL Gasket SCE-411 4150 SCE-451 4500

METERING Gasket SCE-410 4150 SCE-450 4500

Holley Carb gaskets are heat resistant and standard thickness. Will handle the rigors of *supercharged* engines.



G-2070 Carb Gasket \$ 3.25 G-2072 Dom Gasket \$ 3.25 SCE-355 4 Port Gasket *§* 1.99

Building a Better World for Children

World Vision[®]

A portion of your sale will be contributed to this noble cause. If you would like to learn more about this worldwide charity, please goto:

www.worldvision.org





Copper Gaskets⁴⁸ 800/576-7661

Benefits of Using Copper...

Conductivity. Copper is the standard by which all other conductors are measured, therefore a copper gasket provides superior thermal conductivity, acting to stabilize head and block temperatures which makes tuning easier.

Copper Head Gaskets

Premium Quality * Properly Annealed Perfect Fit * Dead Soft Copper

Track Tested & Proven by Top Fuel & Alcohol Racers

SCE-31541 304 Stainless Steel O-Ring Wire 15ft \$11.99

The World's First Self-Sealing

SCE's **TITAN series** gaskets provides unbeatable strength and user friendly installation. This patented headgasket gives you the best of both worlds.

The combustion sealing strength of a SCE copper headgasket and the confidence of *built-in coolant and oil passages*! The perfect racing and performance copper headgasket!

25% Coefficient of Elasticity. One of the properties of copper is that it stretches before a catastrophic failure, providing an extra measure of safety in case of severe detonation. **Strength.** Copper (in the form SCE use) has a tensile strength of approximately 32,000 psi, compare this to the 1200 to 1800 psi tensile of most facing materials used on conventional performance head gaskets.

FIE	Original	(Good)
GASKETS		.032 \$ 119/pr
		.043 \$ 119
		.050 \$ 134
		.062 \$ 149
		.070 \$ 177
0.	Sold in Pairs	.080 \$ 177

Self-Sealing (Great)

	00	.032 \$156
\bigcirc		.043 \$156
		.050 \$169
	6090	.062 \$179
05	0	.070 \$199
S	old in Pairs	.080 \$199


Self-Sealing & Integrated O-ring

Same as above but with a **Integrated Steel** O-Ring means there is no need to machine your Block or Heads! Embedded silicone to seal oil and water passages. Soft copper is ready to use.

How to Install Copper Gaskets



Self Sealing with O-Ring (The Best!)







Pro-Copper Exhaust Gaskets



SCE Copper Exhaust Gaskets will permanently seal a warped or uneven flange.

Reusable!

Raised Embossed from \$29/pr

Non-Embossed from \$59/pr

In Stock: Chevy, Mopar, Ford, More...

Collector Gaskets

Use SCE copper collector gaskets for maintenance free operation.

Sizes: 2.5, 3, 3.5in **\$13.99/pr**



SCE's Graph-Form Exhaust Gaskets

Offer easy-to-fit positive sealing in any severe duty exhaust systems from racing & performance to mild street applications. Will seal on warped, pitted or uneven surfaces up to 1/16". Outperforms all competing brands!



Exclusive high-density 1/8" thick carbon-graphite material outperforms all competing brands in sustained high temperature operation.



Scan for sizes, part numbers, benefits & discounted prices



In Stock: SB Chevy BB Chevy Late Hemi Early Hemi Donovan SB Mopar BB Mopar BB Mopar Ford 429 Arias Most \$28/ pr

Header Kits IN STOCK: SB Chevy BB Chevy 392 Hemi 426 Hemi 440 Mopar BAE, TFX, KB, Veney



Includes: Straps/ Flanges Single Wall ... \$395 Double Wall ... \$495



3/8" Thick Flanges *Weld-Up* .065 Wall Thickness *Kits*

Tested and Proven for over 40 years by top teams like: John Force, Frank Manzo, Jim Dunn, Jay Payne, etc..



Good Vibrations is proud to be the Title Sponsor of IHRA's *Top Sportsman* & *Top Dragster*, the Quickest & Fastest Sportsman IHRA classes.









800/576-7661

Billet Gear Drives

Proven by Top Fuel & Alcohol Teams

Billet Alum Cover Chromoly Gears Fixed Idler Premium Fasteners



One of the strongest on the market !

RCD-251000-0003 SBC	\$1053
RCD-251000-0006 SBC w/ BBC	<i>\$1053</i>
RCD-251000-0009 SBC Tall	\$1147
RCD-251000-0012 SBC Tall w/ BBC	\$1147
RCD-251500-0002 BBC	\$1075
RCD-251500-0040 KB OLDS	<i>\$1692</i>
RCD-253500-0004 TFX	\$1257
RCD-253500-0042 KB, BAE Tall	<i>\$1244</i>
RCD-254000-0040 417 Donovan	<i>\$1147</i>

Casale Cast Gear Drive Fits 440/ 426 Mopar, HEMI Tall Cam (KB, BAE, AA500)



3/8 Cam Hex **Heat-Treated Steel Gears Fixed Idler Gear 3pc Cam Torrington** **Fowler Billet Gear Drive KB-Olds and Arias Century** ACC-2740 ... \$1095



B-2115

Gear Drive Components

RCD-300205-0028 Cam Cover (RCD SBC) \$ 143 **RCD-300205-0032** Cam Cover All Others **\$ 169** RCD-300707-0002 Fuel Pump Alum Clamp \$ 153 **B-2121** Cam Cover (KB-BAE-TFX, etc..) \$ 89 RCD-300209-03 5/8-3/8 Steel Hex Adap ... \$ 43 B-2113 3/8 Premium Steel Shaft 3" \$ 69 **B-2115** 3/8 Premium Steel Shaft 5" \$ 69 RCD-300201-0032 QR RCD Ext 3 or 5" ... \$ 439 B-2123 QR Pump Ext Smooth 3" .. Fits RCD \$ 189 B-2125 QR Pump Ext Smooth 5" .. Fits RCD \$ 189 B-2126 QR Pump Ext 5" Fits Non-RCD \$ 189 B-2128 QR Pump Ext 5" Fits Non-RCD \$ 189

Heat Treated 4340 **Crank Gears**



Std, .010 .020 from **\$119**



B-2121

RCD-300209-03

RCD-300205-0028

RCD-300201-0032

Choice of: Double Keyway or, Splined: RCD or PSI

B-2123



Gear Drive

Assemblies &

Parts Online

B-2126

BILLET !!

RCD-300707-0002





Gear-Belt Drives⁵¹ **800/576-7661**

Cast Gear Drives

Will handle the rigors of blown and nitrous engines!

Cast Alum Cover Chromoly Gears Fixed Idler Quality Fasteners



Your Best Value!

Removable Cam Cover Adjustable Bolt Pattern on Cam Gear 3pc Bearing to Control Cam Movement

MIL-12000 SB CHEVY \$ 581
MIL-12250 SB CHEVY Injected \$ 626
MIL-12600 BB CHEVY \$ 648
MIL-12700 BB CHEVY Injected \$ 720
MIL-12608 BB CHVY Mk VI \$ 699
MIL-12706 BB CHVY Mk VI Inject \$ 792
MIL-13000 BB MPR/ Hemi \$ 662
MIL-13250 BB MPR/ Hemi Injected \$ 680
MIL-14900 DVD: How to Degree a Cam \$ 33

Quality Belt Drives

- Cam timing adjustment is made externally providing the easiest and most accurate tuning available.

- Billet aluminum Spider is made from 2024-T6 and is available as a solid unit for additional strength.

- Accessories available to run distributor drives, fuel pumps or oil pumps off front of cam.

- Hard coated Billet aluminum 7075 Upper Pulley features patented High Torq DriveTM tooth configuration.

- Teflon® coated high vacuum cam and crank seals.

- Patented High Torq DriveTM reinforced belt operates dry and spins with less friction than timing chains or gear drives and also absorbs harmonics.

- Crank Pulley is heat-treated steel and incorporates a High Torq DriveTM tooth configuration.

- Hardware is all Grade 8 Allen and TorxTM head design.



Aluminum Timing Cover

Polished Aluminum Cover, Gasket, Seal & Chrome Bolts!

ACC-2622 SB Chevy	\$ 29 .99
ACC-2632 BB Chevy	\$ 39 .99
ACC-2635 BBC Gen 5	\$ 39 .99*
ACC-2636 BBC Gen 6	\$ 39 .99*
* Cover Only	



Complete Drives

JES-KBD-31000 SB Chevy Standard \$ 979 JES-KBD-31200 SB Chevy w/ BB Snout .. \$1049 JES-KBD-32000 BB Chevy Standard \$1099 JES-KBD-35000 426 Hemi & 440 Mopar \$1299

Replacement Parts

JES-BEL-30990 SB Chevy Belt ... \$ 110 JES-BEL-31010 BB Chevy Belt ... \$ 115 JES-SEL-37200 SB Chevy Seal ... \$ 24 JES-SEL-37300 BB Chevy Seal .. \$



Budget Friendly Gear Drives

(Will not fit OEM roller)

Dual Idler

ACC-2720 SBC ACC-2730 BBC

\$99.99





Motor oils, transmission fluids and gear oils are flowing lubricants that provide a film barrier between metal surfaces pressing or rubbing together. The greater the film strength, the better the oil. However, in extreme pressure metal-to-metal areas, the film strength of oil is seriously thinned and is often completely squeezed out. On the other hand, *Prolong* is a bonding lubricant. *Prolong AFMT*TM interacts with metal surfaces in a molecular and chemical process to create a protective buffer on the surface of the metal. This is not a film or

coating over the metal. Molecules in the AFMTTM formula are polarized and actually bond with the metal surface. The layer of AFMTTM molecules is activated by extreme pressure and heat, meaning that *Prolong* lubrication performs best right where it is needed most! The result, AFMT[™] significantly reduces harmful friction and heat.

Fortified with Prolong's advanced technology, nothing Oil Stabilzer works better than Prolong Oil Stabilizer to help solve *lubrication-related* problems. Other oil stabilizers on the market do not include the necessary additives provided by today's motor oils, such as antioxidants. The formulation of Prolong Oil Stabilizer includes: Prolong's AFMTTM (Anti-Friction Metal Treatment) advanced technology as well as vital additives to provide a completely formulated oil stabilizer product, which sets this product apart from the other competitors. (32oz)



Works great in high horsepower, drag racing engines especially those injected or blown. Fuel: Gas, methonal, diesel or nitro fuels.

Product Overview: Reduces electrolysis, extreme pressure friction and excessive heat. **Displaces** moisture and protects metal surfaces. Helps prevent corrosion and oxidation. Formulated with unique, AFMTTM advanced technology formula. How to use: Add 10% to total volume of oil for gas, methanol, nitro or diesel fueled motors, engines or gear boxes. Add 5% to total volume for hydraulic systems and automatic transmissions. (32oz)

Race proven in most motorsports including: NASCAR, NHRA, Marine & Tractor Pulling PSL10010 \$35.95



50W Oil for Alky & Nitro

Nitro 50W Racing Oil, Specifically developed for racing engines fueled by Alcohol and Nitromethane. Exceeds the demands of high displacement, high RPM racing engines. (1 Gallon)

PSL14501.. \$32.90

Top teams like Larry Dixon trust their engines to Prolong.

Prolong Waterless Wash & Shine is a revolutionary new method of washing and shining your car in less than 15 minutes without water. No buckets, no hoses, no rinsing and drying! Simply spray on the surface and wipe dry. With Waterless Wash & Shine you can conveniently and quickly wash your race or show car anywhere, anytime. The unique formulation dissolves dirt and stains such as tree sap and bugs; special lubricating agents encapsulate the dirt so that it can easily be wiped off a car's delicate surface without scratching. Leaves a protective film that provides gloss, color and smoothness that conventional car washes fail to deliver. (17oz) PSL64017.. \$6.99 Safe & effective on race and show cars.

Wash & Shine



Super Penetrating Lubricant Spray is formulated with AFMTTM (Anti-Friction Metal Treatment) advanced technology to *lubricate*, penetrate, and prevent corrosion, free sticky mechanisms, displace moisture, stop squeaks, and reduce friction and wear on all metal surfaces. Easy-to-apply protection and lubrication for hundreds of performance & recreational uses as well as commercial and industrial applications such as light duty machining, tapping and drilling fluid. (16oz) Ideal for: Enderle & Hilborn fuel pumps, barrel valves & shutoffs.

Lubricant



4 oz PSL40004 \$4.99 16 oz PSL40016 \$9.99



Jim Kyle - Shelbyville, TN

AFMT





Professional Products at Sportsman **Prices!**



800/576-7661

Lucas Products 53

Racing Oil Key Benefits:

High Zinc Fortified Perfect oil for high RPM engines **Extra** Protection Lower Oil Temperature

INC

Compatible With Methanol Or Racing Gas Less Drag For More Horsepower!

Break-in Engine Oil

LOP-10635 20W-50 Oil 1 Qt\$ 7.99 LOP-10636 20W-50 Oil 5 Qt \$ 29.99



LOP-10620 20W-50 Oil 1 Qt\$ 8.99 LOP-10621 20W-50 Oil 5 Qt\$35.99 LOP-10044 50W Oil 1 Ot \$ 8.99 LOP-10094 50W Oil 2.5 Gal \$73.99 LOP-10265 70W Oil 2.5 Gal \$79.99



Synthetic Engine Oil LOP-10615 20W-50 Oil 1 Ot\$13.99 LOP-10616 20W-50 Oil 5 Qt \$56.99

Hot Rod & Classic Engine Oil LOP-10683 10W-40 Oil 5Qt \$35.99

Because many of these very special machines often spend long periods off the roads, special additives are formulated into the oil. Similar to Lucas' Marine oils that provide rust and corrosion protection

Super Coolant Lower cylinder head temps. Allow advanced timing and more horsepower. Reduce operating temperatures by up to 20° . Prevents corrosion and deposits that cause leaks, overheating, and cooling system failures.



LOP-10640 Super Coolant 16oz .. \$ 12.99

Transmission Sure Shift

Smooth, precise shifting * Extraordinary protection

This is no normal ATF formulation. It has been developed to give the smooth, precise shifts needed by racers and yet extends a degree of protection not found in any other ATF. This product will stop wear and tear like nothing you've ever tried. LOP-10052 Sure Shift 1 Ot...\$ 7.99



SAFEGUARDTM ETHANOL Fuel Conditioner With Stabilizers

Lucas SafeguardTM was developed to specifically address issues associated with using ethanol based fuels. This applies to E-10, E-15, E-85, pure ethanol and any mixtures in between including gasoline. SafeguardTM is completely soluble in all ethanol fuels and will not harm filters. Contains effective additives to prevent rust and corrosion associated with the use of ethanol fuels.



Treats 80 Gallons

LOP-10670 Ethanol/ Alky Conditioner 5.2oz \$ 6.99

Synthetic Gear Oil

SAE 75W-90 Synthetic Gear Oil is a non-foaming, super slick, long lasting lubricant designed especially for high performance applications where other gear lubricants just aren't good enough. Contains a special additive that cushions gears and resists "squeezing out" under extreme pressure situation. Specially designed to stand up to high temperatures without losing its lubricity.



LOP-10043 80W-90 1 Qt Non-Syn \$ 8.99 LOP-10047 75W-90 1 Qt Synthetic \$ 14.99

Extreme Pressure Valve Train Synthetic Grease

Greatly reduces friction on moving parts to prevent galling. Excellent adhesion quality. Excellent on all surfaces requir-

ing an extreme pressure lubricant. Perfect for assembly lube on rod bolts. Protects pushrod ends on initial start up. Essential for roller lifters, rockers, pushrods and camshafts.

LOP-10578 4 oz Can \$32.99 LOP-10563 1.5 oz Tube \$ 9.99



Semi-Synthetic Assembly Lube

Lucas High Performance Assembly Lube is designed for mechanics and technicians to pre lube bearings, cams, lifters and valve train. The Semi-Synthetic formula that contains ZINC, MOLY and other high pressure additives which offer maximum protection during engine breakin. Super slick and easy to use, Lucas High Performance Assembly Lube will eliminate dry starts and prevent seizing galling and scuffing.



LOP-10153 Assembly Lube 8oz \$ 7.99







800/576-7661

Front Offset Drive

Aluminum drive allows one to drive the fuel pump and magneto off the gear drive. Clamps to your fuel pump extension. Gear driven - no belt to replace!







ENDERLE

Billet Offset Drives

Accepts Mallory or MSD Mags. Belt Driven. Includes Bronze Gear.

Fixed Flange or Adjustable Clamp Styles.

Front Pump/ Magneto Drive (Sitko)

Ideal if rear blower clearance is a problem. Minimizes the effects of cam flex on timing.

	Chevy f Magneto Offsets (Dunn)	Hemi Specs Online
a ENGINEERING Front Pump/ Magneto Drive	 a. RCD-302000-0005 Front b. I-2062 Front Drive c. T-1016 MSD Support d. I-2030 Chevy Offset e. I-2040 KB, TFX, BAE f. I-2037 Cross Coupler 	\$1049 \$1089 \$169 \$748 \$865 \$36

Front Drive

Clamps to Pump Extension. Uses Std height BBC Base. Positions magneto behind blower belt. Includes Support Bracket.

RCD-302500-0010

\$ 932

Same as unit to the left though it does **NOT** require a magneto base. Works with Mallory or MSD magnetos.

Move your Distributor or Mag to the front.

RCD-302507-0001 CW RCD-302507-0002 CCW



Great for supercharged alcohol engines! **Includes:** Generator Assembly, Billet Alum Base, Pro Coil, OD Wiring, Instructions and Case.

M-37-36544 LH Hemi Pro Cap M-37-33744 RH 392 Hemi Pro Cap M-37-59544 RH Chevy Pro Cap M-37-59514 RH Chevy Stack Cap

from **\$ 1329** Includes padded shipping case!

Also Available for Fords & Mopar

Billet Magneto Bases

- a. **M-37590** Chevy Base w/ Bronze Gear \$ 328 M-37365 Hemi Straight Base \$ 298
- b. **RCD-303000-0015** Hemi Angled Base \$1096
- c. **I-2042** Hemi Hold-Down Clamp *§* 67
- 29 d. **M-45520** Alum Slip Collar Clamp Hemi 🖇
- e. **I-2038** Magneto Clamp Billet Alum \$ - 99
- **49** f. M-26041A SS Steel Magneto Clamp \$
- g. I-2070 Chevy .491 I-2073 .500 Bronze Gear \$ 49
- h. E-7025 Hemi Straight Base w/ oil shaft ... \$ 389







Magnetos

Magneto Components






M-205M	HEI Stack Cap	\$ 71.99
M-29745	HEI Pro Cap	\$ 62. 99
M-29744	Wire Retainer	\$ 33.99
M-260071	B 4 Pin Drive Flange	\$ 37.99
M-26030	Woodruff Key	\$ 1.95
M-28974	Timing Indicator	\$ 5.99
M-28862	Wiring Harness	\$ 13.99

Convert Mallory 4-Pin to X-Driver

IHRA, NHRA, NTPA legal





Magneto Timing Mechanism

Advance & Retard Magneto Timing

> **Operates** on 12V or CO2

> > I-2010 12V I-1212 CO2 \$ 709



Spark Plug Wire

8mm Plug Wires are designed to withstand temperatures over 500 degrees. Tinned Copper solid core are for points FIE magneto equipped engines.

Stilling Mar	I-
and security	I-
	I-
and the second sec	

-2222 Most w/ 90 Deg Ends	\$ 66
-2212 Hemi w/ Straight Ends	\$ 169
-2231 Bulk Wire red (foot)	\$1. 87

Suppresion wire. Add \$10/ set

SUPER-MAG Transformer

COIL is externally mounted making for a more efficient and powerful magneto. HEI style contact terminals resulting in a more positive wire retention.

M-28900A	Pro Oil-Filled SMIII	\$ 249
M-28900B	Epoxy-Filled Coil	\$ 249
M-28901	Pro Oil SMV 5-10amps	\$ 439



Magneto Timing Buzzer Necessary To Set Magneto Timing Lights & **Buzzes**

Kill Switches





I-2098 ... \$ 79.99

Premium Super Mag Kill Switch M-26074 **\$29**

Designed specifically for Mallory & MSD magnetos. Positive pushoff. Internally sealed to prevent corrosion. Single or dual mags.

I-2096 Mallory I-2097 MSD 44 (I-2099 Change Over \$89)

Air Actuated Kill Switch

Ideal for Nostalgia TF & Alky. Prevents the engine from firing

without turning on your CO2.










56 Valve Covers

800/576-7661

Fabricated Valve Covers

Fabricated from 6061 alum and welded with billet rails. Designed for the hot rodder who demands a higher quality valve cover with extra room for valve train.





SBF

Mopar

ACC-2334 BB Chevy \$ 179 ACC-2364 SB Ford \$ 149 ACC-2384 BB Ford \$ 149 ACC-2342 SB Mopar \$ 149 ACC-2344 BB Mopar 440 \$ 179

ACC-2356 426 HEMI \$ 396



Dress Up Kits

Consist of chrome steel valve covers (baffled), breather cap and rubber grommets. Several kits contain chrome timing chain cover, dipstick with tube, wing nuts and timing tab.

ACC-2420 SBC Kit - Short \$ 44.95 ACC-2422 SBC Kit - Tall \$ 44.95 ACC-2460 Ford 289-351W \$ 49.95 ACC-2430 BBC Kit - Short \$ 54.95 ACC-2432 BBC Kit - Tall \$ 54.95 ACC-2440 SB Mopar Kit \$ 49.95 ACC-2438 Pontiac Kit 331-455849.95



\$396/pr ACC-2350

Quick-Disconnect Burndown Tubes See Page 18





Recessed & Baffled Hole for Breather

ACC-2320 SB Chevy 283-350	\$	79. 95
ACC-2330 BB Chevy 396-502	\$1	09. 95
ACC-2360 289-351W 5.0L Ford	\$	84. 95
ACC-2300 Wing Nut 1/4 -20 x 4in	\$	2. 50

SB Chevy



SB Mopar

Hemi Dual Plug

Alum Block Offs

For those running

dual plug covers with

single mag. Set of 8.



Pontiac





PreLoved Parts 57

800/576-7661

***** Preowned Performance Parts *****

We pay CASH for good, used Race Parts!



Roots Blowers Pulleys & Belts Injection Hats Fuel Pumps Safety Equipment Magneto Ignitions Oil Pumps Specialty Tools AN Fittings & Hose Zoomie Headers



Current Used Parts Inventory

is Online

回光

Pro Mod Fuel Cell

This new **8 gallon** Pro Mod Fuel Cell measures 14"x17" and is 10-1/ 4" tall at the rear. Its unique shape is well suited to front mount applications. It also features an aircraft style cap assembly and is **certified**.

This fuel cell comes standard with: Two AN-12 Fast Flow outlet fittings One AN-8 Tip Over Valve vent Two AN-8 return lines with an Anti-Aeration Tube attached.

Funny Car/ Altered Cell

Specially designed with one AN12 pickup (optional AN16). Has one AN6 on top for venting. Multiple fuel injection lines can be easily installed near the top of this cell. 29



With Fittings \$311 Without Fittings \$199

ed Cell (6). t- 12 Gallon 290-112-01 \$249

Need some **FREE** Tuning Advice?

Call upon the Good Vibrations team. They have won an unprecedented 5 CIFCA Championships. And they are eager to share their knowledge and experience with you.



Our Ultimate Goal is Your Success!





800/576-7661

RePlay Camera[®]

58

Replay Your Pass!



Full 1080 High Defintion!

Video/ Photo Selection LED & Buzzer Sensors Waterproof Aluminum Simple Press One Touch Lightweight 2oz! 120 Deg Wide Field Built-in Microphone Racer Friendly !!

Mount the Replay XD 1080 Mini anywhere. The all-round shape and small size truly make this camera the most versatile. LowBoy Mount (Fixed): Lowest profile mount, offers 360° lens rotation. Designed to be low and out-of-the-way.



Image Stability Unmatched by any Other Camera

ACC-3606 XD1080 PRIME Mini video camera system \$ 299



Tony Bartone - TF Winner

The *Good Vibrations Motorsports March Meet* is a historic race held annually at the famous Auto Club Famoso Raceway in Bakersfield, Calfiornia. It draws racers and fans from around the world especially Australia, United Kingdom, Europe and Canada. *A Bucket-List event!*

Check out Race Results, Pictures and Videos & More Online!





Stephen Densham - FC Winner





At Dragparts.com, we strive to provide high quality performance products at discount prices without sacrificing customer service.

Good Vibrations

8858 Painter Ave, Suite E Whittier, CA 90602

Proudly Made in the USA Since 1989



New Racing Products Used Racing Products Free Technical Advice Online How-To-Videos



From mild street rods to blown alky racing, we speak your language!



New & Preowned Performance Products

Toll Free (800) 576-7661

