


# Specializing in Fuel Injection & Supercharged Applications



DragParts.com 800.576.7661

At Good Vibrations Motorsports we strive to provide high quality performance products at discount prices without sacrificing customer service.

#### This catalog is Smart Phone & Tablet Friendly !!





#### Why Scan the QR Codes? \* Order Online \* Current Prices

- \* Specifications
- \* Options (Color, Sizes, etc..)
- \* Technical Tips
- \* How-To-Videos
- \* Discounts & Promotions!
- \* Download Catalog
- \* And Much, Much More....

 $\sim$ 



of Auto Club Famoso Raceway

How to Contact Us



Orders... 800/576-7661 E-mail.... sales@DragParts.com Tech/BS 562/945-7669 Web...... GoodVibrationsRacing.com Ship & Snail Mail: 8858 Painter Ave, Ste. E, Whittier, CA 90602 USA

#### Why Buy From Good Vibrations?

\* Prices Never pay Retail. All products are generously discounted. \* **Ouality** We sell premium quality products only. \* Technical Support No Question is too tough. Deal directly with enthusiasts that speak your language. \* **Promptness** 

#### **98% of orders are shipped the same day** :-)))



We also Ship International Daily!



Good Vibrations is a Major Sponsor of these IHRA IHRA Nationals!



Event Dates & Info

### Class Sponsor! TOP DRAGSTER TOP SPORTSMAN

#### **Telephone Orders**

Open between 6am - 5pm (PST) Mon-Fri. Also online at: GoodVibrationsRacing.com. Most orders are processed and shipped within 24 hours. UPS, DHL & USPS are the methods of shipping unless otherwise specified. Domestic UPS Ground is approximately 1-4 business days, depending on your location. Faster service is available (*See chart on left page*).

#### Payment Policy & Returns

Orders can be Paid by Amer Express, Mastercard, Visa, Discover credit/debit cards or Paypal. No reasonable return will be refused though cancelled orders and returns can be subject up to a 20% restock fee. A copy of the original should accompany all returns within 30 days of the original purchase date. A RMA number is required for returns.

#### Freight & Shipping

All shipments are shipped freight prepaid unless other arrangements are made. All shipments are fully insured. If your shipment is damaged, save all packaging material and contact the freight carrier immediately.

#### **Prices & Specifications**

California Sales are subject to state sales taxes. All prices are subject to change without notice.

#### **Shortages or Discrepancies**

All shortages or discrepancies must be reported within 10 days from receipt of shipment. Please include invoice number and date of receipt.

#### <u>Warranty</u>

THIS MERCHANDISE IS INTENDED FOR OFF-HIGHWAY USE, MAINLY RACING THE EFFECTIVENESS WARRANTY AND LONGEVITY OF THIS EQUIPMENT ARE RELATED DIRECTLY TO THE MANNER IN WHICH IT IS INSTALLED, USED AND /OR MAINTAINED. WE CANNOT BE RESPONSIBLE FOR THE QUALITY OF INSTALLATION, AND WE ARE NOT RESPONSIBLE FOR DAMAGE OR INJURY, DIRECT OR CONSE-QUENTIAL, LOSS OR CASUALTY WHICH MIGHT RESULT FROM CIRCUMSTANCES BEYOND OUR CONTROL. Some products carry the manufacturers warranty. Not for sale or use on pollution controlled vehicles

<b>Fuel Injection</b>	4-13	
Linkage-Cables	14-15	
Supercharging	16-25	
<b>Bearings-Rings</b>	26-27	
Valve Covers-Pit Mat	28-29	
<b>Steering - Brakes</b>	30	
Tabs - Rod Ends	31	
Starters	32	
Safety Product	33-37	
<b>Specialty Tools</b>	38-41	
<b>Hose &amp; Fittings</b>	42-47	
Gaskets	48-51	
Gear Drives	52-53	
Oils & Lubes	54-55	
Magnetos	56-57	
JAZ Products	58-59	
Oil Systems	60-62	
Neat Stuff	63	
Team 111 A C 7		











### **Electric Pumps**<sup>4</sup>

### **Phantom Universal**

Phantom Universal Fuel Pump System allows the option to install a High-Performance pump inside virtually any fuel tank from 6" deep to 11" deep, including your factory tank and can support both Forced Induction and Naturally Aspirated motors.

AER-18309 Dual Phantom Sys \$687 AER-18688 Single Phantom Sys \$489



**340 Stealth Series** 

340 Stealth Series are High-Output Electric Pumps that will fit most popular EFI & CARB applications. Pump will bolt onto many existing Hanger assemblies. 2 styles: Center or Offset Inlet.

AER-11540 Center Inlet AER-11142 Offset Inlet



A1000 Fuel Pump Series is ideal for high horsepower EFI or Carb applications. Features a Female AN10 ORB inlet and a AN10 ORB outlet port.

Pump is fully submersible for custom In-Tank placement.

AER-11101 In-Line. 1000HP EFI / 1300HP Carbs ...... \$398



Erica Enders-Stevens Back To Back Pro Stock Championships with Aeromotive A-3000 Fuel System !!

### A3000 Series

Ideal for high horsepower Carb applications. Features a Female AN12 ORB inlet and a AN10 ORB outlet port. Ideal for Bracket Cars, Pro Mods, etc..

6.8gpm @ 5psi (over 400gph)

а

Regulator & Filter can be clocked in 45 degree increments.

AER-11215	Complete Kit	<b>\$598</b>
AER-11216	A3000 Pump	<i>\$329</i>
AER-11217	Adj Regulator	<b>\$138</b>
AER-11218	100 Micron Filter	<i>\$179</i>

#### Gas or Alcohol

### Adjustable Regulators

Aeromotive Regulators are some of the finest on the market. Machined from Billet Aluminum. Includes mounting bracket.





a. AER-13109 EFI. Two AN6 Inlets w/ One AN6 Return \$181 b. AER-13204 Carbs. By-Pass. 2-Port ...... \$189 c. AER-13301 Carbs. By-Pass. 3-Port 3/8 npt ..... \$151

Available for EFI & Carb Applications





# **800/576-7661**

**Fuel Injection** 


Female AN10



In & Out Compatible to

Enderle's 80A-1

**AER-11107** 6.8gpm **\$714** 





**Billet Fuel Pumps** 

Fuel pumps are flowed and compatible with all fuels. Billet G-Rotor Gear pumps are CNC machined to perfection and hard

anodized for durability. Cam driven (CW) or belt driven off the crank

AER-11745 Female AN8 AER-11746 Female AN12 **AER-11747** Male AN16 AER-11748 Male 1.25 Barb

0
0 0

**ATOMIC** Compatible to Enderle's 110





**Billet Y-Blocks** 

Includes: SS bolts & O-rings

Anodized Black Corrosion Resistance Compatible with all fuels

AER-15673	AN8-6	\$ <i>43</i>
AER-15674	AN8-8	\$ 55
AER-15675	AN10-8	\$ 47
AER-15677	AN12-8	\$ 56



Spur Gear Fuel Pumps

Billet Gear pumps are CNC machined to perfection and are type III hard coat anodized for durability. These pumps can be cam driven (CW rotation) or belt driven off the crank (CCW rotation). Utilizes a 3/8in

hex drive shaft. Outlet and inlet fittings are interchangeable. Pumps have the ability to be mounted with the standard 4-bolt pattern or with a quick-release flange (sold separately).

**COMPLETE:** Pump, Inlet & Outlet Fittings, 3-way Shut-Off Valve and Q.R. Clamp.

	00		
AER-11134	16gpm (Alky or Nitro)	\$1526	
AER-11935	21.0gpm. IHRA Nost FC	\$1587	
AER-11935.C	21.0gpm. FC Complete	<i>\$1928</i>	
AER-11940	20.9gpm. NHRA Nost FC	\$1869	
AER-11940.C	20.9gpm. FC Complete	<i>\$1998</i>	
AER-11941	20.0gpm. NHRA Drgstr	\$1869	
AER-11941.C	20.0gpm. Dgstr Complete	\$1998	

Legal !

Got

Nitro?

#### **Spur Gear Pump Components**







7	AER-11730	1.250 Male Inlet Fitting	\$ <b>4</b> 8
In	AER-11731	1.500 Male Inlet Fitting	\$ <b>4</b> 8
Stock!	AER-11733	AN10 Female Fitting	\$ <b>4</b> 8
AEROMOTIVE	AER-11734	AN12 Female Fitting	\$ <b>4</b> 8
Ships	AER-11735	Quick-Release Flange	\$ 58
Same	AER-11736	3 & 4 Bolt Flange	\$ 58
Day!	AER-11741	Shut-Off Valve Alky	\$ <i>210</i>
Duy:	AER-11743	Shut-Off Valve Nitro	\$ <i>210</i>



Clarence & Jeremy: Depends on 5 Aeromotive Pumps !







### 6 **Fuel Injection** 800/576-7661



**Good Vibrations** Motorsports is the Largest Dealer in the World of **Enderle Fuel Injection** products!!







**Options!** 

Blower Injectors are complete with: Polished hat, Barrel Valve, Fuel Lines (Rubber or SS), Nozzles & Bodies, Check Valve, Distribution Block & **Bypass Pills**, Instructions.

It's Back!

E-1001 Bugcatcher *Gas \$* 1339 E-1002 Bugcatcher Alky \$ 1274 E-1003 Birdcatcher Gas \$ 1536 E-1004 Birdcatcher Alky \$ 1469

Injector Assemblies are set up *FREE* per customer application !

#### **3-Rib Nostalgia Bugcatcher**

This cool injector is nearly identical to the original Bugcatcher of days gone by. Has the three ribs on the top rear. Ideal for that nostalgia look.

> E-4005F Partial Hat .... \$ 676 E-1002F Complete Assy \$1319

#### **Injector Hat - Partial**

Includes: Polished Hat. Shaft, Stops, **Double Arms** and Butterflies.



**79** 

13

E-4005 Bug \$ 629 E-4006 Bird \$832



Sand Drags \* Mud Bogs **Tractor Pullers** 





Professional Products at Sportsman Prices!



### **Fuel Injection**<sup>7</sup>

Injector Hats 2 800/576-7661





*COMPLETE:* Hat, Barrel Valve, Fuel Lines, Nozzles & Bodies, Check Valve, Dist Block & Bypass Pills. *Partial Includes:* Polished Hat, Shaft, Butterflies, Stops & Arms.

#### **Polished Aluminum**

#### **Complete Assembly**

**E-BAU-3-36** 3 9/16".. **\$2071** or 4 3/8" ... **\$ 2056 E-BAU-1-5** 5" ...... **\$2342** or 9/16" ... **\$ 2327** 


#### **Partial Assembly**

E-BAU-3SB-36 3 9/16" \$1289 or 4 3/8" \$ 1274 E-BAU-1-SB-5 5" \$1560 or 5 9/16" \$ 1545

> 4 Butterfly Sizes: 3 9/16, 4 3/8, 5 & 5 9/16"

Weight 16lbs, 2 Heights: 8.3" Tall or 10.5"

Aluminum Injector Hat is Enderle's replica of the original carbon fiber hats. It has a highly luster polished finish and billet front.



#### **Carbon w/ Billet Alum Front**

8" Tall & 5 9/16 Butterflies. E-BAU-4 Complete .. \$ 4154 Partial .. \$ 3372

#### **3-Hole Upright Injectors**



Ideal for: Tractor Pullers Mud Boggers Magnesium !



Fits Blower or Tunnel Ram E-1013A with Filters ... \$1677 E-1014A w/o Filters .... \$1464



*Need some FREE Tuning Advice?* Call upon the Good Vibrations team. They have won an unprecedented 5 CIFCA Championships. And they are eager to share their knowledge and experience with you.





## Fuel Injection <sup>8</sup> 800/576-7661

### Why Enderle Fuel Injection ?

\* Consistent & Responsive
\* Dependable & Affordable
\* FREE Tech Support
\* Looks Cool!



Intake sold separately Tunnel Ram Injectors are Complete with:

Polished Hat, Barrel Valve, Fuel Lines, Nozzles & Bodies, Main and Secondary Check Valves, Dist Block & Bypass Pills.


E-2100A Bugcatcher Assy
E-2101A Birdcatcher Assy
E-BAU-3A-36 Big & Ugly
E-7070 Edelbrock SBC TR Base
E-7075 Edelbrock BBC TR Base
E-6209 Dart BBC Tall Deck w/ Adap
E-460BT Blue Thunder BBF Base
E-TRA7075 BBC Top Adap Plate
E-SBTRA SBC Top Adap Plate
E-6233 BBC Dart Top Adap Plate



Online Prices & Styles

Injectors are set up per customer application **FREE** at NO additional charge.

### **Convert Your 4 Barrel Manifold into Fuel Injection!**



### Very Consistent & Responsive

*Injectors complete with:* Barrel Valve, Lines, Nozzles, Pills and Air Filter Bracket. Has standard Holley four barrel bolt pattern. **Gas, E85 or Alky.** 

*FREE* Setup and Calibration per your Application!

**Single/Dual Butterfly Injector** 



Single Body - Assembly E-2020.39 4" \$1169 E-2020.50 5" \$1189 Dual Body - Assembly E-2030.39 4" \$1639 E-2030.50 5" \$1699 Single Body - Partial E-4080.39 4" \$420 E-4080.50 5" \$462 Air Filter Assembly E-2020.39F 4" \$212 E-2020.50F 5" \$232 Progressive Linkage E-67-260FSB \$59





### **Fuel Injection** 800/576-7661

#### **Stainless Steel Pump Loop Lines**

Pre-bent stainless steel loop lines are most **\$21** Line Only designed to return fuel to inlet of pump.

E-110SOT6 110 Shutoff using a tee (shown) E-110HS6 110 High Speed **Pump Inlet** 

E-110SO6 110 Shutoff Fitting with E-80AHS6 80A High Speed Returns. E-80ASO6 80A Shutoff from \$43 E-80ASOT6 80A Shutoff using a tee E-LOOP-AN6 AN6 K-style B/V (shown)

Complete Loop Kits: \$75 to \$89



**Billet Fuel Logs** Mounts to the side of

Shutoff Valve.

FI-2100 **\$99** 

FI-2106 Routes three AN6 returns. Side or bottom outlet.

Routes four AN6 returns into one outlet. Accepts "Screw-In" style bypass pills.

#### **Pump Belt Drive**

Belt Drive Kits allow one to drive the fuel pump off the crankshaft. Required if your water pump blocks access from **\$294** to the cam.

E-5011 SBC E-5010 BBC E-5012 SBF E-5014 BB Mopar E-5014A Blown E-5015 BBF



### **Flowed Fuel Pumps**

Pumps are *Coated* inside. **Cam or Belt Driven** 



E-3002 80A-0 (4.5 gpm) \$ 547 E-3003 80A-1 (7.1 gpm) \$ 547 E-3003.DSR 80A-1 (7.5)\$ 589 E-3004A 600 (9.2 gpm) \$ 595 E-3004 110 (13.2 gpm) \$ 595 E-3005 990 (15.7 gpm) \$696 E-3006 1100 (17.2 gpm) \$ 738 E-3008 1270 (20.2 gpm) \$ 809 **Pump** Components E-2000C 3-Hole Collar \$ 41 E-3000C 4-Hole Collar **59** \$ **E-88011** 11mm Bearing *\$* 14 E-6002 ZZ 15mm Brng *\$* 13 E-114HC-11 .433 Seal 24 E-114HC-15 .590 Seal 24 \$

**E-PS-15** .590 Seal -New **\$** 

10

#### **Fuel Pump Exts**

3pc Billet Aluminum 360 Degrees Adjustable Internal Shaft & Bearing

NDERLE



\$ 132

\$ 162

**\$ 43** 

Standard Ext from Lengths: **Quick Release** from **2 - 6 inches** FI-2315 SS Clamp 1/2" increment FI-5213 Billet Clamp \$ 139

#### **3-Way Fuel Shutoff Valve**

Adjustable 360 Degrees and includes Arm & Fittings.

**Mandatory on Enderle pumps** 

Shutoff Valve E-85110 AN6 ..... \$ 95 E-85210 AN8 ..... \$ 127 E-85310.12 AN12 ... \$ 172 **O-Ring**/ Seal Kit

E-85103 AN6 13 00 E-85203 AN8

Also in stock for Nitro.

S/O Bracket Kit

E-80ABR 80A Pumps \$35,99 E-110BR 110 Series

#### **Over-Center Spring Bracket Assy**

This bracket setup will hold the Enderle shutoff valve positively in the *ON* position until it is turned off manually. FIE

Includes: Billet Alum Bracket, SS Spring, Bolt & Nut. FI-5140 AN6 S/O \$39.99 FI-5142 AN8 S/O FI-5144 AN12 S/O









### 10 **Fuel Injection** 800/576-7661

#### **Premium Fuel Injection Components**

E-4011A.44B	E /	4011 <b>A</b>	E-4026
			100
		<b>\$</b>	6 V .~
E-4011A	E-4011B	May Solo	WOV?
E-4013 * 4014 * 4103CF	E-4011B	E-4012.31	E-4012.44B
E-4013 Bugcatcher Butterfly	Butterfl	v Colors	\$ 15.99
E-4014 Birdcatcher Butterfly	Black, R		<b>\$ 19</b> .99
E-4103 Buzzard Butterfly	Purple	, Plain	\$ 22.99
E-4103CF Big/ Ugly Butterfly			\$ 26.99
E-4011 Small Serrated Arm BI	LLET		<b>\$ 10</b> .99
E-4011A-5/16 Double Serrated	Arm Bug		. \$ 18.99
E-4011A Double Serrated Arm 7	/16 Bird/Bi	uzz/BAU	\$ 18.99
E-4011A.44B Double Serrated	Arm 7/16	BILLET	\$ 38.99
E-4011B Long Double Serrated	l Arm Biro	d/Buzz	\$ 20.99
E-4012.31 Throttle Stop Bug 5.	/16		<b>\$ 11</b> .99
E-4012.44B Throttle Stop 7/16 Bir	d/Buzz/BA	J BILLET	\$ 23.99
E-4012TS Throttle Stop Thum	b Screw		<b>\$ 1</b> .99
E-4026 Barrel Valve Linkage T	urnbuckle	Assy	\$ 16.99



E-5001 SB Chevy Alum Front Cover \$ 128.99	E-5005A
<b>E-5002</b> SB Chevy Front Cover Seal \$ 15.99	(STA)
<b>E-5003</b> SB Ford Alum Front Cover \$ 124.99	
<b>E-5004</b> BB Chevy Alum Front Cover \$ 128.99	
<b>E-5008</b> Chevy Hex Drive Assembly \$ 51.99	E-4010
E-5005A 426 Hemi Hex Drive \$ 26.99	
<b>E-4009</b> Bugcatcher Shaft \$ 90.99	
<b>E-4010</b> Birdcatcher Shaft \$ 111.99	
E-4102 Buzzardcatcher Shaft \$ 124.99	
E-4102CF Big & Ugly Shaft \$ 128.99	\
<b>B-5019</b> Hat Injector Stud & Nut Kit (4pc) \$ 11.99	1

#### **Fuel Distribution Blocks**

Distribution Blocks feature a black billet	1
aluminum housing and includes fittings.	
Machined for use with a primer check valve.	(
E-4027VW Block w/ 4 fittings \$ 36.99	
E-4027 Hat Block w/ 8 fittings \$ 69.99	
E-4028 Port Block w/ 8 fittings \$ 63.99	
E-4028A Port Block w/ 12 fittings \$ 75.99	



poppet design. PSI is varied by springs and shims.

AN6 Check Valves	\$ 40.99	BBBB	086
AN6 Check Valves AN8 Check Valves Primer Check Valve AN4	\$ 59.99	0000	
Primer Check Valve AN4	\$ 23.99	8866	
AN6 Spring & Shim Kit			0000





### **Fuel Injection**

Large Selection Discounted Prices 800/576-7661

#### **Bypass Pills, Nozzle Jets, Holders**

Enderle *Bypass Pills* are the "Screw-In style" and are designed to divert fuel away from the engine. The larger the pill, the leaner the mixture.



Sizes: .020 to .209

E-7009 Bypass Pill \$3.99



Hi-Speed kit .050-.095 \$37.99



damaging. Stores 8 pills.

E-7009.SD Driver \$34.99



Alum storage holder is a convenient place to store up to 40 bypass pills. E-7010 Holder \$17.99

#### Enderle *Nozzle Jets* are the "Screw-In" style





#### On-Board Self Primer System

Special 4psi check valve controls fuel. Choice: Stainless-Steel or 1qt Poly tank. Prime mechanical fuel injection from inside the driver's cockpit.

Kit Includes Fuel Cell Primer Check Valve 5' Premium Hose Hose Fittings



FI-5134 SS System w/o pump ...... \$ 99.99 FI-5135 SS System w/ 12 Volt pump \$135.99



#### **Billet** Adapter

Allows one to bolt a smaller hat (13.25" bolt pattern) to a large blower (15.25" bolt pattern). E-BS2 2in Injector Spacer .... \$ 99 **E-BS3** 3in Injector Spacer .... \$103 **B-9055** Billet Hat Adapter .... \$169 **B-6019** Hat Stud Kit ..... *§* 12

**Polished Spacers** Height: 2 or 3" C-C: 13.25" **Includes Hardware** 

#### **Hi-Flow** Adapter

Machined from billet aluminum & oringed. Accepts Enderle or Hilborn hats & carb adapter plates. 2" high & 3" forward offset for improved airflow.

B-9058 Polished \$ 398 B-9059 Anodized Black **Includes O-ring and Mounting Hardware !** 





### **Fuel Injection**

### 800/576-7661

### **Barrel Valves**

Enderle Barrel Valves can be used on Gas, E85, Alky, Nitro. Available for Blowers & Naturally Aspirated.



E-MVORM O-Ring Kit (Specify Style) \$	<i>10</i>
E-4018 Gas Metering Piston \$	77
E-4018-32 Tunnel Ram Metering Piston \$	77
E-4019 Alcohol Metering Piston \$	77
E-4020 Nitro Metering Piston K-Style \$	<b>98</b>
E-4020A Alky Metering Piston K-Style \$	<b>98</b>
E-4023 Barrel Valve Assy Square-Style Alky \$ 2	88
E-4024A Barrel Valve Assy K-Style Alky \$ 3	42
E-4024A.PSI Barrel Valve Assy K-Style PSI \$ 3	<b>42</b>

#### **12V Electronic Fuel Lean-Outs**



As a high-speed lean out, this valve can be activated with an RPM activated switch, timer or momentary switch. Fuel will be taken away at the top end for best horsepower. What's a "Converter helper"? When a fuel injected motor is on a rev-limiter, the motor cools down severely since a large quantity of fuel is not being burned. This valve can be wired to the transbrake circuit so that when the transbrake is set, the valve opens and keeps the motor hot, lean and mean while on the rev-limiter.

FI-5101 Lean Out FI-5103 Enrichment



### Barrel Valve Leakdown

- \* Block off all injector lines & returns except for hat nozzles
- \* Connect dual gauge tester to outlet of compressor
- \* Set air compressor to read 0% on 2nd gauge




**T-2003** 

119

- \* Connect tester to inlet of barrel valve
- \* Read % leakage on 2nd gauge
- \* Adjust linkage turnbuckle for desired %
  - (Lengthen to Richen, Shorten to Lean)

#### Leakdown Tester **Professional Grade Includes Injector Hose**



**Dual Gauge** Leakdown Tester

**Injector Hose \$19** T-2006 AN6 T-2008 AN8

#### **Hi-Speed Assembly**

Bleeds off fuel at higher rpm. Frees up top-end horsepower. Install anywhere between pump and distribution block. Variety of Pressures Available. Accepts Enderle Bypass Pill.



E-7019 Unblown AN6 Tee E-7018 Blown AN8 Tee







**Premium Fuel Filters** Anodized **Black** or **Red** 

System One filters are made from billet alum and feature a reusable 30 micron SS filter. Handles high pressure without volume loss.

ENDERLE

**Replacement SS Elements** from \$51

E-4057 **\$104** 

Race -	<i>Long</i> 2 x 9" <i>\$151</i>	<i>Race</i> 2 x 6" <i>\$125</i>
AN6	SYS-202-202406	SYS-201-203406
AN8	SYS-202-202408	SYS-201-203408
<b>AN10</b>	SYS-202-202410	SYS-201-203410
AN12	SYS-202-202412	SYS-201-203412

Designed to mount before

the pump. AN12 female

ports and a reusable #40 stainless steel screen.

Foot pad is tapped with

1/4 -20 threads for easy

E-4056 w/o Shutoff \$68

mounting.

125 Pro-Street 2 x 4" \$99 SYS-200-201406 SYS-200-201408 SYS-200-201410



Used by

XRP:


Viton O-Rings 60 or 120 Micron 2.50" x 3.90"

Gas, E85, Alky, Nitro

X-7106SAN.60 60 Micron AN6 \$149 X-7108SAN.60 60 Micron AN8 X-7110SAN.60 60 Micron AN10 X-7112SAN.120 120 Micron AN12

**Fuel Injection** 

**800/576-7661** 



JAZ economical inline billet aluminum *filters* are 5in long and feature a 35 micron element.

Gas Only \$45 JAZ-836-006-11 AN6 JAZ-836-008-11 AN8 JAZ-836-010-11 AN10 JAZ-836-001-11 3/8" Barb





Only	<b>X-/10030</b>	0-30psi
Only	X-710060	0-60psi
<b>\$39</b> .99	<b>X-710100</b>	0-100psi

Blower Boost Memory Kit .. \$ 45 **Records Highest Reading B-5130** (Gauge not included in kit)

#### **Injector De-Icer**

Spray directly onto Injecto Butterflies to prevent sticking & freezing. 11oz Aerosol FI-7150 .. **\$ 6**.99



**Hydrometers** 





*Complete with:* Hydrometers, Glass Beaker, Thermometer, Padded Case and Instructions. Also checks: Gas, Methanol & Ethanol.

#### Hydrometer Kits

**T-1200** Gas & Alky. 1 Hydrometer \$ 198 **T-1203** 0-30 Nitro. 2 Hydrometers **\$ 225 T-1204** 0-60 Nitro. 3 Hydrometers \$ 251 **T-1205** 0-100 Nitro. 4 Hydrometers *\$ 278* 

#### Hydrometer Only

T-1210 Hydrometer Gas-Methanol T-1213 Hydrometer 5-30% Nitro \$29.99 T-1215 Hydrometer 30-60% Nitro T-1217 Hydrometer 60-100% Nitro

#### *Components*

**T-1220** Padded Case *§* 89 Successful **T-1222** Glass Beaker *§* 42 Pros & **T-1224** Thermometer *\$* 57 Sportsmen

E-7012 Hydrometer Kit Gas/Alky .. \$ 165 E-7013 Hydrometer Kit Nitro ...... \$ 176 **E-7014** Nitro Hydrometer only ...... \$ **68** E-7014B Gas/Alky Hydrometer ..... \$ 57 **E-7015** Beaker only ...... \$ *43* E-7016 Wood Case ...... \$ 77



2.5 x 9"

AER-12332 .. \$237







6061 Billet Aluminum

(Swingover hookclamp

optional on F-5111)

#### 14 **Linkage Kits**

### 800/576-7661





FI-5113 Most Hats FI-5114 PSI Hat

FI-5111 Most Hats

#### **QR** Throttle Stop

Quick Release in < 1 Second Billet Aluminum w/ SS Pin Top Fuel & Alcohol Legal

> \$ 59.99 FI-5120



\*\*\*\*\*

FI-5115 Strong FI-5116 Medium

Special bend prevents spring from detaching from Injector. Includes Grade 8 10-24 bolt & locking nut.



**Adjustable Bell Crank Assembly Billet Aluminum** 

Stainless-Steel Fasteners

E-34-500 \$62.99





Designed to work with mechanical fuel injection (Bug or Birdcatcher) on blown applications only. Adjustable heime end design and needle bearings for smooth throttle operation. E-76-GVIHL

#### **BILLET Throttle Cable Brackets**



Works with Bug or Bird. Anodized Aluminum. Mounts to front of Blower. Swingover Hook clamp. Provision for Springs.







E-72-2000 SBC E-71-1000 BBC

Everything needed

for mounting **Dual** 

**Carbs** on a Tunnel

Ram Side-Saddle.

\$ 119.99

E-75-107 Ford 351C E-75-220 Ford 460



For dual Holley double-pumpers, Dominators, Predators & Carters mounted *Side-Saddle*. Includes adjustable heime-end design and needle bearings for smooth throttle operation. E-76-107

For dual Holley vacuum secondary, Dominators, Predators & Carters mounted *Inline* on a 8 9/16 center-to-center distance. Includes adjustable heime-end design and needle bearings for smooth throttle operation. E-55-501







# Supercharging <sup>16</sup>

### 800/576-7661

### **Billet** Case Show Quality Blowers! 6.71 to 14.71 The Blower Shop superchargers are some

The Blower Shop superchargers are some of the finest on the market. Their **BILLET case** is superior to cast casings and has a show polished finish.

Proven successful in professional motorsports including: Drags, Marine and Tractor Pulling, Mega Trucks, Salt Flats

More Sizes, Prices & Info!



Competition race blowers are Hard Anodize, has 18 Strips of Teflon and Drilled for Rear Nozzles.

#### **Blower Gel**

Penetrating gel with Teflon is designed to lubricate and coat the rotors of Standard Roots superchargers. This formulated gel adheres to the rotors creating tighter tolerances thus, resulting in higher efficiency and increased boost levels.



### **Blower Drive Kits**

Street Rods \* Marine \* Drag Racing Tractor Pulling \* Mud Boggers

Our Blower Kits are some of the finest on the market. Show-Quality & Precision Machined. *Most kits include:* Blower, Drive Kit, Manifold, Bolts, All Gaskets & Tech Support.

Drive Kits are in Stock! From \$998







### **Blower Spacers**

#### CAST

Manufactured from *cast* aluminum and designed to raise the blower 4 inches. *Includes:* Gaskets and Aluminum Studs.

*Options:* Burst Panel Machining w/ all Hardware

### BILLET

Machined from *Billet* aluminum and designed to raise the blower 2 inches (can be stacked). O-Ring Groove on top. *Includes:* O-Ring, Anodized Studs, Stainless Steel Washers and Nuts.



**B-7234** 



**Blower** 



## Supercharging <sup>17</sup>

**800/576-7661** & Components

#### Standard Features Include:

\* Raised tented floor for improved airflow. \* Solid sides for added strength and rigidity. \* Competition models has port nozzle provisions. \* Most will accept 6.71 through 14.71



\* Drilled for Port Nozzles \* Machined for Burst Panel **BB** Chevy Race w/ Hardware

2.25" Setback





**B-7255** Retro Plate w/ Hardware \$224







#### **Premium Burst Panels**


Standard size panels are **SFI** Approved. Very popular on Top Fuel & Blown Alcohol Engines.

#### **2pc Aluminum Frame Kit**

Designed to mount a burst panel onto a blower manifold. Includes 24 Stainless-Steel bolts.

#### **PSI Blower Tandem Kit**







B-7104 SB Chevy Race



B-7113 BB Chevy Street

Show Polishing on TBS Most Add \$110

#### **SBC**

B-7102 SB Chevy Street Large Port \$ 599 B-7103 SB Chevy Street Weiand \$ 399 B-7104 SB Chevy Race Large Port. All Hardware Including Alum Studs .... \$ 779 **BBC** 

B-7110 BB Chevy Race Std. Machined for burst panel. Hardware sold separate. \$ 716 B-7112 BB Chevy Race Std. Machined for burst panel. All Hardware Included. \$781 B-7114 BBC Race TALL deck. Machined for burst panel. Hrdwr sold separate. \$ 781 B-7113 BB Chevy Street Weiand Std deck. Pop-off valve. Hardware Included \$ 403 B-7116 BB Chevy Street Standard deck. Pop-off valve. Hardware Included \$ 533 B-7118 BBC Street TALL deck. Pop-off valve. All Hardware Included ...... \$ 597 FORD B-7127 429-460 Street or Race ..... \$ 973

B-7153 331-392 Street Weiand ...... \$ 569

#### **Manifold Components**

99
J

- b. **B-5120** Billet Extrnl Thermostat Housing *§* 79.99
- c. **B-5020** Steel Mounting Bolt Kit ...... \$ 18.99
- d. **B-5025.K** Alum Blower Stud Kit 2.5" ... \$ 34.95



#### **Burst Panel Adapters**

Aluminum adapters can be either welded or bolted on a blower intake.



Ideal for applications where there is not enough surface for the standard 2 pc frame kit. Accepts the standard size burst panel.

Similar as above but also includes special	<b>B-5100</b> Burst Panel, SFI Approved
aluminum center with side brass fitting for	<b>B-5100.3</b> Burst Panel <i>3 pack special! \$</i> <b>65</b> .99
quick check of inner panel. Has 2 burst panels.	<b>B-5102</b> 2pc Alum Frame Kit w/ 24 bolts\$ 64.99
Burst Deflector	<b>B-5106</b> PSI Blower Tandem Kit
Billet aluminum deflector diverts potential	<b>B-5112</b> Burst Panel Deflector
explosions either up or down away from fuel	
lines and other fragile components. Has depth	<b>B-5109</b> Burst Panel Alum Adapter (Bolt-on) <b>\$</b> 74.99
gauge provision for measuring panel expansion.	<b>B-5110</b> Burst Panel Alum Adapter (Weld-On) <i>\$</i> 74.99













## **Supercharging**<sup>18</sup>

800/576-7661

8 & 11mm						Т	OP	PU]	LLE	EY					
ο α 1111111		43	44	45	46	47	48	49	50	51	52	53	54	55	56
	47	9.3	6.8	4.4	2.2	1.0	-2.1	-4.1	-6.0	-7.2	-9.6	-11.3	-13.0	-14.5	-16.1
	48	11.6	9.1	6.7	4.3	2.1	1.0	2.0	-4.0	-5.9	-7.7	-9.4	-11.1	-12.7	-14.3
_	49	14.0	11.4	8.9	6.5	4.3	2.1	1.0	-2.0	-3.9	-5.8	-7.5	-9.3	-10.9	-12.5
	50	16.3	13.6	11.1	8.7	6.4	4.2	2.0	1.0	-2.0	-3.8	-5.7	-7.4	-9.4	-10.7
	51	18.6	15.9	13.3	10.9	8.5	6.3	4.1	2.0	1.0	-1.9	-3.8	-5.6	-7.3	-8.9
	UL.	20.9	18.2	15.6	13.0	10.6	8.3	6.1	4.0	2.0	1.0	-1.9	-3.7	-5.5	-7.1
1		23.2	20.5	17.8	15.2	12.8	10.4	8.2	6.0	3.9	1.9	1.0	-1.9	-3.6	-5.4
Ratio I	54	25.5	22.7	20.0	17.4	14.9	12.5	10.2	8.0	5.9	3.8	1.9	1.0	-1.8	-3.6
	55	27.9	25.0	22.2	19.6	17.0	14.6	12.2	10.0	7.8	5.8	3.8	1.9	1.0	-1.8
		30.2	27.3	24.4	21.7	19.1	16.7	14.3	12.0	9.8	7.7	5.7	3.7	1.8	1.0
		32.5	29.5	26.7	23.9	21.3	18.8	16.3	14.0	11.8	9.6	7.5	5.6	3.6	1.8
Chart	58	34.8	31.9	28.9	26.1	23.4	20.8	18.4	16.0	13.7	11.5	9.4	7.4	5.5	3.6
	59	37.2	34.1	31.3	28.3	25.5	22.9	20.4	18.0	15.7	13.5	11.3	9.3	7.3	5.4
I		39.5	36.4	33.3	30.4		25.0	22.4	20.0	17.6	15.4	13.2	11.1	9.1	7.1
J		41.8	38.6	35.6	32.6	29.8	27.1	24.5	22.0	19.6	17.3	15.1	13.0	10.9	8.9
I	62	44.2	40.9	37.8	34.8	31.9	29.2	26.5	24.0	21.6	19.2	17.0	14.8	12.7	10.7
I IIIIII	03	46.5	43.2	40.0	37.0	34.0	31.1	28.6	26.0	23.5	21.2	18.9	16.7	14.5	12.5
A DECEMBER OF THE OWNER	• •	48.8	45.5	42.2	39.1	36.2	33.3	30.6	28.0	25.5	23.1	20.8	18.5	16.4	14.3
R		51.2	47.7	44.4	41.3	38.3	35.4	32.7	30.0	27.5	25.0	22.6	20.4	18.2	16.1
X	7 <b>66</b>	53.5	50.0	46.7	43.5	40.4	37.5	34.7	32.0	29.4	26.9	24.5	22.2	20.0	17.9
No.	07	55.8	52.3	48.9	45.6	42.6	39.6	36.7	34.0	31.4	28.8	26.4	24.1	21.8	19.6
	68	58.1	54.5	51.1	47.8	44.7	41.7	38.8	36.0	33.3	30.8	28.3	25.9	23.6	21.4
	69 70	60.5	56.8	53.3	50.0	46.8	43.8	40.8	38.0	35.3	32.7	30.2	27.8	25.5	23.2
	70	62.8	59.1	55.6	52.2	48.9	45.8	42.9	40.0	37.3	34.6	32.1	29.6	27.3	25.0

#### **13.9mm/14mm** 1/2" Pitch: 25-44T

ي الم
How to select
your Belt &
Pulley Sizes
THE N FEE
- 특징있음 -
920003
Contraction of the second s

TOP	PUL	LEY

			25	26	27	28	29	30	31	32	33	34	35	36	37
_		25	1.0	-3.8	-7.4	-10.7	-13.8	-16.7	-19.4	-21.9	-24.2	-26.5	-28.6	-30.6	-32.4
	П	26	4.0	1.0	-3.7	-7.1	-10.3	-13.3	-16.1	-18.7	-21.2	-23.5	-25.7	-27.8	-29.7
	B	27	8.0	3.8	1.0	-3.6	-6.9	-10.0	-12.9	-15.6	-18.2	-20.6	-22.9	-25.0	-27.0
	0	28	12.0	7.7	3.7	1.0	-3.4	-6.7	-9.7	-12.5	-15.2	-17.6	-20.0	-22.2	-24.3
	Т	29	16.0	11.5	7.4	3.6	1.0	-3.3	-6.5	-9.4	-12.1	-14.7	-17.1	-19.4	-21.6
		30	20.0	15.4	11.1	7.1	3.4	1.0	-3.2	-6.2	-9.1	-11.8	-14.3	-16.7	-18.9
	Τ	31	24.0	19.2	14.8		6.9	3.3	1.0	-3.1	-6.1	-8.8	-11.4	-13.9	-16.2
	0	32	28.0	23.1	18.5		10.3	6.7	3.2	1.0	-3.0	-5.9	-8.6	-11.1	-13.5
3	Μ	33	32.0	26.9		17.9	13.8	10.0	6.5	3.1	1.0	-2.9	-5.7	-8.3	-10.8
	TAT	34	36.0	30.8		21.4	17.2	13.3	9.7	6.3	3.0	1.0	-2.9	-5.6	-8.1
		35	40.0	34.6	29.6		20.7	16.7	12.9	9.4	6.7	2.9	1.0	-2.8	-5.4
	P	36	44.0	38.5	33.3	28.6	24.1	20.0	16.1	12.5	9.1	5.9	2.9	1.0	-2.7
	U	37	48.0	42.3	37.0	-	27.6	23.3	19.4	15.6	12.1	8.8	5.7	2.8	1.0
		38	52.0	46.2	40.7		31.0	26.7	22.6	18.8	15.2	11.8	8.6	5.6	2.7
	L	39	56.0	50.0	44.4		34.5	30.0	25.8	21.9	18.2	14.7	11.4	8.3	5.4
	L	40	60.0	53.8	48.1	42.9	37.9	33.3	29.0	25.0	21.2	17.6	14.3	11.1	8.1
	E	41	64.0	57.7	51.9		41.4	36.7	32.3	28.1	24.2	20.6	17.1	13.9	10.8
		42	68.0	61.5		50.0	44.8	40.0	35.5	31.3	27.3	23.5	20.0	16.7	13.5
	Y	43	72.0	65.4	59.3		48.3	43.3	38.7	34.4	30.3	26.5	22.9	19.4	16.2
		44	76.0	69.2	63.0		51.7	46.7	41.9	37.5	33.3	29.4	25.7	22.2	18.9
		45	80.0	73.1	66.7	60.7	55.2	50.0	45.2	40.6	36.4	32.4	28.6	25.0	21.6





## **800/576-7661**



### Good Vibrations Motorsports is the **Official Supercharging of IHRA**"

Scan to see if you're ligible for \$\$\$

1/2 Pitch

Street/ Race < 15% OD

510H300 .... \$ 69

540H300 .... **\$ 69** 

550H300 .... \$ 69

560H300 .... \$ 69

570H300 .... \$ 69

Good Vibrations is posting over \$70,000 in Contingency. Racers in most classes at ALL National & Division races are eligible!



### **Blower Belts**

Good Vibrations stocks one of the largest selection of blower pulleys & belts in the world !



585H300 .... **\$ 79** 600H300 .... **\$ 79** 630H300 .... \$ 79 660H300 .... \$ 79 700H300 .... \$ 79

In Stock!



Street/ Race < 35% OD 1280M75 ..... \$ 89 1360M75 ..... **\$ 83** 1440M75 ..... \$ 89 1520M75 ..... \$ 94 1600M75 ..... **\$ 99** 1696M75 ..... \$ 109 1760M75 ..... \$ 109 GT Street/ Race > 35% OD 1440M75GTC \$ 188 1440M75PS \$ 229 1512M75GT2 \$ 149 \$ 208 1600M75GTC \$ 233 1600M75PS 1792M75PS \$ 262

# 14mm & GT

Street/ Race > 35%	6 OD
1400M75	\$ 217
1568M75GTC	\$ 323
1568M75GTPS	\$ 332
1610M75	<i>\$218</i>
1610M75KEV	\$ 324
1610M75PS	<i>\$359</i>
1694M75 KEV	<i>\$ 393</i>
1694M75PS	<i>\$335</i>
1750M75GTC	<i>\$ 363</i>
1778M75	<i>\$ 233</i>
1778M75KEV	<b>\$ 438</b>

#### 13.9mm

1543M75 ..... **\$ 211** 

8, 11 & 14mmGT Pulleys are available in Center Flange

### **Billet Alum Blower Pulleys**

\* Pulleys are 3.5" wide with 2" center register. \* Billet 6061 aluminum and T-6 heat treated.

Hard anodizing is standard on: 8mmGT, 11mmGT, 13.9 and 14mm/ GT pulleys.



**Discounted Prices** & Huge Selection **ONLINE** 

Ratios > 35%Sizes: Varies From **\$ 158** 

2 or 2.25"					
1/2 Pitch Hole	8mm	8mmGT	11mmGT	<b>13.9mm</b>	14mm & GT
Ratios < 15% Sizes: 26-44 From \$ 72	Ratios < 35% Sizes: 42-71 From \$ 72	Ratios > 35% Sizes: 42-80 From \$ 97	Ratios > 35% Sizes: 32-53 From \$ 95	Ratios > 35% Sizes: 25-45 From \$ 83	Ratios > 35% Sizes: 25-46 From \$ 83





### Supercharging

### 800/576-7661

#### **Blower Components**



- Longer Blower Studs 3.00" & 3.50" (each) ...... \$ 5
- c. **B-5020** Blower Bolt Kit Steel. Grade 8 (Set of 8) \$35
- d. **B-5038** Aluminum Blower Turning Plate ...... \$35
- e. **B-5136** Pressure Relief Valve 7/16 Alum Black **\$ 17**
- f. **B-5135** Pressure Relief Valve 1/8 Stainless Steel **\$ 16**
- g. **B-5138** Oil Level Sight Gauge Lexan 1/4 NPT \$18
- h. B-5140 Billet Tri-Plate Kit w/ Bolts & Oring ..... \$ 19

**Street Snouts** are Polished !



Shaft Size Street 1.125 1.250 Race



Includes Grade 8 **Bolts & Washers** 

### **Blower Snouts**

Drive Snouts are machined from billet aluminum. Has double ball bearings and HD oil seal. 48-Tooth spline shaft is made from heat-treated 4100 steel.

<b>B-5300</b> Street Snout 3.90"	<i>\$ 298</i>
<b>B-5310</b> Street Snout 5.75"	<b>\$ 338</b>
B-5302 Coupler for above	\$ 87
<b>B-5317</b> Street Snout 8.125"	<b>\$ 398</b>
B-5319 Coupler for above	<b>\$ 99</b>
Race Snouts	
<b>B-5340</b> Race Snout 3.90"	<i>\$ 289</i>
<b>B-5342</b> Coupler for 3.90"	\$ 75
<b>B-5350</b> Race Snout 5.25"	<i>\$ 299</i>
<b>B-5352</b> Coupler for 5.25"	<b>\$ 79</b>
<b>B-5360</b> Race Snout 6.00"	<i>\$ 339</i>
<b>B-5362</b> Coupler for 6.00"	\$ 85
<b>B-5370</b> Race Snout 7.00"	<i>\$ 359</i>
<b>B-5372</b> Coupler for 7.00"	<b>\$ 89</b>

### **Blower Front**

Covers **Billet 6061-T6 Aluminum** 

B-5220 All Round **B-5224** Half-Round Corners Fits most brands of blowers



Satin Finish .. \$ 189 Polished ..... \$ 209

#### **Blower Bearing Plates**

**Rear plate includes:** Heat-Treated dowels & Bearing Caps (pr). **POLISHED** !



**TBS-1160** Billet **\$ 199 TBS-1169** Cast **\$ 179** 

#### **Quick-Connect Burndown Tubes**

Anodized Aluminum **Positive Locking** Heat-Treated Flanges



Polished Aluminum Upright Breathers w/ 1.25" Ends

C-7197 \$169 Pair

#### Flat Breather Hose

Fits 1.25 to 1.50" hose. Lightweight & Flexible B-5126 \$3.25/ ft

#### **Clear Breather Hose**

Works with all fuels. **B-5125** 1.250" **\$5/ ft B-5127** 1.500" **\$6/ ft** 







### **800/576-766**

### **Belt Guards & Components**


Bolts Right on! No Add't Hardware Required

**Billet Aluminum Stainless Steel Fasteners** Polished or Black Finish

Roots & Screws ..... \$139 B-5006 Polished B-5006.B Black

3-Hole SSI & PSI ... \$159 B-5015 Polished B-5015.B Black

Widths In Stock: 6, 7.5, 8.5, 10, 12"



<b>RCD-103507-0010</b> Top Belt Guard, SSI 3-Hole \$	<i>176</i>
RCD-103507-0018 Top Belt Guard, Snout Mntd \$	<i>187</i>
RCD-157019-15 Snout Mounted Guard Clamp \$	<i>151</i>
(Specify with or w/o Starter Bracket for Belt Guards	5)
a. <b>RCD-103507-0004</b> Top Belt Guard, Roots \$	<i>178</i>
b. <b>RCD-103512-10</b> Middle Belt Guard \$	50
c. <b>RCD-103522-0003</b> Lower Belt Guard \$	<i>154</i>
d. <b>RCD-103507-0002</b> Top Belt Guard, Roots HD <i>\$</i>	<i>216</i>
e. <b>RCD-103507-0030</b> Top Belt Guard, Clamp HD <i>\$</i>	<i>439</i>
f. <b>B-5040</b> Starter Dog 6-Hole Roots Steel \$	<i>69</i>
g. <b>B-5042</b> Starter Dog PSI Blowers Steel \$	<i>139</i>
h <b>RCD-103507-03</b> Blower Starter Face Plate \$	<i>73</i>
i. Belt Guard Mounting Kit For RCD Guards from \$	55

Mounting Kits: Standoffs Available from 1.75" - 4.00"

### **Blower Gaskets**

These premium gaskets are race tested and proven in Top Fuel/Alcohol & Blown Gas.



Gas - E85 - Alky - NITRO

G-3024 3/16







B-2042 SBC Ext Bal 3/16-1/4 Keys \$ 199

**B-2053** BBC Int Bal 3/16-1/4 Keys \$109 B-2054 BBC Int Bal Dual 1/4 Keys \$109

B-2055 BBC Ext Bal 3/16-1/4 Keys \$ 199 B-2056 BBC Ext Bal Dual 1/4 Keys \$ 199 B-2060 Hemi 426 PSI Spline ...... \$ 169 B-2064 Hemi 426 Dual 1/4 Keys ..... \$ 109

B-2066 Hemi 426 Internal Brng Sppt \$ 269

RCD-202803-04 Hemi 354-417...... \$ 198 B-2080 Ford 429-460 Dual 1/4 Keys \$ 109

**B-2040** SBC Int Bal 3/16-1/4 Keys

B-2041 SBC Int Bal w/ V-Groove

B-2051 BBC Int Bal w/ V-Groove

### **Chromoly Crank Hubs**

Hubs are designed to replace your harmonic balancer. Machined from 4100 steel and broached for 2 keyways.





Internal Balance







Degree Ring Installed



Int Bearing Support 426 Hemi

429-460 Ford

426 Hemi PSI/ **RCD** Spline

Crank Hub

w/ V-Groove

Minimize Crankshaft Flex & Bearing Damage Front Bearing Supports

### **Bearing Problem? Get Support!**

\* Chrome-Moly Crank Hub

\* Billet Aluminum Plate & Standoffs

#### **Bearing** Supports

B-2435 Bearing Support SBC	\$ 484
B-2455 Bearing Support BBC	<b>\$ 484</b>
RCD-202600-0004 Bearing Support 426 HEMI	<i>\$ 741</i>
RCD-202800-0002 Bearing Support 392-417 HEMI	\$ 686
(Add \$70 for Anodized Black Supports)	

#### Long Crank Hubs for Bearing Support

<b>B-2046</b> Crank Hub SBC 3/16 & 1/4 Keyways	<i>\$ 329</i>
<b>B-2057</b> Crank Hub BBC 3/16 & 1/4 Keyways	<i>\$ 329</i>
B-2058 Crank Hub BBC Dual 1/4 Keyways	<i>\$ 329</i>
B-2067 Crank Hub 426 HEMI Dual 1/4 Keyways	<i>\$ 329</i>
RCD-202803-0020 Crank Hub 392-417 HEMI	<i>\$ 439</i>



Chevy Hemi Ford

\$109

\$ 158

\$ 158

**Billet Crank Washers** Chromoly. Perfect Fit SB & BB Chevy & Mopar



#### **Billet Crank Hub Degree Rings**



**Billet Aluminum** 6.375 or 7" Diameter 1 Degree Increment

#### w/o Magnets

<b>B-2032</b> 6.375"	 <b>\$ 69</b>
<b>B-2034</b> 7.000"	 <b>\$ 69</b>

#### with Magnets

<b>B-2033</b> 6.375"		<i>\$129</i>
<b>B-2037</b> 7.000"	•••••	<i>\$129</i>
<b>B-2038</b> 7.000"	Offset	<i>\$179</i>

Offset

#### **Crank Hub & Gear Remover**

This tool allows one to safely remove the blower crank



hub or harmonic balancer. Unlike some lightweight models, the remover is heat-treated and built tough. It also has a provision for removing the crank gear. Proven many times over by Top Fuel teams.

T-1112 **\$157** 





**Race Tested & Proven in Top Fuel and Alky!** 







Straight

### **Crank Triggers**

100% coverage foil-shield, twisted pair cable for max noise rejection. Covered with fire-sleeve. The coil is precision wound on a nylon bobbin for long life. Employs a separate 16" ground wire for shielding and max radio frequency and electromagnetic noise rejection. Can be trimmed to fit and grounded to the chassis or motor. Highest quality gold*plated terminals* in the plug ensures that the connection stays corrosion free. Pickup sensors have a smooth diameter and fit perfectly in most 3/8" pickup holders.

Adapter allows one to adapt 3/4"-16 style pickup brackets to the smooth 3/8" pickups (usually used with straight pickups).

### Trigger Brackets <sup>\$69</sup>

**Billet Pointers** 

Pointer Assembly is machined from

billet aluminum and is adjustable by

Fits HEMIs (TFX, BAE, etc..)

14°. Designed for a 7" degree ring

and allows precise reading of the

**V-Groove Pulleys** 

V-Groove Pullevs are machined

from billet 6061-T6 alum. Has a

2" register and bolts directly to

crank hub with 6 bolts. Can be

stacked together for PS, AC, etc...

engine timing. NHRA Legal.



Crank Trigger Brackets are machined from billet aluminum. Designed to mount to the right side (passenger) or left side (driver). Utilizes the smooth Pickup Holders.

I-3310 SBC Right I-3312 SBC Left I-3314 BBC Right I-3316 BBC Left I-3318 Hemi Right I-3320 Hemi Left **Billet** Alum **Spacers** *\$10* 

### **Pickup Holders**

**Online Parts** 

& Technical

90

**Degrees** 

Crank Trigger Pickup Holders are machined from billet aluminum and are designed to hold the 3/8threaded or smooth pick-ups.

Slides into: SBC, BBC, Hemi **Trigger Brackets** 



41

**Extension** 

Cable

I-3118 Pickup Straight 18" ...... \$ 125

I-3126 Pickup Straight 26" ...... \$ 125

I-3218 Pickup 90 Deg 18" ...... \$ 125

I-3226 Pickup 90 Deg 26" ...... \$ 125

**I-3102** Extension Cable 24" ....... \$ 30

I-3103 Extension Cable 36" ......\$ 30

**I-3201** Pickup Adap 3/4-16 to 3/8 \$

I-3300 3/8 Smooth -SBC I-3303 3/8 Smooth -Others



Adjustable ! **B-2020** SB Chevy **B-2022** BB Chevy



RCD-202000-0010

Machined from billet aluminum and is adjustable. Will work on 6 3/8 or 7in degree ring. Allows for precise reading of engine timing. Includes mounting hardware. One of the nicest pointers on the market.



**B-2205** Single V-Groove Pulley .... \$ 65 B-2211 Single V-Groove Adap SBC \$ 85 B-2221 Single V-Groove Adap BBC \$ 85 B-2212 Dual V-Groove Adap SBC \$109 B-2222 Dual V-Groove Adap BBC \$109 B-2210 Serpentine - Crank Hub ... \$99 B-2215 Serpentine - SBC ...... \$ 99 B-2225 Serpentine - BBC ...... \$ 99



Adapter-style pulleys bolts directly to balancers. Available in Single or Double V-Grooves & 5 and 6.25" diameter.

#### **Blower Pulley Spacers**

Allows one to easily align both upper and lower blower pulleys.



2" Center Register Billet 6061 Alum 6 Hole Pattern Widths: .300 - 1.40" from **\$ 19.99** 

#### Accessory **Pullevs**





	B-2230 Water Pump SBC	<b>\$ 40</b> .95
	B-2233 Water Pump BBC	\$ 40.95
	B-2236 Lower Pulley BBC	\$ <b>30</b> .95
	B-2240 Alternator SB Chevy	<b>\$ 23</b> .95
	F-312-1000SS SS WP Bolt	\$ .81
Billet Aluminum	Eita Chart Watan Duna	•
Uppers are Polished	Fits Short Water Pump	58







\$ 129

\$ 129

\$25





#### **Billet Idler Pulleys and Brackets**





3.25 or 4.5in Diameter

### **Billet Idler Pulley**

Machined from 6061-T6 alum. Feature an offset double ball bearing allowing for further spacing from bracket. Crowned center helps keep blower belt centered.

Includes: Idler Pulley, Alum Standoff and Washer.

**B-6092** 2" wide x 3.25"

**B-6095** 3" wide x 3.25"

**Tee Nut** 

Offset allows

for more

**B-6096** 3" wide x 4.50" **\$ 159 B-6097** 3.3" wide x 3.25"**\$** 139

**B-6090**.75



Anodized Black Add \$10

**Idler Pulley Spacers** Billet Aluminum & Anodized

> Spacer Widths .400 to 1.400

adjustment From **\$11** 

#### **Engine Mounted Kits**

Idler Bolt & Chromoly T-Nut.



#### Outboard Support Kit BBC & Hemi

199

\$ 109

Includes: Alum Bracket, Outboard Support, 3.10 or 3.35" Idler Pulley, .750 Bolt, 1.00in T-Nut and Hardware.



B-6041 SB Chevy Kit

B-6051 BB Chevy Kit B-6040 SBC Bracket

**B-6050** BBC Bracket

Mount for Dunn Offset Mag Drive



B-6065 Hemi Kit ..... \$449 B-6055 BB Chevy Kit \$449 **B-6067** Dunn Mount *\$ 99* 

#### **Blower Mounted**



Mounts to Engine Block. 3/4" Aluminum Prevents Warpage.

**HEMI** Outboard Support Bracket Angled w/ T-Nut & Mounting Hardware.

BAE, KB, TFX

\*Idler pulley & Outboard

Support not included

B-6060 426 Hemi \$ 166 156206-09 392 Hemi \$ 169



**B-6062** Hemi ..... \$215





### Carb Scoops

Fits Blowers & Most Tunnel Rams



**Dual Carbs:** 

7.75 - 9.25 с-с

Scoops are replicas of the famous Bugcatcher Injector. Designed to fit single or dual carbs. Highly polished with anodized butterflies.

Complete with Mounting<br/>Hardware and Filters!\$249ACC-2522 .. SmoothACC-2520 .. Ribbed

#### Hilborn-Style

Hilborn-style scoops are designed for single or dual carbs on **Tunnel Rams & Blowers.** Polished (or Black) Finned or Smooth top. *Includes:* Adjustable mounting hardware, front screen & filter(s).

ty are or br ACC-2527 Single Carb ..... \$ 129 ACC-2525 Dual Carb ..... \$ 149 ACC-2523 Shotgun-Style .. \$ 249 Blower Only Scoops



Polished aluminum *Dual Carb* scoop for **Standard** four-barrel style carbs *mounted inline* or *side-saddle* on 8 5/8" centers. (Won't fit most Tunnel Rams)





*Includes:* Billet Plate, Screen Gasket, Carb Base Gaskets, Cadium Plated Bolts & Washers.

3" centers. (Won't fit most Tunnel Rams)	6
<b>B-9070</b> Dual Carb Blower Scoop \$261	]
<b>B-9072</b> Above w/ Filters \$ 324	]
B-9072.BLK Black w/ Filters \$ 391	]

**B-9074** Filter w/ Top, Stud & Nut \$ 41

### **Carb Adapter Plates**

**Dual** four barrel carb adapter plate for a 6.71 or 8.71 blower. Accepts two **Standard** Holley carbs sidesaddle or Carter carbs inline on an **8-5/8**" center to center. Holley carbs without secondary metering plates may be run inline. **Dominator** carb plate is at **8-3/4**" center to center.

B-9050 Standard B-9053 Dom

**Single** four barrel carb adapter plate for 6.71 or 8.71 blower. Accepts **Standard** Holley and Carter four barrel carbs or **Dominator.** 

B-9052 Standard B-9054 Dom

### Stainless-Steel Carb Plumbing



#### Premium Quality

3/8" seamless *Polished Stainless-Steel* tubing with anodized aluminum fittings (or SS) for two double pump carbs mounted sidesaddle. Includes carb fuel inlet to AN6 fittings and provides a AN6 Tee fuel connection per carb to supply fuel to both carb bowls. *Works on blowers and tunnel rams* 

4150 Dual Lin	ies	4150/Demon	Bridle
<b>B-9201</b> Blue	<i>\$149</i>	<b>B-9221</b> Blue	<b>\$49</b>
<b>B-9202</b> Black	<i>\$149</i>	B-9222 Black	<b>\$49</b>
<b>B-9200</b> SS	<i>\$229</i>	<b>B-9220</b> SS	<b>\$79</b>

4500 Dual Lir	ies	4500 Br	idle	
<b>B-9207</b> Blue	<i>\$149</i>	<b>B-9227</b>	Blue	<b>\$49</b>
<b>B-9208</b> Black	<i>\$149</i>	<b>B-9228</b>	Black	<b>\$49</b>
B-9206 SS	<i>\$249</i>	<b>B-9226</b>	SS	<b>\$79</b>

# Demon Dual LinesB-9204 Blue\$149B-9205 Black\$149B-9203 SS\$229



#### More pics & descriptions online.

#### **Billet Alum Fuel Rail**

Single Inlet to feed Dual Holleys. Single Return Back to Tank





**Need more** 

bearing info?



### KING <del>RA</del>CING

#### **High Performance Bearings**

Proven effective on circle track engines running at 8000rpm, on Top Fuel Blown Engines producing 5500HP as well as on high performance street vehicles. Alecular material offers an extremely high temperature threshold and high load capacity.

### Main Bearings

MB-557HP-STD	350 SBC STD 1/2 Groove	65.99
MB-557HP-001	350 SBC .001 1/2 Groove	65.99
MB-557HP-010	350 SBC .001 1/2 Groove	65.99
		65.99
MB-557HP-011	350 SBC .011 1/2 Groove	
MB-557HP-020	350 SBC .020 1/2 Groove	65.99
MB-557HP-STDX	350 SBC .001 Oversize 1/2 Grve	65.99
MB-509HP-STD	400 SBC STD Half Groove	61.99
MB-509HP-010	400 SBC .010 Half Groove	61.99
MB-509HP-020	400 SBC .020 Half Groove	61.99
MB-509HP-STDX	400 SBC .001 Oversize Half Grve	<i>61.99</i>
MB-5163HP-020	400 SBC .020 Full Groove	<i>56.99</i>
MB-5163HP-030	400 SBC .030 Full Groove	66.99
MB-556HP-STD	BBC STD 1/2 Groove	<i>82.99</i>
MB-556HP-001	BBC .001 1/2 Groove	82.99
MB-556HP-010	BBC .010 1/2 Groove	82.99
MB-556HP-011	BBC .011 1/2 Groove	82.99
MB-556HP-020	BBC .020 1/2 Groove	<i>82.99</i>
MB-556HP-030	BBC .030 1/2 Groove	<i>82.99</i>
MB-556HP-STDX	BBC .001 Oversize 1/2 Groove	<i>82.99</i>
MB-5164HP-STD	BBC STD Full Groove	<i>94.99</i>
MB-5116HP-STD	440/426 Hemi STD 1/2 Groove	78.99
MB-5116HP-010	440/426 Hemi .010 1/2 Groove	78.99
MB-5650HP-STD	BBF STD 1/2 Groove	69.99
MB-5503XP-STD	FORD 351C STD 1/2 Groove	81.99
MB-5503XP-010	FORD 351C .010 1/2 Groove	81.99



**Engine Bearings** 

800/576-7661

26

### **Rod Bearings**

	Ŭ	
CR-807HPN-STD	350 SBC STD w/o Dowel	65.99
CR-807HPN-001	350 SBC .001 w/o Dowel	65.99
CR-807HPN-010	350 SBC .010 w/o Dowel	<i>65.99</i>
CR-807HPN-020	350 SBC .020 w/o Dowel	<i>65.99</i>
CR-807HPN-STDX	350 SBC .001 Oversize w/o Dowel	<i>65.99</i>
CR-803HPN-020	327 SBC .020 w/o Dowel	<i>68.99</i>
CR-807HPND-STD	350 SBC STD w/ Dowel	<i>68.99</i>
CR-807HPND-010	350 SBC .010 w/ Dowel	<i>68.99</i>
CR-807HPND-020	350 SBC .020 w/ Dowel	<i>68.99</i>
CR-807HPNDSTDX	350 SBC .001 Oversize w/ Dowel	<i>68.99</i>
CR-807HPND-010X	350 SBC .009 w/ Dowel	<i>68.99</i>
CR-807HPND-020X	350 SBC .019 w/ Dowel	<i>68.99</i>
CR-803HPND-STD	302 SBC STD w/ Dowel	66.99
CR-808HPN-STD	BBC STD w/o Dowel	<i>82.99</i>
CR-808HPN-001	BBC .001 w/o Dowel	<i>82.99</i>
CR-808HPN-010	BBC .010 w/o Dowel	<i>82.99</i>
CR-808HPN-020	BBC .020 w/o Dowel	<i>82.99</i>
CR-808HPN-STDX	BBC .001 Oversize w/o Dowel	<i>82.99</i>
CR-808HPND-STD	BBC STD w/ Dowel	8 <b>4.99</b>
CR-808HPND-001	BBC .001 w/ Dowel	8 <b>4.99</b>
CR-808HPND-010	BBC .010 w/ Dowel	<b>84.99</b>
CR-808HPND-011	BBC .011 w/ Dowel	<b>84.99</b>
CR-808HPND-020	BBC .020 w/ Dowel	<b>84.99</b>
CR-808HPND-STDX	BBC .001 Oversize w/ Dowel	<b>84.99</b>
CR-806HPND-STD	440/426 HEMI w/ Dowel	<i>99.99</i>
CR-806HPND-001	440/426 HEMI .001 w/ Dowel	<i>99.99</i>
CR-806HPND-010	440/426 HEMI .010 w/ Dowel	<i>99.99</i>
CR-874HPN-STD	BBF STD w/o Dowel	7 <b>4.99</b>

#### Why Use King Bearings?

\* Improved consistency of bearing-to-journal clearance, so you never have to worry about King bearings having the right fit within a set. \* Superior eccentricity and crush relief values for a better oil "wedge" and less journal wear.

\* Decreased taper across the bearing face, yielding superior wall stability, a more parallel wall and better oil film development.

\* No need to grind cranks "fat" or "thin" to compensate for bearing wall variations.







# **Piston Rings**

### **Total Seal Gapless Piston Rings**

WHY Total Seal Piston Rings?


Not sure if Total Seal

gapless rings are right

Increased Horsepower and Torque

Lower Engine Oil Temperatures

Saves Money (Fewer Teardowns)



Keeps Leakdown to 2% or Less!

Improved Consistency

**Cleaner Engine Oil** 

**Better Oil Control** 

Less Friction

Wilder Torque Curve

Professional

Grade

As a normal ring wears, the gap opens up allowing combustion gasses to escape. The Total Seal Gapless ring has no gap. Instead, its patented design incorporates a 2-part interlocking ring to close the gap and provide a more perfect seal between the piston and cylinder.



#### **Gapless 2nd RACE Sets** 1/16 1/16 3/16

4.035 TS-T3690.35	<i>\$ 239</i>
4.065 TS-T3690.65	\$ <b>239</b>
4.155 TS-T0690.30	<i>\$ 239</i>
<b>4.255</b> TS-T9190.05	\$ 244
<b>4.285</b> TS-T9190.35	\$ 244
4.315 TS-T9190.65	\$ 244
<b>4.355</b> TS-T6490.35	\$ 244
4.385 TS-T6490.65	<i>\$ 244</i>
<b>4.445</b> TS-T9190.195	\$ 244
<b>4.505</b> TS-T9190.255	\$ 244
4.567 TS-T9130.5	<i>\$ 268</i>
4.605 TS-T9150.5	<i>\$ 268</i>



.017 Dykes 1/16 3/16

4.255 TS-T1702 5 \$ 284 4.285 TS-T1702 35 \$ 284 4.315 TS-T1702 65 \$ 284 4.380 TS-T1702 130 \$ 284 4.505 TS-T1702 255 \$ 284

Call for Other Sizes



More Engine Vacuum for you? Compare the Less Blowby facts and then decide. Longer Engine Life Leakdown Tester \$119 Ring **Dual Gauge** Compressor **T-2002** w/ 14mm Hose

Heat Treated Anodized Alum





I just wanted to thank you for your excellent service. Parts must of been dispatched within minutes of me ordering & arrived safe & sound today. Total time from ordering to delivery was just 3 days, excellent service considering I live in England. Once again, thanks & I look forward to the next time we do business. Cheers, Mark Sheridan, Middlesex, England





### **Fabricated Valve Covers**

Fabricated from 6061 alum and welded with billet rails. Designed for the hot rodder who demands a higher quality valve cover with extra room for valve train.



**BB** Chevy

With or w/o Hole **BBC** 



### Valve Covers

#### www.DragParts.com

ACC-2324	SB Chevy	<b>\$ 139</b>
ACC-2335	BB Chevy	<i>\$ 169</i>
ACC-2364	SB Ford	<i>\$ 149</i>
ACC-2384	BB Ford	<i>\$ 149</i>
ACC-2342	SB Mopar	<i>\$ 123</i>
ACC-2344	BB Mopar 440	<i>\$ 148</i>

440 Jopar



G-2335 351C \$ 14.95

G-2340 428 \$ 16.95 G-2345 BBF \$ 16.95


G-2305 Mopar\$ 15.95

G-2355 Olds \$ 14.95

G-2350 Pont \$ 15.95

28







### Pit Mats

29

800/576-7661

Good Vibrations is proud to be the Title Sponsor of IHRA's Top Sportsman & Top Dragster, the Quickest & Fastest Sportsman classes.





Breathers See Page 20





A Pitmat is an exclusive material that can be used on a variety of surfaces including gravel, dirt, grass, concrete and asphalt. Its primary purpose is to provide a clean, durable and comfortable surface to park and maintain your vehicle while at the track or at the shop but can be used for many other applications.

*Resistant to Oils *Easy to Clean *Grommets *Mold Resistant			
	Flame Resist		in Stock
	4 X 6 Mini	13	lbs <b>\$ 21</b>
	10 X 10	25	lbs <b>\$119</b>
	10 X 20	43	lbs <b>\$239</b>
	Most H	Popula	ar Sizes
a	10 X 30	71	lbs <b>\$329</b>
a	12 X 30	85	lbs <b>\$429</b>
•	15 X 30	97	lbs <b>\$494</b>
<b>)</b> ,	12 X 40	102	lbs <b>\$610</b>
	15 X 40	127	lbs <b>\$659</b>

### **\*\*\* PreOwned Performance Parts \*\*\***

### We pay CASH for good, used Race Parts!







Roots Blowers Pulleys & Belts Injection Hats Fuel Pumps Safety Equipment Magneto Ignitions Oil Pumps Specialty Tools AN Fittings & Hose Zoomie Headers









### **Steering-Brakes** <sup>30</sup>

### www.DragParts.com

### Steering Wheels & Boxes

**Quality Steering Components for** your Funny Car, Altered or Dragster.



Steering wheels are CNC machined. not stamped, from heat-treated aluminum. Includes: Switch tab and ergonomic grips.

C-7250 B-Fly Steering Wheel w/ Tab	\$ 58.99
C-7250.D Above <i>pre-drilled</i> for QR hub	\$ <b>62.99</b>
C-7255 B-Fly Steering Wheel w/ Tab & Grips	\$ 92.99
C-7255.D Above <i>pre-drilled</i> for QR hub	\$ 97.99
C-7261 B-Fly Steering Wheel Grips -Red	\$ <b>58.99</b>
C-7262 B-Fly Steering Wheel Grips -Blue	\$ <b>58.99</b>

#### **Ideal for Front Engine applications:** Altereds, Roadsters and FCs. CNC machined, zero backlash. C-7222







CNC machined from alum & histrength steel. Ideal for Dragsters.

Weighs less than 2lbs! 11" eye-to-eye.

C-7115 Steering Box Dragster ...... \$ 249.99 C-7222 Steering Box Funny Car Std ..... \$ 592.99 C-7225 Pitman Arm ..... \$ 47.99



C-7290 3 Bolt Q.R Steering Hub 1/4" SFI	\$ <b>74.99</b>
C-7292 4 Bolt Q.R Steering Hub SFI	\$ <b>74.99</b>
C-7296 Splined Coupler 5/8-36	\$ 23.99
W-270-2017 Q.R. Steering Hub 5/8	\$ 25.99
W-300-2020 Steering hub shaft 5/8	\$ <b>9.99</b>
PW-C42-512 Brake Lever 18in w/ Pol Grip	\$ <b>83.99</b>

#### **PS Anglia-Style Spindle Kits**

CNC machined and double-lock on steering arm to ensure against movement.

#### **Billet Chromoly Forging** 2" King pin bosses

**Dragsters** 

**Altereds** 

Funny Cars

**Complete** with:



Pins, 2 5" Arms, Alum Caps & ARP Hardware.

-	C-7120 Chromoly Spindle Set	<b>\$349</b> .99
00	C-7105 Steering Arm Billet Steel 5"	\$ 28.99
00	C-7106 Steering Arm Billet Steel 6"	\$ 28.99
0	C-7109 Steering Arm Steel 5"	<b>\$ 16</b> .75
$\sim$	C-7122 Tow Caps (pr)	\$ 27.99

#### **FC/Altereds Front Brake Kits Includes Mounting Hardware!**



Designed for the PS/ Anglia style spindle popular on Funny Cars and Altereds.

Wilwood Master Cylinders are high pressure die-cast from aerospace quality aluminum & fully machined.



W-260-4894 Master Cylinder Dual	\$ 115.99
<b>W-260-6764</b> Master Cylinder 3/4"	\$ 54.99
W-260-6765 Master Cylinder 7/8"	\$ 54.99
W-260-6766 Master Cylinder 1"	\$ 54.99
W-260-1874 Residual Valve 2psi	\$ 17.99
W-120-2498 Front Caliper Dynalite	\$ 100.99
W-120-6818 Rear Caliper Dynalite	\$ 121.99
W-150-1251K Front Pads Round Spot	\$ 30.99
W-150-9764K Front Pads Square	\$ 38.99
W-150-8850K Rear Pads	\$ <b>39</b> .99
W-140-3326 FC/Altered Front Brake Kit	\$ 623.99



C-8190 Floating Saddle Mount ..... \$ 30.99 **C-8198** SS Band Clamp 1.5 - 1.875 *\$* 

7.99

Don't trust your Race Car to inferior brands

Call

CREF-8L-8 1/2-20

CREM-8L-8 1/2-20 \$10.99





### **Perf Starters** <sup>32</sup>

#### www.DragParts.com

Hi-Torque Starters Ideal for High Comp and Supercharged Engines Wiew Complete Selection Online!	CHEVY         IMI-102 Chevy 1.3hp       \$ 179         IMI-102N Chevy 1.9hp       \$ 219         IMI-902 Chevy 2.0kw       \$ 298         IMI-22103 Chevy 2.0kw       \$ 298         IMI-935 Chevy 2.0kw Offset       \$ 298         IMI-935 Chevy 2.0kw Offset       \$ 298         IMI-301-003 Chevy Marine       \$ 219         PONTIAC/ OLDS       IMI-108 Pont/Olds 1.3hp       \$ 189
4.40 to 1 Gear Reduction 534 ft./lbs. Torque! Lightweight (8.8lbs) Compact and Adjustable Heat-Resistant Solenoid ( <i>No Hot Start Problems</i> )	IMI-108N Pont/Olds 1.9hp       \$ 219         IMI-908 Pont/KB Olds 2.0kw       \$ 349         IMI-141R KB Olds 1.4kw       \$ 229         FORD       IMI-106 Ford 1.3hp Auto       \$ 189         IMI-107 Ford 1.3hp Manual       \$ 179         IMI-906 Ford 2.0kw Auto       \$ 329         MOPAR       IMI-109 Mopar 1.3hp       \$ 189         IMI-909 Mopar 2.0kw       \$ 349
WW       WW <td< td=""><td>VW/ PORSCHE         IMI-101 VW-Porsche 1.3hp \$ 199         IMI-101 VW-Porsche 1.3hp \$ 229         IMI-101N VW-Prsche 1.9hp \$ 229         IMI-104 VW Vanagon 1.9hp \$ 229         IMI-105 VW 6 Volt Flywheel \$ 198         Diesel         IMI-25002-002R Farmhall \$ 399</td></td<>	VW/ PORSCHE         IMI-101 VW-Porsche 1.3hp \$ 199         IMI-101 VW-Porsche 1.3hp \$ 229         IMI-101N VW-Prsche 1.9hp \$ 229         IMI-104 VW Vanagon 1.9hp \$ 229         IMI-105 VW 6 Volt Flywheel \$ 198         Diesel         IMI-25002-002R Farmhall \$ 399
Kimply the Best !	RCD-100500-0011 Blower Starter\$ CallB-5053 48 Volts Battery Pack w/ Charger\$ 898B-5052 Battery Charger for above\$ 149B-5060 Premium Copper Battery Cables 15ft\$ 139RCD-102505-18 Heavy Duty Relay\$ 118B-5046 Anti-Tipover Foot Alum\$ 45B-5047 Quick-Disconnect Battery End\$ 19

48 Volts Battery Pack B-5053

Copper!

PW-C72-029 Pull Handle .....

RCD-101520-17 Starter Brush. New style

B-5048 Premium Momentary Toggle Switch \$

*14* 

*14* 

8

\$

\$



# 800/576-7661

33

### **Too Fast? We Can Stop You! Drag Chutes**

DJ-851252 Super Quad (et, sg, sc, ts, td)	<i>\$ 291</i>
<b>DJ-851067</b> Doorslammers up to 2500#	<i>\$ 435</i>
DJ-851070 Pro Mod & Blown Alcohol	\$ 486
DJ-851070.2 Above with Launcher	\$ 809
DJ-851079 Top Fuel Dragster/ FC	\$ 526
DJ-851424 BOAT: Blown Gas or Alcohol	\$ 535
<b>D-30470</b> Nylon Pack 7x7	\$ 60
<b>DJ-852999</b> Nylon Pack 9x9	\$ 87
<b>DJ-852996</b> Silver Pack 9x9	\$ 125
DJ-852809 Pilot Chute Heavy Duty	\$ 87
DJ-852200 Release Cable with Lever	\$ 51
DJ-911341 "Remove Before Run" Flag	<b>\$</b> 7

DragParts.com

AOTORSPORTS



Canopy, Pack, Pilot and Bridle Line.

### **Coldfire 302 Fire Systems**

Coldfire302 is a harmless plant & water based fire suppressing agent. Is especially effective in Class B fires (Oil/fuel). Also suitable for wood & paper fires. Coldfire Suppresses quickly,



prevents reflash, safe to store and leaves virtually no residue. Biodegradable and environmentally safe.





	a. <b>DJ-911327</b> Manual Injector \$ 99
Π	b. <b>DJ-911328</b> Mnl Injector & Brckt <b>\$ 107</b>
	c. <b>DJ-911329-2</b> Pull-Style Adapter <i>\$</i> 79
We have	d. <b>DJ-911329</b> Pneumatic Injector <i>\$ 191</i>
Complete	e. <b>C-8420</b> Mounting Bracket 5.25 <b>\$ 33</b>
Systems	f. <b>DJ-911311</b> Nozzle & Fitting Kit <i>\$</i> 94
for Most	<b>DJ-911101</b> 10lb Bottle Only \$ 374
Classes &	<b>DJ-911312</b> 10' Alum Tubing 1/4" \$ 23
Applica-	g. CC-86U04 Remote Cable from 3ft \$ 55
tions.	
	On-Board Systems
	Accepted by Most Sanctioning Bodies
	DJ-911050 5lb Sys \$ 489
2217-3200	<b>DJ-911000</b> 10lb Sys \$ 523

033 **Systems** & Parts Online

**Bottles Can be Recertified & Refilled** 

DJ-911100.FC 20lb \$1146

Approved



### **Seat Belts and Harnesses**

DJ Safety offers over 100 combinations of 5pt Seat Harnesses. Options Include: Latch/ Link design or Quick-Release (CamLock) 2" or 3" wide. 3 Styles of Attachment: Wrap-around, Bolt-in or Snap-in.

> View Online Selection

5pt Latch/Link style ... most \$ 108 w/ Fire Protective Covering \$ 148 \$ 195 5pt Cam Lock style ..... w/ Fire Protective Covering \$ 242 Latch \$ 85 Rewebb & Recert ..... most 5108 w/ Fire Protective Covering \$ 131 **Buckle** 

**Styles** Cam Lock Cam \$195 **Belt Mounting Options** SFI 16.1 Colors: Fresh Dates! Black Also Available Red in 6 & 7pt Blue

#### **Shoulder Pads**

Window &

Wheelie Bar Nets

DJ-221721 Angular 17x21

DJ-221824 Square 18x24

DJ-220001 Wheelie Bar

JAZ-906-03 Installation Kit

**D-70200** 2" Slip-On Pads Nomex .. \$ 31 **DJ-603050** 3" Fire Retardant Pads

Sold in **Pairs** 

6



SFI 27.

\$ 57

\$ 45

\$ 64

\$ 54

ě

pads are available as Slip-Ons or Sewn-In. Great Driver Comfort.


Wheelie

Bars

Shoulder

#### **Premium Seatbelt Hardware**

Hardware is made of high quality steel for that extra measure of safety you are looking for and deserve.



Seat Belts Out-of-Date?

a. **DJ-600105** Snap-In Kit w/ Hardware .... *\$10* b. **DJ-600305** Floor Mount Kit w/Hrdwr (pr) \$9 c. **DJ-600402** 3-Bar Adjuster 2" (pr) ...... \$5 c. **DJ-600403** 3-Bar Adjuster 3" (pr) ...... \$8

#### **Arm Restraints**

Arm Restraints have a velcro closure and are adjustable in length.

SFI 3.3

**DJ-605009** Arm Restraints \$ 36/pr

34

Latch/Link

a. Snap-In

b. Bolt-In

c. Wrap-Around





## **800/576-7661**

### **Blower Restraints**

Billet 7075-T6 Aluminum Silver Aluminized Straps **Quick-Disconnect** Pins

Re-certifiable



DJ-141000 Restraint w/ Hardware SFI 14.1 \$ 399
Restraint Only, No Hardware SFI 14.1 <i>\$ 299</i>
DJ-141999 Re-Certification SFI 14.1 \$ 114
<b>DJ-141002</b> Adjustable Silver Straps (4ea) \$ 127
<b>DJ-141900</b> Mounting Hardware w/ pins \$ 149
DJ-142007 Top Alcohol Restraint with Kevlar
Ballistic Bag and Steel Hardware. SFI 14.2 <i>\$1287</i>
DJ-143103 Top Fuel Restraint with Kevlar
Ballistic Bag and Steel Hardware. SFI 14.3 <i>\$1789</i>
Need Premium Gaskets? See Page 21



Blower Bags Non-SFI \$ 299 SFI 14.2 \$ 369

Ideal for those wanting extra protection around the blower. **B-7306** 6.71 **B-7308** 8.71 **B-7314** 14.71



Multiple layers of Ballistic material to capture exploding shrapnel.



**Perfect Fit** Water - Oil Resistant **Dozens in Stock Custom Available Re-certifiable** !

#### **Heavy-Duty Race Car Tiedowns**

Webbing is 1.75" wide. Burst Strength: 5,000lbs Snap-in J-Hook Ends. American Made!

- a. **DJ-236201.12** Inline Ratchet Tiedown .....\$ 31.99
- b. **DJ-236205.8** w/ Sewn-In Axle Loop ...... \$ 31.99
- c. **DJ-238044** Flush Mounted D-Ring ........\$ 9.99
- d. **DJ-237224** Heavy-Duty Axle Strap 24" *\$* 11.99
- DJ-241202 Heavy Duty Tow Strap 14' ..... \$ 31.99

#### **Sportsman** Engine Diapers SFI 7.2

Snap-in Absorbant Pads. Q.D. Adjustable Straps. Tailored Fit. Ballistic Nylon.

DJ-730281 SB Ford **DJ-730350** SB Chevy DJ-730454 BB Chevy DJ-730426 426 Hemi

Most Other Makes in Stock!

#### **Pro Engine Diapers**

Adjustable quick-release buckles attaches to the header flanges. Reusable Snap-in Absorbant Pads. Wet & Dry Sump. Can be recertified.

TF/TA Legal	DJ-711001.bal Soft Ballistic Nylon	<i>\$ 713</i>
	DJ-711002 Soft Kevlar (shown)	<b>\$ 980</b>
	DJ-710002 Carbon Fiber Bucket	\$1073
SFI 7.1	DJ-710401 Replacement Pads (pr)	\$ 77

#### **Plug Wire Shield**

Protect spark plug wires in the event of a burst panel or blower back-fire.



DJ-070200 ... \$ 24.99

DJ-801012 Powerglide	\$ 185
<b>DJ-801014</b> Turbo 350/400	<i>\$ 229</i>
DJ-801126 Lenco Reverser (only)	<i>\$ 137</i>
DJ-801124 Lenco 2spd w/Rev	<i>\$ 208</i>
<b>DJ-801152</b> Lenco 3spd w/Rev	<i>\$ 239</i>
<b>DJ-801181</b> B&J 3spd w/Rev	<i>\$ 239</i>

Most other Makes in STOCK!



Don't trust your race car to inferior brands !



\$238

35







#### www.DragParts.com

SFI 1 Suits (1 Layer)

#### Nomex Driving Suits

Suits are manufactured to meet one of the following specs: SFI 3.2A/1, 5 or 20.

#### Standard Suits are one solid color with contrasting trim.

Sizes: S-XXL Colors: Black Red Blue

DJ Safety sfi /20 suits can be recertified every 5 years!

Choose from 1pc or Separate Jacket and Pants



**Arm Restraints** Kool Pad Pockets Embroidery

**Kool Vest** 

Keeps driver or crew

member comfortable for

upwards of an hour. Thin

vest easily fits under

driver's suit. Has one pad

on upper back and one on

each kidney.

DJ-011200 Jacket .. \$ 99 DJ-011300 Pants .... \$ 99 DJ-011100 1pc Suit . \$174 SFI 5 Suits (2 Layer) DJ-012200 Jacket ... \$ 228 DJ-012300 Pants .... \$ 218 **DJ-012100** 1pc Suit \$ 439

SFI 20 Suits (4 Layer) DJ-014200 Jacket ... \$ 789 DJ-014300 Pants ..... \$ 616 \$ 69 Sewn-in Restraints

#### **Driving Boots**

DJ styling **Driving Shoes** feature padded Kevlar lining and velcro closure.



Sizes: 6-13 in Full Sizes Colors: Black Red Blue Gray DJ-050000 sfi 3.3/5 Shoes ...... \$ 98 DJ-051000 Alky/TF sfi 3.3/20 Boots \$ 252

#### **Driving Gloves**

Leather Palm Gloves offer excellent protection while maintaining a high level of comfort.

**DJ-022000 DJ-024100**  Nomex sfi 3.3/5 ..... \$ 57 Nomex sfi 3.3/20 ..... \$ 175







Sizes: S-XXL



Lay hand flat with fingers and thumb together. Measure circumference at widest point. 9" = Sml, 10" = Med, 11" = Lrg, 12" = XL

D-03520 ... \$ 75

D-03520-3 Extra/Replacement Kool Pads \$10.99 ea



3' Length

**Roll Bar Padding** SFI 45.1

Black Red Blue \$22.95

Rollbar padding is made of high-density foam. Fits 1-1/2" to 1-3/4" diameter tubing. 3/4" thickness.

Helmet Bar Padding (1 - 1.25") \$17.99

### Foam Padding

#### 3' Length Black Silver Red Orange Yellow Blue







# **Head Gear**

**800/576-7661** 

# **Race Helmets**

Helmets are built to meet and exceed Snell 2015. SA rating has a fire-resistant liner.









SA2010 Full Face Helmets \$190 - \$230 Limited Sizes Left



*Note:* Blown Alcohol & Nitro applications usually requires a Snell "SA" rating.





Hat Size Circumference **XS** 6 1/2".... 21 5/8" 7"..... 22" S S 7 1/8"..... 22 3/8" 7 1/4" .... 22 3/4" Μ 7 3/8" .... 23 1/8" Μ 7 1/2" .... 23 1/2" L XL 7 5/8" ... 24" XXL 8" ..... 25"

To properly determine head circumference, run a soft tape measure around your head (approximately one inch above your eyebrows and just over the ears).

### Head & Neck Restraint

NecksGen Head and Neck Restraint System features an innovative tether design that distributes impact loads through 4 different load paths. With an adjustable rear brace designed to fit seat angles from 10-40 degrees.

Adjustment range also allows for a custom fit to the driver. Free floating pads allow for maximum comfort, while the US-made Dupont carbon-composite material offers strength and weight savings.

### **Equipment Bags**

Made from a high quality rip-stop nylon. Internal padding. 3 pockets.



Helmet Bag DJ-036010 \$29.99

Gear Bag DJ-070410 \$47.99

Aircraft Legal Carry On Size !

**Helmet Supports** Velcro Closure SFI Approved

\$ 33.99 DJ-040009

Tapered For Comfortable Fit

### Head Socks/ Underwear

Head Socks are designed to be worn under the helmet. These soft nomex knit hoods provide an extra measure of protection. Nomex underwear are also soft and gives a driver a few extra critical seconds of time.



**Black or White** 

D-03211	1 Layer Sock	\$ 45.99
DJ-062002	2 Layer, <i>sfi</i> 3.3	\$ 53.99
DJ-060000	Top S-XL	\$ 77.99
DJ-061000	Pants S-XL	\$ 77.99
DJ-063040	Socks	\$ 25.99



### Nostalgia Mask

Made of Aluminized Silver. Includes Breathers.



NECKSGE SFI 38.1











### You just found those Hard-To-Find Tools !!



### **Cam Degree Installation**

Makes degreeing a cam a lot quicker and easier. This fixture attached to the block over cylinder #1 using two of the block studs (or bolts). An adjustable stop is included for helping determining top-dead center. Simply install a dial indicator into either the intake

T-1117 HEMI T-1115 SBC T-1119 392 **T-1116** BBC

or exhaust hole of the fixture.

### Valve Lash Adjuster

Quickly and accurately adjust your valves with this custom tool. Machined from stainless-steel for durability with choice of 7/16, 1/2 or 9/16 hex. Fits SBC, BB, Mopar & Fords. 1/8 7/32 3/16 hardended Tip.



T-1125 7/16 Hex. T-1126 1/2 Hex. T-1128 9/16 Hex.

### Main Cap Puller

The bottom-end guy sure appreciates this main cap slide puller.



The 5/16 heat-treated threads are easily threaded into the main cap **T-1103** 2.5 lbs **\$68.99 T-1100** 4.5 lbs **\$99.99** using the slip-proof knurled knob. A simple tug of the tool allows the cap & lower bearing to drop safely into your hand. A great asset for between round thrashes. Also great to have one at the shop.

### Wrist Pin Checker

A piston pin failure is catastrophic. Period. And checking their roundness was always a challenge. Now there is a cool tool that allows you to check the pin's roundness to less than .001 thousands in less 5 seconds. And that all adds up to NO kaboom.





Valve train failure is normally catastrophic and a bent push rod can be attributed as a culprit in many instances. A pushrod out-of-round as little as .010 will begin to flex. I'm sure you have seen the wear marks on the sides of your pushrods and wonder how they got there. With the Pushrod Checker, simply insert the pushrod into the spring-loaded

end, rotate 360 degrees and quickly check the roundness of a pushrod to less than .001.

T-1120 BBC T-1121 Fathead T-1122 Hemi Fuel

### **Rod Bolt Stretch Checker**

One simply inserts the rod bolt into the Bolt Stretch Checker and records the reading on the gauge. Bolts that are stretched more than .007 are usually discarded. A complete set of 16 bolts can be checked in less than 60 seconds. Might just be the best minute you invested in your engine assembly.

.0005 Accuracy!

T-1158 **\$89** 

### **Rod-Piston Pusher**

Here is a tool that allows one to safely and quickly install or remove the rod-piston combo out of the block. The pointed end of The Pusher is simply inserted into one of the two threaded holes in the connecting rod. The bend in the shaft allows easy navigation around the crankshaft journal. The diver with hot oil dripping onto his face will thank you profusely.

Billet Aluminum

T-1131 **\$45** 

### Hemi Top Dead Center Checker

T-1134

\$159.99

Wanna' check your top dead center like a pro? Then grab one of these. Simply thread the checker into Cylinder #1 of your Hemi and rotate the crank until the dial indicator maxes out. A real time saver when trying to dial in a magneto or camshaft at the track.

**T-1132** \$136





### Large Online Selection of Tools!

# **800/576-7661 Billet Aluminum Wrench Sets**

**Specialty Tools**<sup>39</sup>

### **Billet Primer Bottle Top** \$29.99

Machined from BILLET Alum and precisely drilled to allow correct flow of fluid during priming of a blown alcohol or nitro engine. Fits most plastic bottles. A Must Have!





Puck Only \$113



### Sleeve puller is designed to quickly remove steel cylinder

**Sleeve Puller** 

sleeves out of the engine block. Large loop handle grip protects one's hand from getting pinched by the slip-proof slide hammer. Puck can be replaced. Very popular with top fuel and alcohol teams.

### Sleeve Installer

Sleeve installer is a quick and efficient way to install steel cylinder sleeves into the engine block. One size fits most sleeves. Very durable and rugged. Popular with top fuel and alcohol teams.

### **Chevy Oil Pump Primer**



**Engine Oil Pump Primer** with sleeve. Inserts into distributor hole to prime the engine with oil prior to initial startup. Fits most V8 GM engines

T-2030 **\$20**.99

### Valve Spring Compessor

Valve Spring Compressor is one of the strongest on the market and is machined from 6061 BILLET Aluminum. This Spring Tool is designed to handle All-Out Racing Springs with more than 400lbs of seat pressure. This Spring Compressor kit comes with 3 different spring cups that accommodate a range from 1.250in up to 1.675in diameter.



**\$106 \$ 69**.99 **T-1160** Single End AN3-12 **T-1180** Double End AN3-20 **\$192 \$119**.99 Need Just One? Single Wrenches Available

### **Adjustable AN Wrench**



The newest member of the family is the mini. Great to have in your back pocket when you're on the starting line or if you need to get in tight spaces. T-1154 **\$35** 

### Valve Spring Pressure Tester



Allows sone to check the valve spring pressure up to 500lbs while installed on the head. machined from BILLET aluminum for stength and anodized for ease of maintenenace

### **T-1170 BAE FAT** T-1172 Miner Bros

Fits AN3-8

### **Heat Sleeves**

Features 100% heat-resistant woven Kevlar fabric, extra long sleeve protects arm above the elbow, oil and fuel resistant, snug fit allows comfortable fit.



T-1140 **\$294** 







### www.DragParts.com



**T-1003** 

\$149

### **Spark Plug T-Wrench**

Spark plug T-handle wrench is machined from steel for strength and durability. Has a 13/16 socket with an internal rubber boot for holding spark plugs in place during assembly & removal. Very popular among sportsmen teams.

### **Torque Spark Plug T-Wrench**

Save time and head damage. This torque wrench only allows the spark plug to tighten to a pre-determined safe setting. Fits 13/16 plugs. Machined from steel for strength and Powder Coated. Very popular among Top Fuel & Alky.

### "The Plug Gapper"

Quickly, precisely and accurately gap spark plugs. Billet Alum.



### **Spark Plug Storage Rack**

Heavy-Duty, yet lightweight rack is designed to store 8 spark plugs safely and in order. Large flat anodized

bottom keep the rack upright and easily cleans up. Can be used stand-alone or bolted to a work bench. Those that assemble the engine top end will truly appreciate this rack regardless if they're at the shop or in the pits.



T-1136 Holds 8 \$40 T-1138 Holds 16 \$46

### Valve Cover Speed Wrench

T-Handle Valve Cover Speed Wrench is machined from lightweight steel (or polished Stainless-Steel) with a steel 7/16 socket. Conveniently helps to tighten or loosen valve cover nuts. Ideal for the racer looking to save time between rounds.

T-1008 Reg Steel \$49

T-1006 Pol Stainless Steel \$59

### Lower Crank Gear Installer

This tool allows one to safely install the crank gear onto the crankshaft. Has a knurl grip to prevent slippage and is heat-treated for durability. Will fit BBC, Hemi and other similar cranks.

### **Dampner Installation Kit**



Dampner kit for installation and removal of harmonic balancers and crank hubs. High quality kit fits most domestic applications. Comes complete in a hard shell case.

### **Crank Hub & Gear Remover**



This tool allows one to safely remove the blower crank hub or harmonic balancer. Unlike some lightweight models, the remover is heat-treated and built toug. It also has a provision for removing the crank gear. Proven many times over

by Top Fuel teams.

T-1112 **\$157** 

### **Mag Timing Adjustment Wrench**



Owners of MSD magnetos really appreciate this unique tool. The billet aluminum band remains clamped to the mag. The removable handle wrench allows for accurate adjustments of the mag while the engine is running. Very

MSD Magnetos T-1015 *\$155* 

while the engine is running. Very popular with Top Alcohol teams.

### **Magneto Drive Remover**



Designed to very quickly and safely remove the drive from a Mallory or MSD Magneto/ Distributor. It simply slips over and holds the 4-Pin or Hex Cross Drive so that one can remove the inner nut. No need to remove the magneto cap and hold the rotor. Ditto for installing the drive.

T-1017 **\$24** 





# Specialty Tools <sup>41</sup> **800/576-7661**

### Injector Hat Tool Tray

Injector Hat Tool Tray is made from high grade aluminum and black powder coated for an attractive longlasting finish. The tray has plenty of space for



tools & also accommodates 16 spark plugs. Fits on top<br/>of Bug, Bird & Buzzard.T-3020\$129

### Valve Train Trays

These trays are made of a very light-weight yet rigid plastic material with built-in handles. The valve tray holds valve springs, valve locks, and the largest of valves. The rocker tray holds push rods, lifters, poly locks, spark plugs and rocker arms. Perfect for the home mechanic or pro racer.

JAZ-735-001-06 Valve & Spring JAZ-735-002-06 Rocker Arm & Lifter

### Leakdown Tester

Dual Premiums Gauges Billet Aluminum Housing Ideal for: *Fuel Injection or Engine Cylinders* T-2003



### Rack 'em Up ! Piston & Rod

Safely hold and protect 8 Pistons & Rods during assembly. A must for the serious racer. **T-3003** 

### **Head Repair**

Here's a great rack to store your Valves, Lash Caps, Shims & Retainers during head repairs. Billet anodized aluminum bottom tray.







**T-3009** 

### Lifter/ Push Rod

Just set this tray in your lifter valley and store your pushrods & lifters in order. T-3013

### **Clutch Loading**

Rack is heavyduty yet lightweight. Holds discs and rotors. Designed by a racer for racers.

T-3004 3 Discs ... \$ 99 T-3005 5 Discs ... \$111





**R U QUICK ENOUGH?** Good Vibrations sponsors the Quick Reaction Time bonus for the following Series!

Nor Cal

Top Comp

Check out their Race Schedules



















# AN Hose


### www.DragParts.com

## Why Use CPE Braided SS Hose ??



Proven & Trusted by Top Teams, Stainless Steel Braid provides Durability and Heat Resistance. Inner liner is composed of Chlorinated Polyethylene (CPE) which provides the great fluid transfer with a temperature range of -40 degrees to +300 degrees F.

### Want BLACK Hose? XR-31 for the same price as Braided SS hose!



XR-31 Hose is tough, yet lightweight, durable, abrasion-resistant and economical. 3-Ply construction. High tube strength allows a tight bend radius capable for tight engine compartments.



Ideal for Fuel Line from Tank to Pump Purosil Preformed Hose is very popular on Top Alcohol Fuel Systems.

 90 Deg Bend (Fuel, etc..)

 X-390125 1.25 ID
 \$ 49.40

 X-390150 1.50 ID
 \$ 52.57

 X-390175 1.75 ID
 \$ 55.79

### **3ft Straight (Coolant)**

**X-370125** 1.25 ID **\$ 61.20 X-370175** 1.75 ID **\$ 76.02** 



Braided Stainless Steel **TEFLON** Hose and Reusable Hose Ends are used in Brake, Clutch, Instruments and other applications where max high pressure protection is a must.

> **AN-3** X-610003... **\$ 3.62/ft AN-4** X-610004... **\$ 4.34/ft**

### **TEFLON Hose Ends**





### **Discount Prices!**

AN-4	\$	7.18/ft
AN-6	\$	6.90
<b>AN-8</b>	\$	<b>8.90</b>
<b>AN-10</b>	\$	<i>9.90</i>
AN-12	\$ ]	10.90
AN-16	\$ ]	13.90
AN-20	\$ ]	17.90



Online

42

NHRA/ IHRA Accepted



AN4 - AN12 from.. \$ 5.81/ft

### **TEFLON Hose Assembly**

We stock Pre-Assembled AN3 & AN4 Braided SS Teflon Hose Assemblies. Straights or 90 Deg Ends.

Lengths: 9" - 50"

from.. **\$9.77** 



X-818000 X d insta \$88.22

XRP Push-on hose clamp pliers. Specially designed for XRP hose clamps for ease of installation and removal. Manufactured from steel with rubberized grips.

\$ 6.14

\$ 8.30

X-239008

X-239010

X-239012

\$ 22.12

\$ 25.34

\$ 30.12

AN8 X-230008

**AN10** X-230010

AN12 X-230012 \$13.27





Online

Assembly

# Fitting Tech <sup>4</sup>

### www.DragParts.com



### Hose Fitting Assembly

**1.** Wrap hose tightly with tape at cutting point. Using a fine tooth hacksaw, cable cutters or radiac wheel, cut the hose in the middle of the tape. Remove tape after cutting being careful not to fray the braid.

2. Slip hose into socket to the depth indicated by the hose insertion mark on the outside of the socket. This should be just short of the back of the threads. VERY IMPORTANT - Mark hose with tape or suitable marking device at rear of socket. This mark will later indicate to you if the hose has pushed out of the socket during assembly.

**3.** Using an anti-seize lubricant, liberally lubricate inside of hose and threads on the nipple. Holding nipple horizontally in a vise equipped with soft aluminum jaws, push socket end carefully with hose nipple with a turning motion and engage nipple threads into those of the socket. Continue tightening by hand as far as possible to make sure that the threads are properly mated and no cross threading has occurred.

4. Using an aluminum fitting wrench, finish tightening assembly. When properly assembled a small gap of .030" or less should exist between the socket and shoulder of nipple. NOTE: Check marks on hose in step 2 for any evidence of push out. Hose assembly must be cleaned and tested to twice the operating pressure.



### **Aluminum Vice Jaws**

X-821010

Vice Jaw inserts protect your hose ends during assembly. Each jaw has a magnetic backing to prevent them from falling out of the vice when opened.

S79



Assemble Braided Stainless Steel hose without poking your fingers. Ideal for racers and performance enthusiasts who have experienced the painful challenge of installing the AN socket.





 KT-468
 3pc Kit AN4-6-8
 \$ 75

 KT-681
 3pc Kit AN6-8-10
 \$ 79

 KT-1016
 3pc Kit AN10-12-16
 \$ 89

 KT-416
 6pc Kit AN4-16
 \$ 149

 KT-409
 Push-on Assy Press
 \$ 249

How-To Demo

### **Teflon Hose Separating Tool**

Easiest way to assemble braided stainless steel AN3 & AN4 Teflon Hose.

X-821060



Precisely sized for a perfect fit on AN fittings. Anodized in colors, XRP wrenches are fully radiused to fit your hand. Machined from heat treated 2024 aluminum alloy. **X-750000 \$89** 





**Sizes** 

5/8"

3/4"

1"

1-1/4"

12

16

20

7/8-14 UNJ

1-1/16-12 UNJ

1-5/16-12 UNJ

1-5/8-12 UNJ







# **AN Fittings**





UPI	A-900104	$\varphi$ 1.34		1000
N6	X-900106	\$ <b>7.49</b>		10
N8	X-900108	\$ <b>9.03</b>		
N10	X-900110	<i>\$ 10.97</i>		
N12	X-900112	<i>\$ 15.38</i>	and see in the	
N16	X-900116	<i>\$ 21.40</i>		
em	ale Swive	el Coup	ler - 90 L	)eg
N4	X-929004	\$ 14.75		
N6	X-929006	\$ 14.75		173
N8	X-929008	\$ 16.64		Lace,
110	V 020010	¢ 31 05		
N10	X-929010	<i>\$ 21.05</i>		
	X-929010 X-929012		Tube	

\$ 732

	11 / 2/ 010	<i>p</i> : 0:00
AN6	X-929106	\$ 15.84
AN8	X-929108	\$ 16.75
<b>AN10</b>	X-929110	\$ 21.40
<b>AN12</b>	X-929112	\$ 27.67
AN16	X-929116	\$ 41.84



Forged

### **Female to Male Swivel Adapters**






Forged

**Connect your** Gauges to **AN Hoses** 

<b>a. X-705003</b> AN3 Male Str to 1/8 Fem NPT	\$ 5.85
a. X-705004 AN4 Male Str to 1/8 Fem NPT	\$ 2.26
<b>b. X-795003</b> AN3 Male Str to 1/8 Fem NPT	<i>\$ 7.26</i>
<b>b. X-795004</b> AN4 Male Str to 1/8 Fem NPT	<i>\$ 7.26</i>
c. E-248-3A AN3 Male Str to 1/8 Male NPT	<i>\$ 1.99</i>
<b>d. E-248-3</b> AN3 Male Str to 1/8 Male NPT	\$ <b>1.99</b>
e. X-705093 AN3 90 Deg to 1/8 Fem NPT	\$ 5.74
e. X-705090 AN4 90 Deg to 1/8 Fem NPT	<b>\$ 4.06</b>
Also 1/4 NPT in Stock. Save \$50 - Code C	CAT50



**46** 

XRP





### BILLET Aluminum Weld Bungs ... Ideal for Fuel & Oil Systems

		Thread
	Female	Male
AN6	X-987106 <b>\$ 10.62</b>	X-997106 <b>\$</b> 4.25
AN8	X-987108 <b>\$ 11.27</b>	X-997108 <b>\$</b> 5.64
<b>AN10</b>	X-987110 <b>\$ 13.30</b>	X-997110 <b>\$ 6.63</b>
AN12	X-987112 <b>\$ 13.74</b>	X-997112 <b>\$ 11.25</b>
<b>AN16</b>	X-987116 <b>\$ 19.82</b>	X-997116 <b>\$ 13.02</b>
AN20	X-987120 <b>\$ 27.44</b>	X-997120 <b>\$ 17.54</b>



### What are AN ORB Adapters? Male AN Flare to Inverse Male AN with an O-Ring.

High Conto Flow	ur	Anodized Black	45 Degre		90 Degree	
	Straight		45 Degre	C	Jo Degree	
AN3	X-980003	<i>§ 6.02</i>	X-984503	n/a	X-989003 <b>\$15.12</b>	
AN4	X-980004	<b>\$ 6.34</b>	X-984504	<i>\$11.34</i>	X-989004 <b>\$11.28</b>	
AN6	E-815-6	\$ 5.26	X-984506	<i>\$14.81</i>	X-989006 <b>\$13.52</b>	
AN8	E-815-8	\$ 6.86	X-984508	<b>\$16.98</b>	X-989008 <b>\$15.52</b>	
<b>AN10</b>	E-815-10	<b>\$ 9.18</b>	X-984510	\$25.64	X-989010 <b>\$23.75</b>	
<b>AN12</b>	E-815-12	<i>\$ 11.63</i>	X-984512	\$38.64	X-989012 <b>\$36.51</b>	
AN16	E-815-16	\$ 17.74	X-984516	\$44.25	X-989016 <b>\$44.25</b>	
AN20	E-815-20	<i>\$ 21.76</i>	X-984520	\$58 <b>.49</b>	X-989020 <b>\$58.49</b>	



### Sizes in Stock: 10-32 1/4 5/16 3/8 7/16 1/2 5/8 3/4





r	E-919-6-8	\$ 8.99
	E-919-6-10	<i>\$ 11.99</i>
	E-919-8-10	\$ 11.99
	E-919-8-12	<i>\$ 13.99</i>
	E-919-10-12	<i>\$ 13.99</i>
	E-919-12-16	<i>\$ 21.99</i>
	E-919-16-20	\$ 26.99

Reducers are designed to reduce the inverse flare ORB side to a smaller male AN size. O-ring will be on the larger AN side.

<b>ORB</b> Expande	<b>r</b> E-919-8-6	\$ <b>8.99</b>
	E-919-10-8	\$ <b>8.99</b>
	E-919-12-8	\$ <b>8.99</b>
	E-919-12-10	\$ 13.99
	E-919-16-8	<i>\$ 21.99</i>
	E-919-16-12	<i>\$ 21.99</i>
	E-919-20-16	\$ 26.99

ORB Expanders are designed to expand the inverse flare ORB side to a larger male AN size. O-ring will be on the smaller AN side.

### Liquid Filled Pressure Gauge

Great for *Oil* or *Fuel Pressure*, or *Blower Boost*. Liquid filled for stability and longevity.

### Shock Resistance !

X-710000 0-15psi X-710030 0-30psi X-710060 0-60psi X-710100 0-100psi



1.50in Diameter

**\$39**.99





# **Hi-Perf Gaskets**<sup>48</sup>

### www.DragParts.com


### **Intake Gaskets**

Accu-Seal is the first choice of engine builders and race teams. Delivers precision fit, durability and economy all in one. **Pro** utilizes state-of-theart materials such as *proprietary steel core laminate with teflon coating, viton oil seals, and molded rubber* for selected Oil Pan and Valve Cover applications.

SCE-111101 SBC 1.20 x 2.00 Port \$ 14.99/pr
SCE-111102 SBC 1.25 x 2.275 Port \$ 14.99/pr
<b>SCE-111103</b> SBC 1.25 x 2.275 (1266) Thick <b>\$ 23.99/pr</b>
SCE-113102 BBC 1.8 x 2.5 \$ 15.99/pr
SCE-113115 BBC 1.8 x 2.5 No Top bolt \$ 15.99/pr
SCE-113116 BBC 1.8 x 2.5 No Top bolt. Thick \$ 26.99/pr
G-2210 426 Hemi Stock Port 2.375 \$ 17.99/pr
G-2212 426 Hemi Medium Port 2.750 \$ 17.99/pr
G-2215 426 Hemi KB ALPE 10 Bolt \$ 19.99/pr
SCE-167101 392 Hemi Stock Port \$ 15.99/pr
SCE-167103 392 Lrg Stock ALPE 417 Don \$ 14.99/pr
G-2218.10 Hemi/BAE/TFX End Rail \$ 9.99/10 pk



SCE-211101 SBC 1.20 x 2.00 Port (1256) .. \$ 19.99/pr SCE-211102 SBC 1.25 x 2.20 Port (1205) .. \$ 21.99/pr SCE-211128 SBC 1.30 x 2.24 Port (1206) .. \$ 22.99/pr SCE-213102 BBC 1.80 x 2.50 Port (1211) .. \$ 25.99/pr G-2247 BB Chevy 1.80 x 2.50 Port (1275) .. \$ 15.99/pr SCE-213115 BBC 1.80 x 2.50 Port (1275) .. \$ 15.99/pr SCE-218101 Big Chief/ Big Duke (1298) ... \$ 26.99/pr SCE-267101 354-392 Hemi Fuel/ Alky ...... \$ 18.99/pr





### **PREMIUM** - Street/ Strip

\$ 13.99
\$ 13.99
\$ <b>19.99</b>
\$ 14.99
\$ 18.99
<i>\$ 11.95</i>
\$ <b>12.9</b> 5
\$ 12.95

### PROFESSIONAL Oil Pan Gaskets

- \* Steel-Core
- \*Teflon Coated
- \* Reusable

### All Fuels Including Nitro

		φ 0	
Engine			
Seals			
SCE			
GASKETS	Fre	ont	<b>Rear Viton</b>
SB Chevy	SCE-11102	<b>\$ 4.99</b>	SCE-21105 <b>\$28.99</b>
<b>BB</b> Chevy	SCE-11302	\$ 8.99	SCE-21305 <b>\$21.99</b>
351W	SCE-13602	\$ 5.99	SCE-23605 <b>\$20.99</b>
<b>BB Ford</b>	SCE-13502	\$ 5.99	SCE-23505 <b>\$30.99</b>
SB Mopar	SCE-16902	<b>\$ 8.99</b>	SCE-16904 <b>\$17.99</b>
<b>BB</b> Mopar	SCE-16402	<b>\$ 8.99</b>	SCE-26405 <b>\$30.99</b>
417 Hemi	SCE-16702	\$ 8.99	SCE-16705 <b>\$21.99</b>
426 Hemi	SCE-16602	\$ 8.99	SCE-26605 <b>\$30.99</b>





**Extensive Online** Gasket Selection

### Valve Cover Gaskets **PREMIUM** Rubber with Steel Core G-2320 SB Chevy .... \$ 12.95 G-2325 BB Chevy .... \$ 14.95 G-2330 SB Ford ..... \$ 13.95 G-2335 351C Ford .. \$ 14.95 G-2340 428 Ford ..... \$ 16.95 G-2345 429-460Ford \$ 16.95 G-2305 SB Mopar \$ 15.95 G-2355 330-455 Olds \$ 14.95 Sold in Re-Usable! G-2350 Pontiac ..... \$ 15.95 Pairs!

### STREET/ STRIP Laminated Cork/ Silicone

**SCE-211075** SB Chevy \$ 27.99/pr SCE-213075 BB Chevy .125 \$ 32.99/pr SCE-213076 BB Chevy .250 \$ 37.99/pr G-2310 426 Hemi \$ 24.99/pr

Seals where others won't

### **PROFESSIONAL** Steel-Core & Teflon Coated

SCE-213078 BB Chevy SCE-218078 Big Chief SCE-218078 KB Olds SCE-266075 KB BAE 1/4 holes SCE-261075 KB BAE 5/16 holes SCE-267077 Hemi Early



**Superb Quality - Reusable** Gas - E85 - Alcohol - Nitro



*Includes:* Timing Cover, Water Pump & Fuel Pump Gaskets

SCE-11100 SB Chevy SCE-11300 BB Chevy SCE-13600 SB Ford SCE-13500 BB Ford SCE-15200 351C Ford SCE-16900 SB Mopar SCE-16400 BB Mopar SCE-16600 426 Hemi \$7.99ea

### **Premium Blower Gaskets**

Hi-Perf Gaskets<sup>49</sup>

**800/576-7661** 

These premium gaskets are race tested and proven in Top Fuel/ Alcohol & Blown Gas.

proven	in Top Fuel Au	conoi & blown Gus.		
Blower Bo	ase			
G-2022	6.71 <b>\$ 9</b>			
G-2022.3	3-Pack <b>\$18</b>			
G-2028	8-10.71 <b>\$</b> 9	Parties Parties		
G-2028.3	3-Pack \$ 24			
G-2032	14.71 <b>\$ 12</b>	100000		
G-2032.3	3-Pack <b>\$ 32</b>			
	Re-	Usable!		
<b>Blower In</b>	let			
G-2012	Small w/o Screen	\$ 7		
G-2012.3	3-Pack Special	\$ 15		
G-2014	Small w/ Screen	\$ 9		
G-2014.3	3-Pack Special	\$ 22		
G-2016	Large w/o Screen	\$ 7		
G-2016.3	3-Pack Special	\$15		
B-5019	Inj Hat Stud Kit	\$ 12		
Bearing & other blower gaskets See Page 21				
Carb Base	• •	askets are heat resistant hickness. Will handle the		

Gaskets

rigors of *supercharged* engines.



G-2070 Carb Gasket \$ 3.25 G-2072 Dom Gasket \$ 3.25 SCE-355 4 Port Gasket \$ 2.99



### Enter our \$100 Drawing !



License Plate **Frames** 





Send us a pic of your ride with our frame and you'll be entered in the \$100 drawing !





# **Copper Gaskets**<sup>50</sup>

www.DragParts.com

# **Benefits of Using Copper**

**Conductivity.** Copper is the standard by which all other conductors are measured, therefore a copper gasket provides superior thermal conductivity, acting to stabilize head and block temperatures which makes tuning easier.

**25% Coefficient of Elasticity**. One of the properties of copper is that it stretches before a catastrophic failure, providing an extra measure of safety in case of severe detonation. **Strength.** Copper (in the form SCE uses) has a tensile strength of approximately 32,000 psi, compare this to the 1200 to 1800 psi tensile of most facing materials used on conventional performance head gaskets.

### **Copper Head Gaskets**

### Premium Quality \* Properly Annealed Perfect Fit \* Dead Soft Copper

### Track Tested & Proven by Top Fuel & Alcohol Racers

SCE-31541 304 Stainless Steel O-Ring Wire 15ft \$12.99

### The World's First Self-Sealing

SCE's **TITAN series** gaskets provide unbeatable strength and user friendly installation. This patented headgasket gives you the best of both worlds.

The combustion sealing strength of a SCE copper headgasket and the confidence of *built-in coolant and oil passages*! The perfect racing and performance Copper Headgasket!

# Original (Good) .032 \$ 121/pr .043 \$ 121 .050 \$ 136 .062 \$ 151 .070 \$ 181 .080 \$ 181

### Self-Sealing (Great)

0 00	.032 <b>\$159</b>
	.043 <b>\$159</b>
	.050 <b>\$177</b>
	.062 <b>\$185</b>
0000	.070 <b>\$207</b>
Sold in Pa	irs .080 <b>\$207</b>


### Self-Sealing & Integrated O-ring

Same as above but with a **Integrated Steel O-Ring** means there is no need to machine your Block or Heads! Embedded silicone to seal oil and water passages. Soft copper is ready to use.

How to Install Copper Gaskets



### Self Sealing with O-Ring (The Best!)







### **Pro-Copper Exhaust Gaskets**



SCE Copper Exhaust Gaskets will permanently seal a warped or uneven flange.

Reusable!

Header Kits

**IN STOCK:** 

SB Chevy

BB Chevy 392 Hemi

426 Hemi

440 Mopar

BAE, TFX,

KB, Veney

Raised Embossed from \$34/pr

Non-Embossed from \$66/pr

In Stock: Chevy, Mopar, Ford, More ...

### **Collector Gaskets**

Use SCE copper collector gaskets for maintenance free operation.

Sizes: 2.5, 3, 3.5in \$14.99/pr

# $\bigcirc\bigcirc$

### **SCE's Graph-Form Exhaust Gaskets**

Offer easy-to-fit positive sealing in any severe duty exhaust systems from racing & performance to mild street applications. Will seal on warped, pitted or uneven surfaces up to 1/16". Outperforms all competing brands!



Exclusive high-density 1/8" thick carbon-graphite material outperforms all competing brands in sustained high temperature operation.



Scan for sizes, part numbers, benefits & discounted prices



In Stock: SB Chevy BB Chevy Late Hemi Early Hemi Donovan SB Mopar BB Mopar Ford 429 Arias Most \$28/ pr

# PremiumZoomieHeader KitsFC/ AlteredWeld-UpDragster

(**Double Wall**) 2.25 or 2.50" Diameter

wela-C Kits

(Single Wall) 2.25 or 2.50" Diameter

**USA Quality** 

These are superior to your plain old muffler shop steel!

Single Wall ... *\$395* Double Wall ... *\$495* 

Includes: Straps/ Flanges

Tested and Proven for over 40 years by top teams like: John Force, Frank Manzo, Jim Dunn, Jay Payne, etc..



3/8" Thick Flanges .065 Wall Thickness

### Zoomie Covers



Sheet Metal Aluminum Keeps Cold Air off Valves Won't Rust

C-8140 ..... **\$98** 







### www.DragParts.com

**Billet Gear Drives** 

Proven by Top Fuel & Alcohol Teams

Billet Alum Cover Chromoly Gears Fixed Idler Premium Fasteners



### One of the strongest on the market !

RCD-251000-0003 SBC	<i>\$1053</i>
RCD-251000-0006 SBC w/ BBC	<i>\$1053</i>
RCD-251000-0009 SBC Tall	<i>\$1147</i>
RCD-251000-0012 SBC Tall w/ BBC	\$1147
RCD-251500-0002 BBC	\$1076
RCD-253500-0004 TFX	<i>\$1257</i>
RCD-253500-0042 KB, BAE Tall	\$1244
RCD-254000-0040 417 Donovan	\$1147

**Casale Cast Gear Drive** Fits 440/ 426 Mopar, HEMI Tall Cam (KB, BAE, AA500)





Great Features! 3/8 Cam Hex Heat-Treated Steel Gears Fixed Idler Gear 3pc Cam Torrington

### Fowler Billet Gear Drive

**KB-Olds and Arias Century** 

ACC-2740 ... \$1095



B-2115

Gear Drive

Assemblies &

Parts Online

B-2126

### **Gear Drive Components**

 RCD-300205-0028 Cam Cover (RCD SBC) \$ 143

 RCD-300205-0032 Cam Cover All Others \$ 169

 RCD-300707-0002 Fuel Pump Alum Clamp \$ 153

 B-2121 Cam Cover (KB-BAE-TFX, etc..) \$ 89

 RCD-300209-03 5/8-3/8 Steel Hex Adap ... \$ 43

 B-2113 3/8 Premium Steel Shaft 3" ....... \$ 69

 B-2115 3/8 Premium Steel Shaft 5" ....... \$ 69

 RCD-300201-0032 QR RCD Ext 3 or 5" ... \$ 494

 B-2123 QR Pump Ext Smooth 3" ... Fits RCD \$ 189

 B-2126 QR Pump Ext 5" ....... Fits Non-RCD \$ 189

 B-2128 QR Pump Ext 6" ....... Fits Non-RCD \$ 189

Heat Treated 4340 Crank Gears



Std, .010 .020 from \$119



B-2121

RCD-300209-03

RCD-300205-0028

RCD-300201-0032

*Choice of:* Double Keyway or, *Splined:* RCD or PSI

B-2123



BILLET !!

RCD-300707-0002





# **Gear-Belt Drives**<sup>53</sup>

**800/576-7661** 

**Cast Gear Drives** 

Will handle the rigors of blown and nitrous engines!

Cast Alum Cover Chromoly Gears Fixed Idler Quality Fasteners 3 PC Torington



Removable Cam Cover Adjustable Bolt Pattern on Cam Gear 3pc Bearing to Control Cam Movement

MIL-12000 SB CHEVY \$ 598 MIL-12250 SB CHEVY Injected \$ 664
MIL-12600 BB CHEVY \$ 688
MIL-12700 BB CHEVY Injected \$ 764 MIL-12608 BB CHVY Mk VI \$ 750
MIL-12706 BB CHVY Mk VI Inject \$ 841 MIL-13000 BB MPR/ Hemi \$ 697
MIL-13250 BB MPR/ Hemi Injected \$ 721
<b>MIL-14900</b> DVD: How to Degree a Cam <i>§</i> 33

### Complete Drives

JES-KBD-31000 SB Chevy Standard ...... \$ 979 JES-KBD-31200 SB Chevy w/ BB Snout .. \$1049 JES-KBD-32000 BB Chevy Standard ..... \$1075 JES-KBD-35000 426 Hemi & 440 Mopar \$1299



### **Replacement Parts**

JES-BEL-30990 SB Chevy Belt JES-BEL-31010 BB Chevy Belt JES-SEL-37200 SB Chevy Seal JES-SEL-37300 BB Chevy Seal JES-SEL-38000 SB/BB Cam Seal

	\$ 110	
	\$ 115	
l	<i>\$ 24</i>	
1	\$ 24	$\cap$
al	\$ 24	



Polished Aluminum Cover, Gasket, Seal & Chrome Bolts!

ACC-2622 SB Chevy \$ 29.99 ACC-2632 BB Chevy \$ 39.99 ACC-2635 BBC Gen 5 \$ 39.99\* ACC-2636 BBC Gen 6 \$ 39.99\* \* Cover Only



Billet Bracket w/ Mntng Hardware\$1993/8 or 1/2 Left Hand Hex Drive\$37

**BUY \* SELL \* TRADE** 

### **Quality Belt Drives**



\*Cam timing adjustment is made externally providing the easiest and most accurate tuning available. \*Billet aluminum Spider is made from 2024-T6 and is available as a available to run distributor drives, fuel pumps or oil pumps off front of cam.

\*Hard-coated Billet Alum 7075 Upper Pulley features patented High Torq Drive<sup>TM</sup> tooth configuration. \*Teflon® coated high vacuum cam and crank seals. \*Patented High Torq Drive<sup>TM</sup> reinforced belt operates dry and spins with less friction than timing chains or gear drives and also absorbs harmonics.

\*Crank Pulley is heat-treated steel and incorporates a High Torq Drive<sup>TM</sup> tooth configuration.

\*Hardware is all Grade 8 Allen or Torx<sup>TM</sup> head design.





Motor oils, transmission fluids and gear oils are flowing lubricants that provide a film barrier between metal surfaces pressing or rubbing together. The greater the film strength, the better the oil. However, in extreme pressure metal-to-metal areas, the film strength of oil is seriously thinned and is often completely squeezed out. On the other hand, *Prolong* is a bonding lubricant. *Prolong AFMT*<sup>TM</sup> interacts with metal surfaces in a molecular and chemical process to create a protective buffer on the surface of the metal. This is not a film or

coating over the metal. Molecules in the AFMT<sup>TM</sup> formula are polarized and actually bond with the metal surface. The layer of AFMT<sup>TM</sup> molecules is activated by extreme pressure and heat, meaning that *Prolong* lubrication performs best right where it is needed most! The result, AFMT<sup>™</sup> significantly reduces harmful friction and heat.

Fortified with Prolong's advanced technology, nothing Oil Stabilzer works better than Prolong Oil Stabilizer to help solve *lubrication-related* problems. Other oil stabilizers on the market do not include the necessary additives provided by today's motor oils, such as antioxidants. The formulation of Prolong Oil Stabilizer includes: Prolong's AFMT<sup>TM</sup> (Anti-Friction Metal Treatment) advanced technology as well as vital additives to provide a completely formulated oil stabilizer product, which sets this product apart from the other competitors. (32oz)

Works great in high horsepower, drag racing engines especially those injected or blown. Fuel: Gas, methonal, diesel or nitro fuels.



PSL13032.. **\$9.99** 

Prolong Waterless Wash & Shine is a revolutionary new method of washing and shining your car in less than 15 minutes without water. No buckets, no hoses, no rinsing and drying! Simply spray on the surface and wipe dry. With Waterless Wash & Shine you can conveniently and quickly wash your race or show car anywhere, anytime. Leaves a protective film that provides gloss, color and smoothness that conventional car washes fail to deliver. (17oz)

Wash & Shine



Safe & effective on race and show cars. PSL64017.. \$6.99



### 50W Oil for Alky & Nitro

Nitro 50W Racing Oil, Specifically developed for racing engines fueled by Alcohol and Nitromethane. Exceeds the demands of high displacement, high RPM racing engines. (1 Gallon)

PSL14501.. \$32.90

Super Penetrating Lubricant Spray is formulated with AFMT<sup>TM</sup> (Anti-Friction Metal Treatment) advanced technology to lubricate, penetrate, and prevent corrosion, free sticky mechanisms, displace moisture, stop squeaks, and reduce friction and wear on all metal surfaces. Easy-to-apply protection and lubrication for hundreds of performance & recreational uses as well as industrial applications such as light duty machining, tapping and drilling fluid. (16oz)



Lubricant

Ideal for: Enderle & Hilborn fuel pumps, barrel valves & shutoffs. 4 oz PSL40004 \$4.99 16 oz PSL40016 \$9.99

### We also Stock Pro-One Products





**Oil Stabilizer Penetrating Oil** Greases **Engine Treatment** 





Professional Products at Sportsman Prices!



# Lucas Products <sup>55</sup> **800/576-7661**

### Racing Oil Key Benefits:

High Zinc Fortified Perfect oil for high RPM engines Extra Protection Lower Oil Temperature



Compatible With Methanol Or Racing Gas

Less Drag For More Horsepower!

Break-in Engine Oil LOP-10635 20W-50 Oil 1 Qt\$ 7.99 LOP-10636 20W-50 Oil 5 Qt\$ 29.99



### **Racing Engine Oil**

LOP-10620 20W-50 Oil 1 Qt\$ 8.99 LOP-10621 20W-50 Oil 5 Qt\$ 35.99 LOP-10044 50W Oil 1 Qt \$ 8.99 LOP-10095 50W Oil 5 Gal \$112.99



Synthetic Engine Oil LOP-10615 20W-50 Oil 1 Qt\$13.99 LOP-10616 20W-50 Oil 5 Qt\$56.99

### Hot Rod & Classic Engine Oil LOP-10683 10W-40 Oil 5Qt \$35.99

Because many of these very special machines often spend long periods off the roads, special additives are formulated into the oil. Similar to Lucas' Marine oils that provide rust and corrosion protection



Lower cylinder head temps. **Super Coolant** Allow advanced timing and more horsepower. Reduce operating temperatures by up to 20°. Prevents corrosion and deposits that cause leaks, overheating, and cooling system failures.



LOP-10640 Super Coolant 16oz .. \$ 12.99

### **Transmission Sure Shift**

### Smooth, precise shifting \* Extraordinary protection

This is no normal ATF formulation. It has been developed to give the smooth, precise shifts needed by racers and yet extends a degree of protection not found in any other ATF. This product will stop wear and tear like nothing you've ever tried. **LOP-10052** Sure Shift 1 Qt...\$ 7.99



### SAFEGUARD<sup>™</sup> ETHANOL Fuel Conditioner With Stabilizers

Lucas Safeguard<sup>TM</sup> was developed to specifically address issues associated with using ethanol based fuels. This applies to E-10, E-15, E-85, pure ethanol and any mixtures in between including gasoline. Safeguard<sup>TM</sup> is completely soluble in all ethanol fuels and will not harm filters. Contains effective additives to prevent rust and corrosion associated with the use of ethanol fuels.



### **Treats 80 Gallons**

LOP-10670 Ethanol/ Alky Conditioner 5.2oz \$ 6.99

### Synthetic Gear Oil

SAE 75W-90 Synthetic Gear Oil is a non-foaming, super slick, long lasting lubricant designed especially for high performance applications where other gear lubricants just aren't good enough. Contains a special additive that cushions gears and resists "squeezing out" under extreme pressure situation.Specially designed to stand up to high temperatures without losing its lubricity.



LOP-10043 80W-90 1 Qt Non-Syn \$ 8.99 LOP-10047 75W-90 1 Qt Synthetic \$ 14.99

### Extreme Pressure Valve Train Synthetic Grease

Greatly reduces friction on moving parts to prevent galling. Excellent adhesion quality. Excellent on all surfaces requiring an extreme pressure lubricant. Perfect for assembly lube on rod bolts. Protects pushrod ends on initial start up. Essential for roller lifters, rockers, pushrods and camshafts.

LOP-10563 1 oz Tube ..... \$ 9.99

### Semi-Synthetic Assembly Lube

Lucas High Performance Assembly Lube is designed for mechanics and technicians to pre lube bearings, cams, lifters and valve train. The Semi-Synthetic formula that contains ZINC, MOLY and other high pressure additives which offer maximum protection during engine breakin. Super slick and easy to use, Lucas High Performance Assembly Lube will eliminate dry starts and prevent seizing galling and scuffing.



LOP-10153 Assembly Lube 8oz \$ 7.99





ENDERLE



### www.DragParts.com

### **Front Offset Drive**

Aluminum drive allows one to drive the fuel pump and magneto off the gear drive. Clamps to your fuel pump extension. Gear driven - no belt to replace!







### **Billet Offset Drives**

Accepts Mallory or MSD Mags. Belt Driven. Includes Bronze Gear.

Fixed Flange or Adjustable Clamp Styles.

**Front Pump/** Magneto Drive (Sitko)

Ideal if rear blower clearance is a problem. Minimizes the effects of cam flex on timing.

Correction of the second secon	Chevy f f f Chevy	Hemi Specs Online
a ENCOMPERATION Front Pump/ Magneto Drive	<ul> <li>a. RCD-302000-0005 Front</li> <li>b. I-2062 Front Drive</li> <li>c. T-1016 MSD Support</li> <li>d. I-2030 Chevy Offset</li> <li>e. I-2040 KB, TFX, BAE</li> <li>f. I-2037 Cross Coupler</li> </ul>	\$1049 \$1089 \$169 \$791 \$893 \$39

### **Front Drive**

Clamps to Pump Extension. Uses Std height BBC Base. Positions magneto behind blower belt. Includes Support Bracket.

RCD-302507-0010

# \$ 932

Same as unit to the left though it does **NOT** require a magneto base. Works with Mallory or MSD magnetos.

Move your Distributor or Mag to the front.

RCD-302507-0001 CW RCD-302507-0002 CCW



Great for supercharged alcohol engines! Includes: Generator Assembly, Billet Alum Base, Pro Coil, OD Wiring, Instructions and Case.

M-37-36544 LH Hemi Pro Cap M-37-33744 RH 392 Hemi Pro Cap M-37-59544 RH Chevy Pro Cap M-37-59514 RH Chevy Stack Cap

from **\$ 1329** Includes padded shipping case!

Also Available for Fords & Mopar

### **Billet Magneto Bases** a. **M-37590** Chevy Base w/ Bronze Gear .... \$ 328 M-37365 Hemi Straight Base ...... \$ 299 b. RCD-303000-0015 Hemi Angled Base .... \$1096 c. **I-2042** Hemi Hold-Down Clamp ...... *§* 67 29 d. **M-45520** Alum Slip Collar Clamp Hemi 🖇 e. **I-2038** Magneto Clamp Billet Alum ...... *§* 99 *49* f. M-26041A SS Steel Magneto Clamp ..... \$

- g. I-2070 Chevy .491 I-2073 .500 Bronze Gear \$ 49
- h. E-7025 Hemi Straight Base w/ oil shaft ... \$ 389







Order Magneto Parts Online 800/576-7661

### 57 Magnetos

### **Magneto Components**




M-28103A Advance Lock Out	<b>\$34.</b> 99
M-28995 Rotor (RH) Stack Cap	<b>\$40.</b> 99
M-28995A Rotor (LH) Stack Cap	<b>\$40.</b> 99
M-29038 Rotor Adapter	<b>\$10.</b> 99
M-29772M Rotor (RH) Pro Cap	<b>\$30.</b> 99
M-29773M Rotor (LH) Pro Cap	\$35.99
M-29772C Rotor/Adapter w/ nylon scree	ws <b>\$61.99</b>
M-25758M Premium Contact Points	\$24.99
<b>M-28005</b> .56mf (Large) Condenser	<b>\$38.</b> 99



M-29744E	Wire Retainer	\$ 24.99
M-26007E	4 Pin Drive Flange	\$ 37.99
<b>M-26030</b>	Woodruff Key	<b>\$ 1.95</b>
<b>M-28974</b>	Timing Indicator	\$ 5.99
M-28862	Wiring Harness	\$ 13.99

### **Convert Mallory 4-Pin to X-Driver**



**I-2016** Adapter Only **\$** 40 I-2017 Assembly \$ 79 \$ 39 I-2037 X-Driver 00




Advance & Retard Magneto Timing **Operates** on

12V or CO2



Need more info or instructions?



### **Spark Plug Wire**

8mm Plug Wires are designed to withstand temperatures over 500 degrees. Tinned Copper solid core are for points FIE magneto equipped engines.

	I-2222 Most w/ 90 Deg Ends	\$ 66
Alles .	I-2212 Hemi w/ Straight Ends	\$ 169
	I-2231 Bulk Wire red (foot)	<b>\$1.</b> 87

Suppresion wire. Add \$10/ set

### **SUPER-MAG Transformer**

COIL is externally mounted making for a more efficient and powerful magneto. HEI style contact terminals resulting in a more positive wire retention. M-28900A SMIII Blown Gas/ Alky \$249 **M-28990** SMV Blown Nitro \$ 295 **M-28901** SMV Blown 5-10amp \$ 439 **M-28920** SMV+ Injected Nitro \$ 465









Super Mag Kill Switch M-26074 **\$29** 

Designed specifically for Mallory & MSD magnetos. Positive pushoff. Internally sealed to prevent corrosion. Single or dual mags.

I-2096 Mallory I-2097 MSD 44 (I-2099 Change Over \$89)









### www.DragParts.com

### **Sealed Battery Box**

Fits Standard Group 24 battery. NHRA & IHRA Approved. Measures 10.5 x 13 x 9.5" tall Completely sealed lid. Vent tube to carry battery gases outside of vehicle. Rotational molded plastic case is resistant to battery acid.

Mounting brackets and all hardware included!

### **Funnels & Filters**



JAZ funnels feature anti-splash lips. Can be cut to desired length & flow rate. 11 & 14" accepts 60 Micron Stainless Steel Filter.

8" Round ..... \$ 16.99 11" Round .... \$ 24.99 14" Triangular \$ 16.99 Filter 60 Micron **\$ 22.99** 



JAZ-700-500-01 \$ 87





Mounting Hardware Included !

ACC-3100 Universal Mount \$ 32 ACC-3103 Optima Yellow Top \$ 55 ACC-3104 Optima Blue Top \$ 59 ACC-3105 Optima Red Top \$58

### **Krank Kase**

Prevents journal damage. Great for transporting/storing those expensive crankshafts. Strong enough for shipping.





### Aluminum Fuel Cells NEW!



JAZ's Alum Drag Race cells are made up of 5051 aluminum and Tig welded. Has two anodized AN8 fast-flow outlet fittings in the sump, one AN8 return fitting with Anti-Aeration tube and one AN8 tip-over valve vent fitting. Features an aircraft style, flush mount cap assembly and aviation safety foam.

Optional Cap



JAZ storage cases are designed to house a complete cylinder head with studs and springs in a clean and safe environment. Great for shipping.

JAZ-700-200-07 SBC \$ 77.99 ea JAZ-700-201-11 BBC \$ 84.99 ea JAZ-210-503-03 3Gal \$ 194 JAZ-210-504-03 4Gal \$ 205



Keeps third member free of dirt. Fits all Ford 9" and are stackable. Built-in handles makes for easy handling. Great for shipping and storage.

JAZ-700-009-01 Horizontal \$ 54.99 \$ 58.99 **JAZ-700-010-01** Vertical



Torke-Totes are designed to house an 8 to 11" torque converter in a dry and clean environment. Torke-Totes can also be used as shipping containers.





# **Fuel Cells/Breathers**

# 800/576-7661

### **Breather Tanks**



This remote 1qt breather/ oil separator easily mounts to a rollbar or firewall. Comes standard with moldedin inserts and a swivel petcock for easy draining.




JAZ-605-025 AN6\$ 48.99JAZ-605-825 AN8\$ 49.99JAZ-605-125 AN10\$ 54.99JAZ-605-225 AN12\$ 64.99JAZ-605-001 Blank\$ 33.99

\$ 65

### Mini Breathers

### Jr Dragsters, Go Carts & Small CID Engines

Similar to above breathers but is 1 pint and has two 3/8 or 1/4 hose barbs.



### **Radiator Overflow Catch-Cans**

One-piece molded construction with swivel elbow input. Lever petcock for easy draining. Meets NHRA rules for 1qt. capacity. Easy mounting with threaded inserts.



# Stainless-Steel Overflow

High Luster SS w/ Mounting Bracket

### 2pt Capacity



ACC-3120 2 x 19" \$ 39 ACC-3122 3 x 10"

### Fuel Cell Tip-Over Valve

Fuel cell vent prevents fuel spill if tipped upside-down.

JAZ-834-006 AN6 JAZ-834-008 AN8



### **Pro Mod Fuel Cell**

This new **8 gallon** Pro Mod Fuel Cell measures 14"x17" and is 10-1/4" tall at the rear. Its unique shape is well suited to front mount applications. It also features an aircraft style cap assembly and is **certified**.

### *This fuel cell comes standard with:* -Two AN-12 Fast Flow outlet Fittings -One AN-8 Tip-Over Valve Vent

-One AN-8 Tip-Over Valve Vent -Two AN-8 Return lines with an anti-aeration tube attached.

W/ Cap & Fittings ....... \$398 W/ Cap Only (non-sfi) ... \$199

Funny Car/ Altered Cell

Specially designed with one AN12 pickup (optional AN16). Has one AN6 on top for venting. Multiple fuel injection lines can be easily installed near the top of this cell.

JAZ-290-112-01 12 Gal \$196



Cells are designed for applications utilizing gas & alcohol fuel. The 1 gallon features an aircraft style cap, 1/4" petcock fitting for fuel pickup and vent.



JAZ-230-025-01 1 Quart JAZ-230-051-01 2 Quart JAZ-230-001-01 1 Gallon



\$ 48.99

63.99

\$

In Stock: 1-32 Gallons

all all a



Optional Cap







www.DragParts.com

Milodon is a name you can trust your oil needs to. Their quality products have been keeping race cars lubed for decades. A great value in Oil Systems.



### **Oil Pumps**

MIL-18750 SBC Cast Alum w/ 5/8" Pickup Hole	\$	56
MIL-18760 BBC Cast Alum w/ 3/4" Pickup Hole	\$	69
MIL-21815 BB Mopar/Hemi Wet Sump 19gpm AN12	r	211
MIL-21225 BB Mopar/Hemi Oil Pump Cover Remote mount	\$	214
MIL-21503 BB Mopar/Hemi Oil Pump Drive w/ Steel Gear		<i>123</i>
MIL-21523 BB Mopar /Hemi Oil Pump Drive w/ Bronze Gear	\$	<i>133</i>

### **Oil Pans**

Lightweight Steel, Semi-Circular Windage Tray, Trap Doors, Fits Large Stroke Engines

1	/	0	0	
MIL-31170 SBC 79	and Earlier	Race 7qt Plu	ıs Filter	\$ <i>487</i>
MIL-31176 BBC Ma	ark IV Race	Full Kick O	ut 8qt Plus Filter	\$ <b>489</b>
MIL-31151 Chrysler	BB/Hemi I	Race 7qt Plus	s Filter	\$ <i>415</i>
MIL-31482 Ford 35	IC Race 8qt	t Plus Filter .		\$ <i>473</i>
MIL-31488 Ford 429	9-460 Race	9qt Plus Filt	er	\$ <i>547</i>

### Pick Ups

<b>MIL-18315</b> SBC 5/8 Pickup for 31170 Oil Pan	\$ <b>46</b>
MIL-18202 BBC 3/4 Pickup for 31176 Oil Pan	\$ <b>59</b>
MIL-21330 Chrys BB/Hemi Pickup AN12 for 31151 Oil Pan	\$ <i>129</i>
MIL-18570 Ford 351C Pickup for 31482 Oil Pan	\$ <b>83</b>
MIL-18577 Ford 429-460 Pickup for 31488 Oil Pan	\$ <b>83</b>

### Dan Olson = For Those That Demand and Require High Quality, Aluminum Oil Pans.



O-1240 BBC Aluminum Tapered w/ Pickup ... \$

§ 782

3/8" Billet Rail w/ O-ring, Baffled Windage Tray, Front & Rear Skid Plates.

 O-1210
 Wet Sump TFX w/ Pickup .......
 \$ 719

 O-1212
 Wet Sump BAE & KB w/ Pickup \$ 719

HEMI Single AN16 Pickup (AN20 Fitting Available)





# Oil Systems

# **800/576-7661**

Oil Pumps and Filters for Severe Race Applications, especially Blown Alcohol & Top Fuel

### **Chevy Oil Pumps**

Cast Housing Adjustable Pressure 75-125psi Bypass Oil Anti-aeration Use Stock Chevy Pickup Finest Cast Pump onthe Market

**SYS-234-900775-2** SB Chevy **SYS-234-900773-2** BB Chevy **\$198** 

Spin On





b

### HEMI Oil Pumps

Billet 7075-T6 Alum Construction Low Weight & High Strength Adjustable Oil Pressure 80-250psi Bypass Oil Anti-Aeration 1.8 Gear 30 GPM!



61

SYS-235-900780-2 Wet Sump HEMI ...... \$ 946 SYS-235-900778-2 Dry Sump w/ Scavenge \$1849 Used by 8 out of 10 Professionals!

### **Professional Oil Filters**

Spin-On aluminum filter features a re-usable Stainless Steel element. Very easy to inspect oil.

a.	<b>SYS-209-312361</b> Oil Filter 4.25"	<b>\$ 1</b>	56
a.	<b>SYS-211-510571</b> Oil Filter 6.37"	<b>\$ 1</b>	<b>89</b>
b.	Replacement SS Element 6.375"	\$	<b>64</b>
c.	SYS-201-203700 Inline Oil Fillter	<i>\$1</i>	25
d.	SYS-221-90004 Remote Mount	<i>\$1</i>	<b>54</b>
e.	SYS-220-90006 Remote 1.50"	<i>\$1</i>	<b>79</b>
f.	SYS-222-90007 Side Remote	<i>\$1</i>	<i>63</i>
g.	SYS-228-90556 Block Adapter	<i>\$1</i>	<b>79</b>
h.	SYS-804-75 Diesel Oil Filter	<b>\$ 4</b>	99
		¢	0.5

- i. **SYS-219-0950** Strap Wrench **\$** 25
- j. O-Rings Regular *\$ 12* Viton *\$16*



Remote Mounts









Over 90% of Nostalgia Funny Cars & Dragsters run System 1 Filters.







### www.DragParts.com

# **Check Your Filter Without Opening it!**

Simply look through the glass window for any foreign debris. No need to open filter. HUGE Time Saver!



### **Clearview Oil Filters**

- \* 6061-T6 Billet Aluminum
- \* Clear Anodized for Durability
- \* Heat Resistant Sight Window
- \* Stainless-Steel Cleanable Filter
- \* Patented. \* 4 or 6" Diameter



62



### **Components & Mounting Brackets**



### **Stainless-Steel Filters**

O-3014-60 Micron 4" \$ 33 O-3014-115 Micron 4" \$ 33 O-3016-60 Micron 6" \$ 37 O-3016-115 Micron 6" \$ 37




### Viton O-Rings O-3004 4" Viton O-3006 6" Viton \$ 10

Sight Glass 4" \$19 6" \$24



### **BILLET Bracket Assemblies Include Mounting Hardware!**



### **BILLET Block Adapters**

Block Adapters are machined from 6061-T6 billet aluminum and will adapt where the stock disposable filters normally mount. Designed for high-flow without restrictions and are threaded for female AN12 O-ring



O-3070 Chevy O-3072 Ford & Dodge O-3074 Pontiac & Olds

*\$ 121.99* 

- a **O-3020** 4" Mounting Bracket Flat Surface \$13
- b **O-3022** 4" Mounting Bracket Angle Surface *\$ 19*
- c **O-3024** 4" Bellhousing Mounting Chevy \$24
- d **O-3030** 6" Mounting Bracket 2" C-C \$24 The following mounts to O-3030 Bracket...
- e **O-3032** 6" Oberg Pattern Bracket. 2.375 C-C **\$ 10**
- e **O-3034** 6" CEBE Bracket. 2.600 C-C **\$ 10**
- f **O-3031** 6" Petterson Pattern Bracket. 3-Bolt. \$17







# **800/576-766**

**Cool Apparel** 



The Good Vibrations Motorsports March Meet is a historic race held annually at the famous Auto Club Famoso Raceway in Bakersfield, Calfiornia. It draws racers and fans from around the world especially Australia, United Kingdom, Europe and Canada. A Bucket-List event!

### Here's an Exclusive!

Good Vibrations Motorsports MARCH MEET Shirt

Silkscreened 11 Colors! 100% Pre-shrunk USA Cotton Sizes: Small-3XL



**63** 



# Limited Edition Tee Shirts !!

Good Vibrations (Rear) Enderle (Front) Silkscreened 6 Colors 100% Pre-shrunk USA Cotton Small-3XL

**\$12** 

### Hats w/ Class

Go out in style with a Good Vibrations Silkscreened Trucker or High Quality Embroidered Flatbill.



Silkcreened *Trucker Style* GV-P1004 *\$11.99* 

Embroidered *Flat-Bill* GV-P1007 s-m GV-P1008 l-xl \$19,99 Heavy Duty Shop Aprons

NDERL

2 Large Pockets Embroidered Loop Neck Tie Back \$19

**Our Mission:** 

At Dragparts.com, we strive to provide high quality performance products at discount prices without sacrificing customer service. **Good Vibrations** 8858 Painter Ave, Suite E

Whittier, CA 90602

# New Racing Products Free Technical Advice Used Racing Products Online How-To-Videos



From mild street rods to blown alky racing, we speak your language!



